

表 2804 Body Mass Index 透析前ヘモグロビン濃度(g/dL)別 (施設血液透析患者 透析回数週3回)

透析前ヘモグロビン 濃度	14未満	14～	16～	18～	20～	22～	24～	26～	28～	30～	合計	記載なし	総計	平均	標準偏差
5未満	1	7	24	60	70	36	20	11	3	4	236	25	261	21.08	3.35
(%)	(0.4)	(3.0)	(10.2)	(25.4)	(29.7)	(15.3)	(8.5)	(4.7)	(1.3)	(1.7)	(100.0)				
5～	4	9	45	78	69	64	19	14	7	8	317	45	362	20.97	3.50
(%)	(1.3)	(2.8)	(14.2)	(24.6)	(21.8)	(20.2)	(6.0)	(4.4)	(2.2)	(2.5)	(100.0)				
6～	14	53	128	166	196	119	65	43	21	18	823	119	942	20.85	3.79
(%)	(1.7)	(6.4)	(15.6)	(20.2)	(23.8)	(14.5)	(7.9)	(5.2)	(2.6)	(2.2)	(100.0)				
7～	51	196	494	776	687	469	234	142	68	52	3,169	409	3,578	20.60	3.60
(%)	(1.6)	(6.2)	(15.6)	(24.5)	(21.7)	(14.8)	(7.4)	(4.5)	(2.1)	(1.6)	(100.0)				
8～	111	571	1,667	2,396	2,303	1,641	955	496	225	220	10,585	1,141	11,726	20.85	3.65
(%)	(1.0)	(5.4)	(15.7)	(22.6)	(21.8)	(15.5)	(9.0)	(4.7)	(2.1)	(2.1)	(100.0)				
9～	263	1,534	4,580	7,580	7,698	5,868	3,277	1,679	861	698	34,038	3,000	37,038	21.14	3.61
(%)	(0.8)	(4.5)	(13.5)	(22.3)	(22.6)	(17.2)	(9.6)	(4.9)	(2.5)	(2.1)	(100.0)				
10～	380	2,418	7,998	14,657	16,560	12,636	7,431	3,882	2,033	1,793	69,788	5,429	75,217	21.51	3.63
(%)	(0.5)	(3.5)	(11.5)	(21.0)	(23.7)	(18.1)	(10.6)	(5.6)	(2.9)	(2.6)	(100.0)				
11～	297	1,823	6,222	11,533	13,365	10,538	6,475	3,424	1,765	1,513	56,955	4,524	61,479	21.64	3.64
(%)	(0.5)	(3.2)	(10.9)	(20.2)	(23.5)	(18.5)	(11.4)	(6.0)	(3.1)	(2.7)	(100.0)				
12～	123	690	2,274	4,056	4,673	3,741	2,316	1,375	687	552	20,487	1,883	22,370	21.69	3.71
(%)	(0.6)	(3.4)	(11.1)	(19.8)	(22.8)	(18.3)	(11.3)	(6.7)	(3.4)	(2.7)	(100.0)				
13～	29	158	519	950	1,090	941	637	340	174	158	4,996	541	5,537	21.87	3.77
(%)	(0.6)	(3.2)	(10.4)	(19.0)	(21.8)	(18.8)	(12.8)	(6.8)	(3.5)	(3.2)	(100.0)				
14～	10	52	162	283	378	328	217	156	73	88	1,747	186	1,933	22.40	4.00
(%)	(0.6)	(3.0)	(9.3)	(16.2)	(21.6)	(18.8)	(12.4)	(8.9)	(4.2)	(5.0)	(100.0)				
合計	1,283	7,511	24,113	42,535	47,089	36,381	21,646	11,562	5,917	5,104	203,141	17,302	220,443	21.47	3.66
(%)	(0.6)	(3.7)	(11.9)	(20.9)	(23.2)	(17.9)	(10.7)	(5.7)	(2.9)	(2.5)	(100.0)				
記載なし	28	95	367	621	591	429	267	126	74	60	2,658	5,870	8,528	21.14	3.65
(%)	(1.1)	(3.6)	(13.8)	(23.4)	(22.2)	(16.1)	(10.0)	(4.7)	(2.8)	(2.3)	(100.0)				
総計	1,311	7,606	24,480	43,156	47,680	36,810	21,913	11,688	5,991	5,164	205,799	23,172	228,971	21.46	3.66
(%)	(0.6)	(3.7)	(11.9)	(21.0)	(23.2)	(17.9)	(10.6)	(5.7)	(2.9)	(2.5)	(100.0)				
平均	10.43	10.49	10.56	10.63	10.70	10.74	10.80	10.84	10.84	10.84	10.69	10.64	10.69		
標準偏差	1.45	1.33	1.30	1.27	1.25	1.24	1.24	1.27	1.24	1.28	1.27	1.40	1.28		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査