

表 2806 Body Mass Index HDL-C濃度(mg/dL)別(施設血液透析患者 透析回数週3回)

HDL-C濃度	14未満	14～	16～	18～	20～	22～	24～	26～	28～	30～	合計	記載なし	総計	平均	標準偏差
20未満	7	42	76	110	118	91	70	37	21	25	597	74	671	21.53	4.25
(%)	(1.2)	(7.0)	(12.7)	(18.4)	(19.8)	(15.2)	(11.7)	(6.2)	(3.5)	(4.2)	(100.0)				
20～	51	263	787	1,504	2,123	2,377	1,813	1,253	744	739	11,654	1,192	12,846	23.18	4.08
(%)	(0.4)	(2.3)	(6.8)	(12.9)	(18.2)	(20.4)	(15.6)	(10.8)	(6.4)	(6.3)	(100.0)				
30～	129	797	2,671	5,314	7,296	7,055	4,872	2,880	1,554	1,411	33,979	2,909	36,888	22.52	3.81
(%)	(0.4)	(2.3)	(7.9)	(15.6)	(21.5)	(20.8)	(14.3)	(8.5)	(4.6)	(4.2)	(100.0)				
40～	202	1,192	4,040	7,647	9,195	7,211	4,297	2,127	1,096	857	37,864	2,865	40,729	21.59	3.54
(%)	(0.5)	(3.1)	(10.7)	(20.2)	(24.3)	(19.0)	(11.3)	(5.6)	(2.9)	(2.3)	(100.0)				
50～	181	1,084	3,567	6,438	6,813	4,676	2,446	1,088	497	383	27,173	1,907	29,080	20.94	3.32
(%)	(0.7)	(4.0)	(13.1)	(23.7)	(25.1)	(17.2)	(9.0)	(4.0)	(1.8)	(1.4)	(100.0)				
60～	102	682	2,439	4,163	3,969	2,416	1,187	462	208	175	15,803	989	16,792	20.55	3.17
(%)	(0.6)	(4.3)	(15.4)	(26.3)	(25.1)	(15.3)	(7.5)	(2.9)	(1.3)	(1.1)	(100.0)				
70～	64	426	1,403	2,160	1,873	1,037	435	175	83	57	7,713	488	8,201	20.11	3.05
(%)	(0.8)	(5.5)	(18.2)	(28.0)	(24.3)	(13.4)	(5.6)	(2.3)	(1.1)	(0.7)	(100.0)				
80～	42	221	674	1,013	852	452	211	99	29	31	3,624	210	3,834	20.02	3.11
(%)	(1.2)	(6.1)	(18.6)	(28.0)	(23.5)	(12.5)	(5.8)	(2.7)	(0.8)	(0.9)	(100.0)				
90～	17	126	304	448	372	219	82	33	23	11	1,635	98	1,733	19.94	3.19
(%)	(1.0)	(7.7)	(18.6)	(27.4)	(22.8)	(13.4)	(5.0)	(2.0)	(1.4)	(0.7)	(100.0)				
100～	18	89	242	379	323	175	82	33	22	15	1,378	80	1,458	20.11	3.24
(%)	(1.3)	(6.5)	(17.6)	(27.5)	(23.4)	(12.7)	(6.0)	(2.4)	(1.6)	(1.1)	(100.0)				
合計	813	4,922	16,203	29,176	32,934	25,709	15,495	8,187	4,277	3,704	141,420	10,812	152,232	21.55	3.66
(%)	(0.6)	(3.5)	(11.5)	(20.6)	(23.3)	(18.2)	(11.0)	(5.8)	(3.0)	(2.6)	(100.0)				
記載なし	498	2,684	8,277	13,980	14,746	11,101	6,418	3,501	1,714	1,460	64,379	12,360	76,739	21.27	3.65
(%)	(0.8)	(4.2)	(12.9)	(21.7)	(22.9)	(17.2)	(10.0)	(5.4)	(2.7)	(2.3)	(100.0)				
総計	1,311	7,606	24,480	43,156	47,680	36,810	21,913	11,688	5,991	5,164	205,799	23,172	228,971	21.46	3.66
(%)	(0.6)	(3.7)	(11.9)	(21.0)	(23.2)	(17.9)	(10.6)	(5.7)	(2.9)	(2.5)	(100.0)				
平均	53.02	53.43	53.18	51.90	49.38	46.33	44.05	41.88	40.97	39.68	48.41	46.15	48.25		
標準偏差	19.26	18.51	17.51	17.05	16.22	15.47	14.69	13.78	14.21	13.41	16.58	15.95	16.54		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査