

表 2830 Body Mass Index %クレアチニン産生速度(%)別 (血液透析濾過患者 透析回数週3回 透析歴2年以上)

%クレアチニン 産生速度	14未満	14～	16～	18～	20～	22～	24～	26～	28～	30～	合計	記載なし	総計	平均	標準偏差
60未満	36	144	279	345	274	178	115	42	31	38	1,482	152	1,634	20.16	3.90
(%)	(2.4)	(9.7)	(18.8)	(23.3)	(18.5)	(12.0)	(7.8)	(2.8)	(2.1)	(2.6)	(100.0)				
60～	21	70	219	304	262	192	106	63	40	31	1,308	96	1,404	20.81	3.84
(%)	(1.6)	(5.4)	(16.7)	(23.2)	(20.0)	(14.7)	(8.1)	(4.8)	(3.1)	(2.4)	(100.0)				
70～	22	105	338	529	481	355	225	105	64	78	2,302	176	2,478	21.17	3.88
(%)	(1.0)	(4.6)	(14.7)	(23.0)	(20.9)	(15.4)	(9.8)	(4.6)	(2.8)	(3.4)	(100.0)				
80～	14	159	472	806	840	611	341	173	105	101	3,622	246	3,868	21.26	3.65
(%)	(0.4)	(4.4)	(13.0)	(22.3)	(23.2)	(16.9)	(9.4)	(4.8)	(2.9)	(2.8)	(100.0)				
90～	9	117	609	1,075	1,078	830	509	277	155	126	4,785	315	5,100	21.55	3.62
(%)	(0.2)	(2.4)	(12.7)	(22.5)	(22.5)	(17.3)	(10.6)	(5.8)	(3.2)	(2.6)	(100.0)				
100～	7	142	593	1,270	1,265	963	616	334	179	137	5,506	328	5,834	21.64	3.54
(%)	(0.1)	(2.6)	(10.8)	(23.1)	(23.0)	(17.5)	(11.2)	(6.1)	(3.3)	(2.5)	(100.0)				
110～	4	89	496	1,069	1,243	982	588	303	178	130	5,082	317	5,399	21.83	3.47
(%)	(0.1)	(1.8)	(9.8)	(21.0)	(24.5)	(19.3)	(11.6)	(6.0)	(3.5)	(2.6)	(100.0)				
120～	5	57	310	717	944	719	462	256	103	81	3,654	189	3,843	21.95	3.39
(%)	(0.1)	(1.6)	(8.5)	(19.6)	(25.8)	(19.7)	(12.6)	(7.0)	(2.8)	(2.2)	(100.0)				
130～	1	19	141	335	472	440	292	140	73	51	1,964	128	2,092	22.33	3.35
(%)	(0.1)	(1.0)	(7.2)	(17.1)	(24.0)	(22.4)	(14.9)	(7.1)	(3.7)	(2.6)	(100.0)				
140～	1	9	61	169	322	288	190	104	52	39	1,235	73	1,308	22.72	3.31
(%)	(0.1)	(0.7)	(4.9)	(13.7)	(26.1)	(23.3)	(15.4)	(8.4)	(4.2)	(3.2)	(100.0)				
合計	120	911	3,518	6,619	7,181	5,558	3,444	1,797	980	812	30,940	2,020	32,960	21.60	3.61
(%)	(0.4)	(2.9)	(11.4)	(21.4)	(23.2)	(18.0)	(11.1)	(5.8)	(3.2)	(2.6)	(100.0)				
記載なし	18	53	141	230	251	204	118	58	18	24	1,115	896	2,011	21.08	3.76
(%)	(1.6)	(4.8)	(12.6)	(20.6)	(22.5)	(18.3)	(10.6)	(5.2)	(1.6)	(2.2)	(100.0)				
総計	138	964	3,659	6,849	7,432	5,762	3,562	1,855	998	836	32,055	2,916	34,971	21.58	3.62
(%)	(0.4)	(3.0)	(11.4)	(21.4)	(23.2)	(18.0)	(11.1)	(5.8)	(3.1)	(2.6)	(100.0)				
平均	73.81	87.53	95.64	100.17	103.77	105.28	105.85	106.54	104.36	101.76	102.11	99.05	101.92		
標準偏差	32.75	26.32	24.08	22.79	23.04	22.90	23.95	22.38	23.34	23.48	23.74	25.66	23.87		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査