

表 2831 Body Mass Index %クレアチニン産生速度(%)別 (血液透析濾過患者 男性のみ 透析回数週3回 透析歴2年以上)

%クレアチニン 産生速度	14未満	14～	16～	18～	20～	22～	24～	26～	28～	30～	合計	記載なし	総計	平均	標準偏差
60未満	13	67	148	219	194	121	82	26	23	23	916	86	1,002	20.58	3.78
(%)	(1.4)	(7.3)	(16.2)	(23.9)	(21.2)	(13.2)	(9.0)	(2.8)	(2.5)	(2.5)	(100.0)				
60～	5	30	123	193	191	136	62	42	30	16	828	58	886	21.09	3.63
(%)	(0.6)	(3.6)	(14.9)	(23.3)	(23.1)	(16.4)	(7.5)	(5.1)	(3.6)	(1.9)	(100.0)				
70～	4	42	183	318	320	249	164	70	47	54	1,451	120	1,571	21.61	3.78
(%)	(0.3)	(2.9)	(12.6)	(21.9)	(22.1)	(17.2)	(11.3)	(4.8)	(3.2)	(3.7)	(100.0)				
80～	4	55	273	509	600	436	242	133	67	66	2,385	144	2,529	21.58	3.50
(%)	(0.2)	(2.3)	(11.4)	(21.3)	(25.2)	(18.3)	(10.1)	(5.6)	(2.8)	(2.8)	(100.0)				
90～	2	37	280	647	742	579	362	192	104	73	3,018	190	3,208	21.92	3.45
(%)	(0.1)	(1.2)	(9.3)	(21.4)	(24.6)	(19.2)	(12.0)	(6.4)	(3.4)	(2.4)	(100.0)				
100～	1	38	249	721	831	661	431	234	120	98	3,384	208	3,592	22.13	3.43
(%)	(0.0)	(1.1)	(7.4)	(21.3)	(24.6)	(19.5)	(12.7)	(6.9)	(3.5)	(2.9)	(100.0)				
110～	1	17	182	584	795	738	412	218	125	85	3,157	195	3,352	22.36	3.30
(%)	(0.0)	(0.5)	(5.8)	(18.5)	(25.2)	(23.4)	(13.1)	(6.9)	(4.0)	(2.7)	(100.0)				
120～	3	14	99	368	592	498	329	173	68	57	2,201	120	2,321	22.49	3.24
(%)	(0.1)	(0.6)	(4.5)	(16.7)	(26.9)	(22.6)	(14.9)	(7.9)	(3.1)	(2.6)	(100.0)				
130～	1	3	36	142	286	304	214	109	51	40	1,186	77	1,263	23.08	3.18
(%)	(0.1)	(0.3)	(3.0)	(12.0)	(24.1)	(25.6)	(18.0)	(9.2)	(4.3)	(3.4)	(100.0)				
140～	1	2	13	84	202	214	133	77	40	25	791	49	840	23.22	3.10
(%)	(0.1)	(0.3)	(1.6)	(10.6)	(25.5)	(27.1)	(16.8)	(9.7)	(5.1)	(3.2)	(100.0)				
合計	35	305	1,586	3,785	4,753	3,936	2,431	1,274	675	537	19,317	1,247	20,564	22.05	3.47
(%)	(0.2)	(1.6)	(8.2)	(19.6)	(24.6)	(20.4)	(12.6)	(6.6)	(3.5)	(2.8)	(100.0)				
記載なし	5	19	74	123	159	123	81	41	9	15	649	563	1,212	21.51	3.59
(%)	(0.8)	(2.9)	(11.4)	(19.0)	(24.5)	(19.0)	(12.5)	(6.3)	(1.4)	(2.3)	(100.0)				
総計	40	324	1,660	3,908	4,912	4,059	2,512	1,315	684	552	19,966	1,810	21,776	22.04	3.48
(%)	(0.2)	(1.6)	(8.3)	(19.6)	(24.6)	(20.3)	(12.6)	(6.6)	(3.4)	(2.8)	(100.0)				
平均	77.08	80.60	91.16	98.41	102.72	105.46	105.94	107.02	104.42	102.81	101.84	99.37	101.69		
標準偏差	49.19	25.63	23.27	22.50	23.22	22.97	23.91	22.31	23.93	23.33	23.77	25.12	23.86		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査