

表 2875 透析前BUN(mg/dL) 透析前クレアチニン濃度(mg/dL)別（施設血液透析患者 透析回数週3回 透析歴2年以上）

透析前クレアチニン濃度	20未満	20～	30～	40～	50～	60～	70～	80～	90～	100～	110～	120～	合計	記載なし	総計	平均	標準偏差
2未満	8	19	24	14	5	3	3						76		76	35.80	14.06
(%)	(10.5)	(25.0)	(31.6)	(18.4)	(6.6)	(3.9)	(3.9)						(100.0)				
2～	83	222	425	424	242	133	72	29	19	2	2	3	1,656		1,656	43.85	17.83
(%)	(5.0)	(13.4)	(25.7)	(25.6)	(14.6)	(8.0)	(4.3)	(1.8)	(1.1)	(0.1)	(0.1)	(0.2)	(100.0)				
4～	188	663	1,555	2,067	1,617	952	436	196	80	22	10	6	7,792	3	7,795	48.14	16.26
(%)	(2.4)	(8.5)	(20.0)	(26.5)	(20.8)	(12.2)	(5.6)	(2.5)	(1.0)	(0.3)	(0.1)	(0.1)	(100.0)				
6～	104	894	3,265	6,083	6,492	4,209	1,894	684	261	65	16	22	23,989	17	24,006	52.82	14.78
(%)	(0.4)	(3.7)	(13.6)	(25.4)	(27.1)	(17.5)	(7.9)	(2.9)	(1.1)	(0.3)	(0.1)	(0.1)	(100.0)				
8～	45	481	3,193	8,908	13,144	10,942	6,031	2,361	738	179	47	29	46,098	17	46,115	58.31	14.16
(%)	(0.1)	(1.0)	(6.9)	(19.3)	(28.5)	(23.7)	(13.1)	(5.1)	(1.6)	(0.4)	(0.1)	(0.1)	(100.0)				
10～	24	163	1,423	6,183	12,320	13,561	8,737	3,842	1,308	316	104	38	48,019	15	48,034	62.94	13.94
(%)	(0.0)	(0.3)	(3.0)	(12.9)	(25.7)	(28.2)	(18.2)	(8.0)	(2.7)	(0.7)	(0.2)	(0.1)	(100.0)				
12～	17	30	395	2,427	6,442	8,570	6,775	3,420	1,203	343	84	38	29,744	10	29,754	66.72	13.86
(%)	(0.1)	(0.1)	(1.3)	(8.2)	(21.7)	(28.8)	(22.8)	(11.5)	(4.0)	(1.2)	(0.3)	(0.1)	(100.0)				
14～	5	3	58	570	1,933	3,317	3,156	1,841	786	250	77	38	12,034	2	12,036	70.77	14.23
(%)	(0.0)	(0.0)	(0.5)	(4.7)	(16.1)	(27.6)	(26.2)	(15.3)	(6.5)	(2.1)	(0.6)	(0.3)	(100.0)				
16～	4	2	14	106	419	910	1,179	815	399	168	53	30	4,099	1	4,100	75.31	15.34
(%)	(0.1)	(0.0)	(0.3)	(2.6)	(10.2)	(22.2)	(28.8)	(19.9)	(9.7)	(4.1)	(1.3)	(0.7)	(100.0)				
合計	478	2,477	10,352	26,782	42,614	42,597	28,283	13,188	4,794	1,345	393	204	173,507	65	173,572	60.94	15.64
(%)	(0.3)	(1.4)	(6.0)	(15.4)	(24.6)	(24.6)	(16.3)	(7.6)	(2.8)	(0.8)	(0.2)	(0.1)	(100.0)				
記載なし	1	3	6	29	45	46	39	24	9	3	1		206	4,431	4,637	64.28	16.69
(%)	(0.5)	(1.5)	(2.9)	(14.1)	(21.8)	(22.3)	(18.9)	(11.7)	(4.4)	(1.5)	(0.5)		(100.0)				
総計	479	2,480	10,358	26,811	42,659	42,643	28,322	13,212	4,803	1,348	394	204	173,713	4,496	178,209	60.94	15.64
(%)	(0.3)	(1.4)	(6.0)	(15.4)	(24.6)	(24.5)	(16.3)	(7.6)	(2.8)	(0.8)	(0.2)	(0.1)	(100.0)				
平均	6.12	6.76	7.95	9.08	10.00	10.73	11.34	11.76	11.99	12.52	12.52	12.13	10.29	9.79	10.29		
標準偏差	2.86	2.21	2.36	2.48	2.47	2.51	2.61	2.74	2.87	3.22	3.32	3.82	2.79	3.34	2.79		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査