

表 2877 透析前BUN(mg/dL) equilibrated Kt/V(eKt/V)別(施設血液透析患者 透析回数週3回 透析歴2年以上)

equilibrated Kt/V (eKt/V)	20未満	20～	30～	40～	50～	60～	70～	80～	90～	100～	110～	120～	合計	記載なし	総計	平均	標準偏差
0.4未満	6	14	22	15	28	17	16	9	4	2	1		134		134	53.22	21.68
(%)	(4.5)	(10.4)	(16.4)	(11.2)	(20.9)	(12.7)	(11.9)	(6.7)	(3.0)	(1.5)	(0.7)		(100.0)				
0.4～	7	22	44	68	72	59	46	22	15	5	2	4	366		366	57.17	21.09
(%)	(1.9)	(6.0)	(12.0)	(18.6)	(19.7)	(16.1)	(12.6)	(6.0)	(4.1)	(1.4)	(0.5)	(1.1)	(100.0)				
0.6～	22	91	297	498	613	570	374	204	100	45	14	10	2,838		2,838	58.92	18.50
(%)	(0.8)	(3.2)	(10.5)	(17.5)	(21.6)	(20.1)	(13.2)	(7.2)	(3.5)	(1.6)	(0.5)	(0.4)	(100.0)				
0.8～	82	313	1,040	2,379	3,542	3,490	2,335	1,157	481	140	43	38	15,040		15,040	60.55	16.83
(%)	(0.5)	(2.1)	(6.9)	(15.8)	(23.6)	(23.2)	(15.5)	(7.7)	(3.2)	(0.9)	(0.3)	(0.3)	(100.0)				
1.0～	99	557	2,423	6,413	10,302	10,347	7,260	3,353	1,140	361	96	44	42,395		42,395	61.31	15.52
(%)	(0.2)	(1.3)	(5.7)	(15.1)	(24.3)	(24.4)	(17.1)	(7.9)	(0.9)	(0.2)	(0.1)	(0.1)	(100.0)				
1.2～	91	597	2,843	7,902	12,944	13,149	8,473	3,877	1,388	369	105	30	51,768		51,768	61.11	15.12
(%)	(0.2)	(1.2)	(5.5)	(15.3)	(25.0)	(25.4)	(16.4)	(7.5)	(2.7)	(0.7)	(0.2)	(0.1)	(100.0)				
1.4～	55	333	1,755	4,839	7,945	7,821	5,097	2,351	842	194	61	30	31,323		31,323	61.01	15.13
(%)	(0.2)	(1.1)	(5.6)	(15.4)	(25.4)	(25.0)	(16.3)	(7.5)	(2.7)	(0.6)	(0.2)	(0.1)	(100.0)				
1.6～	15	163	741	2,089	3,279	3,262	2,143	1,012	351	88	37	17	13,197		13,197	61.08	15.31
(%)	(0.1)	(1.2)	(5.6)	(15.8)	(24.8)	(24.7)	(16.2)	(7.7)	(2.7)	(0.7)	(0.3)	(0.1)	(100.0)				
1.8～	8	58	271	653	1,102	1,057	724	332	121	32	10	9	4,377		4,377	61.09	15.62
(%)	(0.2)	(1.3)	(6.2)	(14.9)	(25.2)	(24.1)	(16.5)	(7.6)	(2.8)	(0.7)	(0.2)	(0.2)	(100.0)				
2.0～	6	38	131	393	615	619	398	185	68	27	3	5	2,488		2,488	61.09	15.93
(%)	(0.2)	(1.5)	(5.3)	(15.8)	(24.7)	(24.9)	(16.0)	(7.4)	(2.7)	(1.1)	(0.1)	(0.2)	(100.0)				
合計	391	2,186	9,567	25,249	40,442	40,391	26,866	12,502	4,510	1,263	372	187	163,926		163,926	61.04	15.52
(%)	(0.2)	(1.3)	(5.8)	(15.4)	(24.7)	(24.6)	(16.4)	(7.6)	(2.8)	(0.8)	(0.2)	(0.1)	(100.0)				
記載なし	88	294	791	1,562	2,217	2,252	1,456	710	293	85	22	17	9,787	4,496	14,283	59.37	17.40
(%)	(0.9)	(3.0)	(8.1)	(16.0)	(22.7)	(23.0)	(14.9)	(7.3)	(3.0)	(0.9)	(0.2)	(0.2)	(100.0)				
総計	479	2,480	10,358	26,811	42,659	42,643	28,322	13,212	4,803	1,348	394	204	173,713	4,496	178,209	60.94	15.64
(%)	(0.3)	(1.4)	(6.0)	(15.4)	(24.6)	(24.5)	(16.3)	(7.6)	(2.8)	(0.8)	(0.2)	(0.1)	(100.0)				
平均	1.17	1.24	1.27	1.29	1.30	1.30	1.30	1.29	1.28	1.26	1.26	1.24	1.29		1.29		
標準偏差	0.32	0.32	0.29	0.27	0.27	0.27	0.27	0.27	0.28	0.29	0.29	0.37	0.27		0.27		

数値下のカッコ内は行方向の合計に対する％です。

(C)Japanese Society for Dialysis Therapy

2014年調査