

表 2879 透析前BUN(mg/dL) %クレアチニン産生速度(%)別(施設血液透析患者 透析回数週3回 透析歴2年以上)

%クレアチニン 産生速度	20未満	20～	30～	40～	50～	60～	70～	80～	90～	100～	110～	120～	合計	記載なし	総計	平均	標準偏差
60未満	209	731	1,912	2,976	2,817	1,951	1,092	481	243	80	26	32	12,550		12,550	52.56	17.61
(%)	(1.7)	(5.8)	(15.2)	(23.7)	(22.4)	(15.5)	(8.7)	(3.8)	(1.9)	(0.6)	(0.2)	(0.3)	(100.0)				
60～	53	318	1,071	2,010	2,296	1,776	966	408	158	43	22	4	9,125		9,125	55.19	15.97
(%)	(0.6)	(3.5)	(11.7)	(22.0)	(25.2)	(19.5)	(10.6)	(4.5)	(1.7)	(0.5)	(0.2)	(0.0)	(100.0)				
70～	44	328	1,319	2,820	3,736	2,939	1,698	708	262	68	18	14	13,954		13,954	56.97	15.45
(%)	(0.3)	(2.4)	(9.5)	(20.2)	(26.8)	(21.1)	(12.2)	(5.1)	(1.9)	(0.5)	(0.1)	(0.1)	(100.0)				
80～	23	293	1,465	3,640	5,219	4,591	2,654	1,172	443	124	44	15	19,683		19,683	58.90	15.21
(%)	(0.1)	(1.5)	(7.4)	(18.5)	(26.5)	(23.3)	(13.5)	(6.0)	(2.3)	(0.6)	(0.2)	(0.1)	(100.0)				
90～	17	251	1,435	4,072	6,438	6,317	3,766	1,739	599	160	44	20	24,858		24,858	60.49	14.81
(%)	(0.1)	(1.0)	(5.8)	(16.4)	(25.9)	(25.4)	(15.2)	(7.0)	(2.4)	(0.6)	(0.2)	(0.1)	(100.0)				
100～	16	126	1,100	3,734	6,749	6,992	4,652	2,158	763	212	59	34	26,595		26,595	62.44	14.66
(%)	(0.1)	(0.5)	(4.1)	(14.0)	(25.4)	(26.3)	(17.5)	(8.1)	(2.9)	(0.8)	(0.2)	(0.1)	(100.0)				
110～	14	91	708	2,843	5,801	6,438	4,706	2,195	764	206	61	27	23,854		23,854	63.92	14.44
(%)	(0.1)	(0.4)	(3.0)	(11.9)	(24.3)	(27.0)	(19.7)	(9.2)	(3.2)	(0.9)	(0.3)	(0.1)	(100.0)				
120～	7	32	342	1,808	3,929	4,953	3,678	1,790	584	157	43	15	17,338		17,338	65.20	13.96
(%)	(0.0)	(0.2)	(2.0)	(10.4)	(22.7)	(28.6)	(21.2)	(10.3)	(3.4)	(0.9)	(0.2)	(0.1)	(100.0)				
130～	4	10	144	828	2,150	2,633	2,190	1,085	405	121	26	12	9,608		9,608	66.58	14.11
(%)	(0.0)	(0.1)	(1.5)	(8.6)	(22.4)	(27.4)	(22.8)	(11.3)	(4.2)	(1.3)	(0.3)	(0.1)	(100.0)				
140～	4	9	78	525	1,334	1,837	1,476	764	290	90	29	13	6,449		6,449	67.23	14.41
(%)	(0.1)	(0.1)	(1.2)	(8.1)	(20.7)	(28.5)	(22.9)	(11.8)	(4.5)	(1.4)	(0.4)	(0.2)	(100.0)				
合計	391	2,189	9,574	25,256	40,469	40,427	26,878	12,500	4,511	1,261	372	186	164,014		164,014	61.03	15.52
(%)	(0.2)	(1.3)	(5.8)	(15.4)	(24.7)	(24.6)	(16.4)	(7.6)	(2.8)	(0.8)	(0.2)	(0.1)	(100.0)				
記載なし	88	291	784	1,555	2,190	2,216	1,444	712	292	87	22	18	9,699	4,496	14,195	59.40	17.46
(%)	(0.9)	(3.0)	(8.1)	(16.0)	(22.6)	(22.8)	(14.9)	(7.3)	(3.0)	(0.9)	(0.2)	(0.2)	(100.0)				
総計	479	2,480	10,358	26,811	42,659	42,643	28,322	13,212	4,803	1,348	394	204	173,713	4,496	178,209	60.94	15.64
(%)	(0.3)	(1.4)	(6.0)	(15.4)	(24.6)	(24.5)	(16.3)	(7.6)	(2.8)	(0.8)	(0.2)	(0.1)	(100.0)				
平均	62.30	70.70	81.70	91.30	98.08	102.39	105.17	106.31	105.21	105.29	102.95	96.64	98.74		98.74		
標準偏差	28.05	26.14	26.24	26.10	24.86	24.15	23.99	24.11	26.05	27.17	30.07	33.78	25.96		25.96		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査