

表 2888 透析前BUN(mg/dL) HDL-C濃度(mg/dL)別（施設血液透析患者 透析回数週3回 透析歴2年以上）

| HDL-C濃度 | 20未満  | 20～   | 30～    | 40～    | 50～    | 60～    | 70～    | 80～    | 90～   | 100～  | 110～  | 120～  | 合計      | 記載なし  | 総計      | 平均    | 標準偏差  |
|---------|-------|-------|--------|--------|--------|--------|--------|--------|-------|-------|-------|-------|---------|-------|---------|-------|-------|
| 20未満    | 20    | 33    | 88     | 98     | 87     | 100    | 48     | 23     | 11    | 3     |       |       | 511     | 3     | 514     | 51.88 | 18.62 |
| (%)     | (3.9) | (6.5) | (17.2) | (19.2) | (17.0) | (19.6) | (9.4)  | (4.5)  | (2.2) | (0.6) |       |       | (100.0) |       |         |       |       |
| 20～     | 48    | 206   | 808    | 1,795  | 2,575  | 2,316  | 1,357  | 559    | 179   | 55    | 14    | 11    | 9,923   | 10    | 9,933   | 58.14 | 15.44 |
| (%)     | (0.5) | (2.1) | (8.1)  | (18.1) | (25.9) | (23.3) | (13.7) | (5.6)  | (1.8) | (0.6) | (0.1) | (0.1) | (100.0) |       |         |       |       |
| 30～     | 72    | 451   | 1,919  | 4,858  | 7,354  | 6,941  | 4,192  | 1,803  | 599   | 193   | 43    | 21    | 28,446  | 32    | 28,478  | 59.48 | 15.14 |
| (%)     | (0.3) | (1.6) | (6.7)  | (17.1) | (25.9) | (24.4) | (14.7) | (6.3)  | (2.1) | (0.7) | (0.2) | (0.1) | (100.0) |       |         |       |       |
| 40～     | 61    | 395   | 1,850  | 4,980  | 8,159  | 7,861  | 5,136  | 2,208  | 815   | 207   | 46    | 28    | 31,746  | 32    | 31,778  | 60.63 | 15.15 |
| (%)     | (0.2) | (1.2) | (5.8)  | (15.7) | (25.7) | (24.8) | (16.2) | (7.0)  | (2.6) | (0.7) | (0.1) | (0.1) | (100.0) |       |         |       |       |
| 50～     | 34    | 218   | 1,186  | 3,427  | 5,535  | 5,756  | 3,943  | 1,836  | 664   | 187   | 61    | 27    | 22,874  | 31    | 22,905  | 61.82 | 15.33 |
| (%)     | (0.1) | (1.0) | (5.2)  | (15.0) | (24.2) | (25.2) | (17.2) | (8.0)  | (2.9) | (0.8) | (0.3) | (0.1) | (100.0) |       |         |       |       |
| 60～     | 29    | 121   | 597    | 1,706  | 3,120  | 3,316  | 2,496  | 1,206  | 493   | 107   | 48    | 22    | 13,261  | 17    | 13,278  | 63.17 | 15.63 |
| (%)     | (0.2) | (0.9) | (4.5)  | (12.9) | (23.5) | (25.0) | (18.8) | (9.1)  | (3.7) | (0.8) | (0.4) | (0.2) | (100.0) |       |         |       |       |
| 70～     | 7     | 66    | 287    | 819    | 1,500  | 1,665  | 1,224  | 675    | 228   | 66    | 22    | 8     | 6,567   | 8     | 6,575   | 63.59 | 15.77 |
| (%)     | (0.1) | (1.0) | (4.4)  | (12.5) | (22.8) | (25.4) | (18.6) | (10.3) | (3.5) | (1.0) | (0.3) | (0.1) | (100.0) |       |         |       |       |
| 80～     | 4     | 37    | 144    | 387    | 685    | 798    | 592    | 302    | 126   | 31    | 14    | 3     | 3,123   | 2     | 3,125   | 63.59 | 15.94 |
| (%)     | (0.1) | (1.2) | (4.6)  | (12.4) | (21.9) | (25.6) | (19.0) | (9.7)  | (4.0) | (1.0) | (0.4) | (0.1) | (100.0) |       |         |       |       |
| 90～     | 6     | 23    | 77     | 163    | 294    | 332    | 279    | 134    | 63    | 22    | 10    | 2     | 1,405   | 3     | 1,408   | 63.90 | 17.07 |
| (%)     | (0.4) | (1.6) | (5.5)  | (11.6) | (20.9) | (23.6) | (19.9) | (9.5)  | (4.5) | (1.6) | (0.7) | (0.1) | (100.0) |       |         |       |       |
| 100～    | 5     | 20    | 72     | 154    | 256    | 281    | 213    | 102    | 38    | 14    | 2     | 4     | 1,161   |       | 1,161   | 62.28 | 16.80 |
| (%)     | (0.4) | (1.7) | (6.2)  | (13.3) | (22.0) | (24.2) | (18.3) | (8.8)  | (3.3) | (1.2) | (0.2) | (0.3) | (100.0) |       |         |       |       |
| 合計      | 286   | 1,570 | 7,028  | 18,387 | 29,565 | 29,366 | 19,480 | 8,848  | 3,216 | 885   | 260   | 126   | 119,017 | 138   | 119,155 | 60.92 | 15.47 |
| (%)     | (0.2) | (1.3) | (5.9)  | (15.4) | (24.8) | (24.7) | (16.4) | (7.4)  | (2.7) | (0.7) | (0.2) | (0.1) | (100.0) |       |         |       |       |
| 記載なし    | 193   | 910   | 3,330  | 8,424  | 13,094 | 13,277 | 8,842  | 4,364  | 1,587 | 463   | 134   | 78    | 54,696  | 4,358 | 59,054  | 61.00 | 16.01 |
| (%)     | (0.4) | (1.7) | (6.1)  | (15.4) | (23.9) | (24.3) | (16.2) | (8.0)  | (2.9) | (0.8) | (0.2) | (0.1) | (100.0) |       |         |       |       |
| 総計      | 479   | 2,480 | 10,358 | 26,811 | 42,659 | 42,643 | 28,322 | 13,212 | 4,803 | 1,348 | 394   | 204   | 173,713 | 4,496 | 178,209 | 60.94 | 15.64 |
| (%)     | (0.3) | (1.4) | (6.0)  | (15.4) | (24.6) | (24.5) | (16.3) | (7.6)  | (2.8) | (0.8) | (0.2) | (0.1) | (100.0) |       |         |       |       |
| 平均      | 43.38 | 45.14 | 45.75  | 46.71  | 47.72  | 48.72  | 50.08  | 51.12  | 52.03 | 51.48 | 54.97 | 53.00 | 48.46   | 48.20 | 48.46   |       |       |
| 標準偏差    | 20.30 | 18.12 | 16.58  | 16.10  | 16.18  | 16.49  | 16.78  | 17.22  | 17.23 | 17.93 | 17.92 | 19.69 | 16.62   | 16.24 | 16.62   |       |       |

数値下のかっこ内は行方向の合計に対する％です。

(C)Japanese Society for Dialysis Therapy

2014年調査