

表 2889 透析前BUN(mg/dL) Non-HDL-C濃度(mg/dL)別（施設血液透析患者 透析回数週3回 透析歴2年以上）

Non-HDL-C濃度	20未満	20～	30～	40～	50～	60～	70～	80～	90～	100～	110～	120～	合計	記載なし	総計	平均	標準偏差
50未満	22	57	195	383	476	503	297	134	53	27	6	3	2,156	1	2,157	58.65	17.22
(%)	(1.0)	(2.6)	(9.0)	(17.8)	(22.1)	(23.3)	(13.8)	(6.2)	(2.5)	(1.3)	(0.3)	(0.1)	(100.0)				
50～	49	177	723	1,674	2,491	2,356	1,610	670	268	74	18	10	10,120	14	10,134	59.78	15.91
(%)	(0.5)	(1.7)	(7.1)	(16.5)	(24.6)	(23.3)	(15.9)	(6.6)	(2.6)	(0.7)	(0.2)	(0.1)	(100.0)				
70～	52	325	1,374	3,511	5,673	5,460	3,524	1,506	552	158	46	35	22,216	24	22,240	60.41	15.44
(%)	(0.2)	(1.5)	(6.2)	(15.8)	(25.5)	(24.6)	(15.9)	(6.8)	(2.5)	(0.7)	(0.2)	(0.2)	(100.0)				
90～	49	300	1,463	4,085	6,546	6,638	4,220	1,934	669	166	53	17	26,140	37	26,177	60.89	15.09
(%)	(0.2)	(1.1)	(5.6)	(15.6)	(25.0)	(25.4)	(16.1)	(7.4)	(2.6)	(0.6)	(0.2)	(0.1)	(100.0)				
110～	40	255	1,138	3,194	5,198	5,193	3,483	1,666	571	149	47	22	20,956	27	20,983	61.30	15.33
(%)	(0.2)	(1.2)	(5.4)	(15.2)	(24.8)	(24.8)	(16.6)	(7.9)	(2.7)	(0.7)	(0.2)	(0.1)	(100.0)				
130～	23	134	694	1,812	3,126	3,180	2,171	979	366	92	34	12	12,623	11	12,634	61.61	15.30
(%)	(0.2)	(1.1)	(5.5)	(14.4)	(24.8)	(25.2)	(17.2)	(7.8)	(2.9)	(0.7)	(0.3)	(0.1)	(100.0)				
150～	11	81	314	927	1,509	1,595	1,099	512	173	56	14	9	6,300	9	6,309	61.85	15.64
(%)	(0.2)	(1.3)	(5.0)	(14.7)	(24.0)	(25.3)	(17.4)	(8.1)	(2.7)	(0.9)	(0.2)	(0.1)	(100.0)				
170～	5	36	153	423	631	650	478	242	94	28	8	3	2,751	4	2,755	62.00	15.96
(%)	(0.2)	(1.3)	(5.6)	(15.4)	(22.9)	(23.6)	(17.4)	(8.8)	(3.4)	(1.0)	(0.3)	(0.1)	(100.0)				
190～	2	18	70	149	225	259	184	70	35	11			1,023	1	1,024	61.30	15.83
(%)	(0.2)	(1.8)	(6.8)	(14.6)	(22.0)	(25.3)	(18.0)	(6.8)	(3.4)	(1.1)			(100.0)				
210～	3	16	42	84	129	157	86	45	15	9	1		587	2	589	60.34	16.53
(%)	(0.5)	(2.7)	(7.2)	(14.3)	(22.0)	(26.7)	(14.7)	(7.7)	(2.6)	(1.5)	(0.2)		(100.0)				
合計	256	1,399	6,166	16,242	26,004	25,991	17,152	7,758	2,796	770	227	111	104,872	130	105,002	60.89	15.45
(%)	(0.2)	(1.3)	(5.9)	(15.5)	(24.8)	(24.8)	(16.4)	(7.4)	(2.7)	(0.7)	(0.2)	(0.1)	(100.0)				
記載なし	223	1,081	4,192	10,569	16,655	16,652	11,170	5,454	2,007	578	167	93	68,841	4,366	73,207	61.01	15.92
(%)	(0.3)	(1.6)	(6.1)	(15.4)	(24.2)	(24.2)	(16.2)	(7.9)	(2.9)	(0.8)	(0.2)	(0.1)	(100.0)				
総計	479	2,480	10,358	26,811	42,659	42,643	28,322	13,212	4,803	1,348	394	204	173,713	4,496	178,209	60.94	15.64
(%)	(0.3)	(1.4)	(6.0)	(15.4)	(24.6)	(24.5)	(16.3)	(7.6)	(2.8)	(0.8)	(0.2)	(0.1)	(100.0)				
平均	95.80	103.05	103.64	105.07	105.93	106.82	107.46	108.49	108.02	108.68	107.53	102.46	106.34	108.32	106.34		
標準偏差	38.32	37.12	34.58	33.20	32.45	32.89	33.16	33.06	33.74	37.33	32.57	32.48	33.14	34.68	33.15		

数値下のかっこ内は行方向の合計に対する％です。

(C)Japanese Society for Dialysis Therapy

2014年調査