

表 2897 透析前BUN(mg/dL) 医療機関別（血液透析濾過患者 透析回数週3回 透析歴2年以上）

医療機関	20未満	20～	30～	40～	50～	60～	70～	80～	90～	100～	110～	120～	合計	記載なし	総計	平均	標準偏差
国公立大学		2	2	5	11	10	4	2				1	37		37	59.57	18.95
(%)		(5.4)	(5.4)	(13.5)	(29.7)	(27.0)	(10.8)	(5.4)				(2.7)	(100.0)				
私立大学		4	6	25	45	36	19	11	3	1			150	1	151	59.14	15.19
(%)		(2.7)	(4.0)	(16.7)	(30.0)	(24.0)	(12.7)	(7.3)	(2.0)	(0.7)			(100.0)				
国立		3	2	4	5	10	5	1	1		1		32		32	59.97	19.11
(%)		(9.4)	(6.3)	(12.5)	(15.6)	(31.3)	(15.6)	(3.1)	(3.1)		(3.1)		(100.0)				
県市町村立	4	16	95	227	374	355	274	101	39	11	2		1,498	41	1,539	60.94	15.25
(%)	(0.3)	(1.1)	(6.3)	(15.2)	(25.0)	(23.7)	(18.3)	(6.7)	(2.6)	(0.7)	(0.1)		(100.0)				
社会保険	1	3	22	49	79	65	42	13	7		1		282	9	291	58.58	15.06
(%)	(0.4)	(1.1)	(7.8)	(17.4)	(28.0)	(23.0)	(14.9)	(4.6)	(2.5)		(0.4)		(100.0)				
厚生連		9	57	144	246	214	113	52	19	8	2		864	41	905	59.53	14.71
(%)		(1.0)	(6.6)	(16.7)	(28.5)	(24.8)	(13.1)	(6.0)	(2.2)	(0.9)	(0.2)		(100.0)				
その他公的	1	8	36	108	157	151	85	32	8	3		1	590	28	618	58.71	14.08
(%)	(0.2)	(1.4)	(6.1)	(18.3)	(26.6)	(25.6)	(14.4)	(5.4)	(1.4)	(0.5)		(0.2)	(100.0)				
私立総合	1	12	55	135	232	244	163	63	23	8	8		944	11	955	61.47	15.47
(%)	(0.1)	(1.3)	(5.8)	(14.3)	(24.6)	(25.8)	(17.3)	(6.7)	(2.4)	(0.8)	(0.8)		(100.0)				
私立	9	93	460	1,244	2,025	2,174	1,509	694	221	73	17	4	8,523	303	8,826	61.76	15.16
(%)	(0.1)	(1.1)	(5.4)	(14.6)	(23.8)	(25.5)	(17.7)	(8.1)	(2.6)	(0.9)	(0.2)	(0.0)	(100.0)				
私立診療所	23	159	918	2,844	5,144	5,545	3,872	1,862	730	175	43	14	21,329	288	21,617	62.83	15.01
(%)	(0.1)	(0.7)	(4.3)	(13.3)	(24.1)	(26.0)	(18.2)	(8.7)	(3.4)	(0.8)	(0.2)	(0.1)	(100.0)				
総計	39	309	1,653	4,785	8,318	8,804	6,086	2,831	1,051	279	74	20	34,249	722	34,971	62.23	15.08
(%)	(0.1)	(0.9)	(4.8)	(14.0)	(24.3)	(25.7)	(17.8)	(8.3)	(3.1)	(0.8)	(0.2)	(0.1)	(100.0)				

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査