

表 2903 透析前BUN(mg/dL) %クレアチニン産生速度(%)別(血液透析濾過患者 透析回数週3回 透析歴2年以上)

%クレアチニン 産生速度	20未満	20～	30～	40～	50～	60～	70～	80～	90～	100～	110～	120～	合計	記載なし	総計	平均	標準偏差
60未満	18	82	196	376	365	300	162	82	36	11	3	3	1,634		1,634	54.68	17.33
(%)	(1.1)	(5.0)	(12.0)	(23.0)	(22.3)	(18.4)	(9.9)	(5.0)	(2.2)	(0.7)	(0.2)	(0.2)	(100.0)				
60～	1	38	180	326	328	258	159	80	22	10	2		1,404		1,404	55.76	15.85
(%)	(0.1)	(2.7)	(12.8)	(23.2)	(23.4)	(18.4)	(11.3)	(5.7)	(1.6)	(0.7)	(0.1)		(100.0)				
70～	2	37	222	492	690	535	304	129	49	12	5	1	2,478		2,478	57.67	15.03
(%)	(0.1)	(1.5)	(9.0)	(19.9)	(27.8)	(21.6)	(12.3)	(5.2)	(2.0)	(0.5)	(0.2)	(0.0)	(100.0)				
80～	6	48	254	696	1,005	915	579	242	85	26	9	3	3,868		3,868	59.56	15.09
(%)	(0.2)	(1.2)	(6.6)	(18.0)	(26.0)	(23.7)	(15.0)	(6.3)	(2.2)	(0.7)	(0.2)	(0.1)	(100.0)				
90～	2	32	255	766	1,329	1,306	849	384	133	32	8	4	5,100		5,100	61.45	14.67
(%)	(0.0)	(0.6)	(5.0)	(15.0)	(26.1)	(25.6)	(16.6)	(7.5)	(2.6)	(0.6)	(0.2)	(0.1)	(100.0)				
100～	2	26	209	738	1,452	1,576	1,078	497	197	46	9	4	5,834		5,834	63.25	14.41
(%)	(0.0)	(0.4)	(3.6)	(12.6)	(24.9)	(27.0)	(18.5)	(8.5)	(3.4)	(0.8)	(0.2)	(0.1)	(100.0)				
110～	2	8	121	590	1,260	1,526	1,146	489	195	45	17		5,399		5,399	64.74	13.94
(%)	(0.0)	(0.1)	(2.2)	(10.9)	(23.3)	(28.3)	(21.2)	(9.1)	(3.6)	(0.8)	(0.3)		(100.0)				
120～	1	4	74	346	865	1,142	799	414	153	37	6	2	3,843		3,843	65.69	13.83
(%)	(0.0)	(0.1)	(1.9)	(9.0)	(22.5)	(29.7)	(20.8)	(10.8)	(4.0)	(1.0)	(0.2)	(0.1)	(100.0)				
130～			29	177	479	582	468	243	86	20	8		2,092		2,092	66.52	13.80
(%)			(1.4)	(8.5)	(22.9)	(27.8)	(22.4)	(11.6)	(4.1)	(1.0)	(0.4)		(100.0)				
140～	1	3	22	96	267	378	304	164	50	17	6		1,308		1,308	66.92	13.90
(%)	(0.1)	(0.2)	(1.7)	(7.3)	(20.4)	(28.9)	(23.2)	(12.5)	(3.8)	(1.3)	(0.5)		(100.0)				
合計	35	278	1,562	4,603	8,040	8,518	5,848	2,724	1,006	256	73	17	32,960		32,960	62.26	15.00
(%)	(0.1)	(0.8)	(4.7)	(14.0)	(24.4)	(25.8)	(17.7)	(8.3)	(3.1)	(0.8)	(0.2)	(0.1)	(100.0)				
記載なし	4	31	91	182	278	286	238	107	45	23	1	3	1,289	722	2,011	61.64	17.13
(%)	(0.3)	(2.4)	(7.1)	(14.1)	(21.6)	(22.2)	(18.5)	(8.3)	(3.5)	(1.8)	(0.1)	(0.2)	(100.0)				
総計	39	309	1,653	4,785	8,318	8,804	6,086	2,831	1,051	279	74	20	34,249	722	34,971	62.23	15.08
(%)	(0.1)	(0.9)	(4.8)	(14.0)	(24.3)	(25.7)	(17.8)	(8.3)	(3.1)	(0.8)	(0.2)	(0.1)	(100.0)				
平均	67.60	74.12	86.46	94.42	100.97	104.74	106.88	107.77	107.13	105.67	107.30	86.54	101.92		101.92		
標準偏差	33.04	25.61	24.40	24.39	22.84	22.57	22.27	23.43	22.47	25.21	27.42	29.54	23.87		23.87		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査