

表 2904 透析前BUN(mg/dL) 透析前アルブミン濃度(g/dL)別（血液透析濾過患者 透析回数週3回 透析歴2年以上）

透析前アルブミン濃度	20未満	20～	30～	40～	50～	60～	70～	80～	90～	100～	110～	120～	合計	記載なし	総計	平均	標準偏差
1.5未満	1	2	1	3	2		1						10		10	41.20	18.04
(%)	(10.0)	(20.0)	(10.0)	(30.0)	(20.0)		(10.0)						(100.0)				
1.5～	1	10	10	9	5	3	3	2					43		43	43.23	17.23
(%)	(2.3)	(23.3)	(23.3)	(20.9)	(11.6)	(7.0)	(7.0)	(4.7)					(100.0)				
2.0～	7	31	47	56	49	23	11	7	5	1	1	1	239		239	47.56	18.77
(%)	(2.9)	(13.0)	(19.7)	(23.4)	(20.5)	(9.6)	(4.6)	(2.9)	(2.1)	(0.4)	(0.4)	(0.4)	(100.0)				
2.5～	8	61	175	294	285	197	95	41	23	7	2	3	1,191	1	1,192	52.87	16.61
(%)	(0.7)	(5.1)	(14.7)	(24.7)	(23.9)	(16.5)	(8.0)	(3.4)	(1.9)	(0.6)	(0.2)	(0.3)	(100.0)				
3.0～	8	108	584	1,346	2,018	1,892	1,063	475	158	43	9	4	7,708	6	7,714	59.05	14.94
(%)	(0.1)	(1.4)	(7.6)	(17.5)	(26.2)	(24.5)	(13.8)	(6.2)	(2.0)	(0.6)	(0.1)	(0.1)	(100.0)				
3.5～	11	83	669	2,401	4,424	4,797	3,363	1,574	550	148	42	8	18,070	11	18,081	63.05	14.56
(%)	(0.1)	(0.5)	(3.7)	(13.3)	(24.5)	(26.5)	(18.6)	(8.7)	(3.0)	(0.8)	(0.2)	(0.0)	(100.0)				
4.0～	2	7	146	586	1,391	1,718	1,395	660	283	71	20	3	6,282	1	6,283	66.00	14.32
(%)	(0.0)	(0.1)	(2.3)	(9.3)	(22.1)	(27.3)	(22.2)	(10.5)	(4.5)	(1.1)	(0.3)	(0.0)	(100.0)				
4.5～			3	25	49	74	74	32	13	5			275		275	67.68	14.06
(%)			(1.1)	(9.1)	(17.8)	(26.9)	(26.9)	(11.6)	(4.7)	(1.8)			(100.0)				
5.0～					4	3	3	5					15		15	70.00	11.80
(%)					(26.7)	(20.0)	(20.0)	(33.3)					(100.0)				
合計	38	302	1,635	4,720	8,227	8,707	6,008	2,796	1,032	275	74	19	33,833	19	33,852	62.23	15.07
(%)	(0.1)	(0.9)	(4.8)	(14.0)	(24.3)	(25.7)	(17.8)	(8.3)	(3.1)	(0.8)	(0.2)	(0.1)	(100.0)				
記載なし	1	7	18	65	91	97	78	35	19	4		1	416	703	1,119	62.57	16.04
(%)	(0.2)	(1.7)	(4.3)	(15.6)	(21.9)	(23.3)	(18.8)	(8.4)	(4.6)	(1.0)		(0.2)	(100.0)				
総計	39	309	1,653	4,785	8,318	8,804	6,086	2,831	1,051	279	74	20	34,249	722	34,971	62.23	15.08
(%)	(0.1)	(0.9)	(4.8)	(14.0)	(24.3)	(25.7)	(17.8)	(8.3)	(3.1)	(0.8)	(0.2)	(0.1)	(100.0)				
平均	3.03	3.09	3.40	3.54	3.62	3.67	3.72	3.73	3.74	3.73	3.74	3.45	3.64	3.56	3.64		
標準偏差	0.71	0.57	0.45	0.40	0.37	0.35	0.35	0.35	0.35	0.36	0.36	0.48	0.38	0.31	0.38		

数値下のかっこ内は行方向の合計に対する％です。
(C)Japanese Society for Dialysis Therapy
2014年調査