

表 2921 BUN(mg/dL) 医療機関別（腹膜透析患者）

医療機関	20未満	20～	30～	40～	50～	60～	70～	80～	90～	100～	110～	120～	合計	記載なし	総計	平均	標準偏差
国公立大学		7	43	118	126	108	55	29	10	5	1		502	211	713	57.51	15.36
(%)		(1.4)	(8.6)	(23.5)	(25.1)	(21.5)	(11.0)	(5.8)	(2.0)	(1.0)	(0.2)		(100.0)				
私立大学	4	11	76	151	165	144	72	31	8	4			666	467	1,133	55.59	14.93
(%)	(0.6)	(1.7)	(11.4)	(22.7)	(24.8)	(21.6)	(10.8)	(4.7)	(1.2)	(0.6)			(100.0)				
国立	1	5	26	41	40	19	12	2		1	1		148	54	202	51.17	14.78
(%)	(0.7)	(3.4)	(17.6)	(27.7)	(27.0)	(12.8)	(8.1)	(1.4)		(0.7)	(0.7)		(100.0)				
県市町村立	4	28	115	245	288	192	79	47	10	9	1	3	1,021	565	1,586	54.82	16.25
(%)	(0.4)	(2.7)	(11.3)	(24.0)	(28.2)	(18.8)	(7.7)	(4.6)	(1.0)	(0.9)	(0.1)	(0.3)	(100.0)				
社会保険	2	5	19	52	57	41	17	8	2	2			205	282	487	54.32	15.09
(%)	(1.0)	(2.4)	(9.3)	(25.4)	(27.8)	(20.0)	(8.3)	(3.9)	(1.0)	(1.0)			(100.0)				
厚生連	2	18	72	115	125	82	35	13	8	7			477	149	626	53.05	15.84
(%)	(0.4)	(3.8)	(15.1)	(24.1)	(26.2)	(17.2)	(7.3)	(2.7)	(1.7)	(1.5)			(100.0)				
その他公的	5	29	101	234	273	185	76	28	9	3	1	2	946	373	1,319	54.19	15.77
(%)	(0.5)	(3.1)	(10.7)	(24.7)	(28.9)	(19.6)	(8.0)	(3.0)	(1.0)	(0.3)	(0.1)	(0.2)	(100.0)				
私立総合		11	17	48	54	44	32	13	5	2	2		228	149	377	57.54	16.96
(%)		(4.8)	(7.5)	(21.1)	(23.7)	(19.3)	(14.0)	(5.7)	(2.2)	(0.9)	(0.9)		(100.0)				
私立	9	50	127	247	302	218	96	42	21	6	1	1	1,120	569	1,689	54.28	16.05
(%)	(0.8)	(4.5)	(11.3)	(22.1)	(27.0)	(19.5)	(8.6)	(3.8)	(1.9)	(0.5)	(0.1)	(0.1)	(100.0)				
私立診療所	2	19	76	141	183	117	75	32	16	1		1	663	146	809	55.89	15.69
(%)	(0.3)	(2.9)	(11.5)	(21.3)	(27.6)	(17.6)	(11.3)	(4.8)	(2.4)	(0.2)		(0.2)	(100.0)				
総計	29	183	672	1,392	1,613	1,150	549	245	89	40	7	7	5,976	2,965	8,941	54.90	15.82
(%)	(0.5)	(3.1)	(11.2)	(23.3)	(27.0)	(19.2)	(9.2)	(4.1)	(1.5)	(0.7)	(0.1)	(0.1)	(100.0)				

数値下のかっこ内は行方向の合計に対する%です。
(C)Japanese Society for Dialysis Therapy
2014年調査