

表 2922 BUN(mg/dL) 体重(kg)別 (腹膜透析患者)

体重	20未満	20～	30～	40～	50～	60～	70～	80～	90～	100～	110～	120～	合計	記載なし	総計	平均	標準偏差
20未満		1	6	7	11	4	2	7					38		38	55.61	17.01
(%)		(2.6)	(15.8)	(18.4)	(28.9)	(10.5)	(5.3)	(18.4)					(100.0)				
20～		1	3	5	4	5	1	2	1		1		23		23	58.43	20.32
(%)		(4.3)	(13.0)	(21.7)	(17.4)	(21.7)	(4.3)	(8.7)	(4.3)		(4.3)		(100.0)				
30～		15	30	51	27	21	10	6	6				166	6	172	50.16	16.83
(%)		(9.0)	(18.1)	(30.7)	(16.3)	(12.7)	(6.0)	(3.6)	(3.6)				(100.0)				
40～	7	44	123	226	245	138	54	21	12	2	1	1	874	30	904	51.65	14.94
(%)	(0.8)	(5.0)	(14.1)	(25.9)	(28.0)	(15.8)	(6.2)	(2.4)	(1.4)	(0.2)	(0.1)	(0.1)	(100.0)				
50～	8	56	191	400	438	282	104	41	18	7	3	1	1,549	42	1,591	53.10	15.42
(%)	(0.5)	(3.6)	(12.3)	(25.8)	(28.3)	(18.2)	(6.7)	(2.6)	(1.2)	(0.5)	(0.2)	(0.1)	(100.0)				
60～	3	27	140	347	432	339	173	76	20	14	1	2	1,574	42	1,616	56.80	15.62
(%)	(0.2)	(1.7)	(8.9)	(22.0)	(27.4)	(21.5)	(11.0)	(4.8)	(1.3)	(0.9)	(0.1)	(0.1)	(100.0)				
70～	1	9	70	175	223	158	89	37	12	8		1	783	28	811	56.89	14.87
(%)	(0.1)	(1.1)	(8.9)	(22.3)	(28.5)	(20.2)	(11.4)	(4.7)	(1.5)	(1.0)		(0.1)	(100.0)				
80～	1	3	16	46	70	69	46	23	5	3		1	283	15	298	60.94	15.49
(%)	(0.4)	(1.1)	(5.7)	(16.3)	(24.7)	(24.4)	(16.3)	(8.1)	(1.8)	(1.1)		(0.4)	(100.0)				
90～		1	12	13	25	24	15	7	2				99	5	104	58.92	14.81
(%)		(1.0)	(12.1)	(13.1)	(25.3)	(24.2)	(15.2)	(7.1)	(2.0)				(100.0)				
100～	1	1		5	4	3	2	3					19	1	20	56.11	19.55
(%)	(5.3)	(5.3)		(26.3)	(21.1)	(15.8)	(10.5)	(15.8)					(100.0)				
110～			3	3	2		1						9	1	10	47.11	13.70
(%)			(33.3)	(33.3)	(22.2)		(11.1)						(100.0)				
120～			1	1	2	1	1		1	1			8	1	9	67.00	22.73
(%)			(12.5)	(12.5)	(25.0)	(12.5)	(12.5)		(12.5)	(12.5)			(100.0)				
合計	21	158	595	1,279	1,483	1,044	498	223	77	35	6	6	5,425	171	5,596	54.97	15.65
(%)	(0.4)	(2.9)	(11.0)	(23.6)	(27.3)	(19.2)	(9.2)	(4.1)	(1.4)	(0.6)	(0.1)	(0.1)	(100.0)				
記載なし	8	25	77	113	130	106	51	22	12	5	1	1	551	2,794	3,345	54.20	17.47
(%)	(1.5)	(4.5)	(14.0)	(20.5)	(23.6)	(19.2)	(9.3)	(4.0)	(2.2)	(0.9)	(0.2)	(0.2)	(100.0)				
総計	29	183	672	1,392	1,613	1,150	549	245	89	40	7	7	5,976	2,965	8,941	54.90	15.82
(%)	(0.5)	(3.1)	(11.2)	(23.3)	(27.0)	(19.2)	(9.2)	(4.1)	(1.5)	(0.7)	(0.1)	(0.1)	(100.0)				
平均	57.92	53.71	57.95	59.30	60.79	62.17	64.60	63.40	60.96	67.78	50.08	64.60	60.67	62.97	60.74		
標準偏差	15.33	12.48	14.25	13.36	13.38	13.30	13.58	16.64	16.40	14.90	14.37	14.18	13.85	15.28	13.90		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査