

表 2942 透析前クレアチニン濃度(mg/dL) 透析後体重(kg)別 (施設血液透析患者 透析回数週3回 透析歴2年以上)

透析後体重	2未満	2～	4～	6～	8～	10～	12～	14～	16～	合計	記載なし	総計	平均	標準偏差
20未満		1	4	12	19	14	9	1	1	61	1	62	9.41	2.72
(%)		(1.6)	(6.6)	(19.7)	(31.1)	(23.0)	(14.8)	(1.6)	(1.6)	(100.0)				
20～	5	78	232	204	95	27	6	3		650	6	656	6.24	2.16
(%)	(0.8)	(12.0)	(35.7)	(31.4)	(14.6)	(4.2)	(0.9)	(0.5)		(100.0)				
30～	23	589	2,498	4,867	4,896	1,981	356	38	8	15,256	116	15,372	7.80	2.23
(%)	(0.2)	(3.9)	(16.4)	(31.9)	(32.1)	(13.0)	(2.3)	(0.2)	(0.1)	(100.0)				
40～	21	548	2,985	9,809	16,519	12,467	4,062	728	110	47,249	284	47,533	9.19	2.30
(%)	(0.0)	(1.2)	(6.3)	(20.8)	(35.0)	(26.4)	(8.6)	(1.5)	(0.2)	(100.0)				
50～	12	256	1,390	6,084	15,374	18,098	10,563	3,276	733	55,786	320	56,106	10.48	2.43
(%)	(0.0)	(0.5)	(2.5)	(10.9)	(27.6)	(32.4)	(18.9)	(5.9)	(1.3)	(100.0)				
60～	10	129	430	2,132	6,473	10,176	8,848	4,199	1,388	33,785	181	33,966	11.49	2.59
(%)	(0.0)	(0.4)	(1.3)	(6.3)	(19.2)	(30.1)	(26.2)	(12.4)	(4.1)	(100.0)				
70～	3	23	128	537	1,834	3,501	3,789	2,233	926	12,974	67	13,041	12.18	2.67
(%)	(0.0)	(0.2)	(1.0)	(4.1)	(14.1)	(27.0)	(29.2)	(17.2)	(7.1)	(100.0)				
80～	1	8	37	142	507	1,044	1,246	926	510	4,421	30	4,451	12.70	2.81
(%)	(0.0)	(0.2)	(0.8)	(3.2)	(11.5)	(23.6)	(28.2)	(20.9)	(11.5)	(100.0)				
90～		4	10	43	153	326	483	359	231	1,609	6	1,615	13.02	2.75
(%)		(0.2)	(0.6)	(2.7)	(9.5)	(20.3)	(30.0)	(22.3)	(14.4)	(100.0)				
100～		1	5	10	29	122	149	132	88	536	4	540	13.42	2.93
(%)		(0.2)	(0.9)	(1.9)	(5.4)	(22.8)	(27.8)	(24.6)	(16.4)	(100.0)				
110～	1	2	1	5	19	37	52	53	44	214	1	215	13.45	3.41
(%)	(0.5)	(0.9)	(0.5)	(2.3)	(8.9)	(17.3)	(24.3)	(24.8)	(20.6)	(100.0)				
120～			2	5	10	17	38	36	29	137	1	138	13.58	3.04
(%)			(1.5)	(3.6)	(7.3)	(12.4)	(27.7)	(26.3)	(21.2)	(100.0)				
合計	76	1,639	7,722	23,850	45,928	47,810	29,601	11,984	4,068	172,678	1,017	173,695	10.29	2.78
(%)	(0.0)	(0.9)	(4.5)	(13.8)	(26.6)	(27.7)	(17.1)	(6.9)	(2.4)	(100.0)				
記載なし		17	73	156	187	224	153	52	32	894	3,620	4,514	10.02	3.24
(%)		(1.9)	(8.2)	(17.4)	(20.9)	(25.1)	(17.1)	(5.8)	(3.6)	(100.0)				
総計	76	1,656	7,795	24,006	46,115	48,034	29,754	12,036	4,100	173,572	4,637	178,209	10.29	2.79
(%)	(0.0)	(1.0)	(4.5)	(13.8)	(26.6)	(27.7)	(17.1)	(6.9)	(2.4)	(100.0)				
平均	47.13	44.22	44.79	48.11	51.86	56.18	61.21	66.04	70.84	55.18	54.15	55.17		
標準偏差	15.41	11.41	10.36	10.30	10.67	11.23	11.96	12.91	14.25	12.77	13.05	12.78		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査