

表 3013 single pool Kt/V(Kt/Vsp) %クレアチニン産生速度(%)別(施設血液透析患者 透析回数週3回 透析歴2年以上)

| %クレアチニン<br>産生速度 | 0.4未満 | 0.4～  | 0.6～  | 0.8～   | 1.0～   | 1.2～   | 1.4～   | 1.6～   | 1.8～   | 2.0～   | 合計      | 記載なし   | 総計      | 平均   | 標準偏差 |
|-----------------|-------|-------|-------|--------|--------|--------|--------|--------|--------|--------|---------|--------|---------|------|------|
| 60未満            | 44    | 91    | 350   | 1,288  | 2,707  | 3,302  | 2,457  | 1,289  | 610    | 395    | 12,533  | 17     | 12,550  | 1.32 | 0.33 |
| (%)             | (0.4) | (0.7) | (2.8) | (10.3) | (21.6) | (26.3) | (19.6) | (10.3) | (4.9)  | (3.2)  | (100.0) |        |         |      |      |
| 60～             | 5     | 12    | 111   | 574    | 1,676  | 2,549  | 2,206  | 1,214  | 501    | 269    | 9,117   | 8      | 9,125   | 1.39 | 0.30 |
| (%)             | (0.1) | (0.1) | (1.2) | (6.3)  | (18.4) | (28.0) | (24.2) | (13.3) | (5.5)  | (3.0)  | (100.0) |        |         |      |      |
| 70～             | 7     | 23    | 90    | 608    | 2,238  | 3,891  | 3,605  | 2,102  | 896    | 483    | 13,943  | 11     | 13,954  | 1.42 | 0.29 |
| (%)             | (0.1) | (0.2) | (0.6) | (4.4)  | (16.1) | (27.9) | (25.9) | (15.1) | (6.4)  | (3.5)  | (100.0) |        |         |      |      |
| 80～             | 5     | 8     | 76    | 600    | 2,591  | 5,423  | 5,500  | 3,221  | 1,390  | 852    | 19,666  | 17     | 19,683  | 1.46 | 0.29 |
| (%)             | (0.0) | (0.0) | (0.4) | (3.1)  | (13.2) | (27.6) | (28.0) | (16.4) | (7.1)  | (4.3)  | (100.0) |        |         |      |      |
| 90～             | 11    | 13    | 54    | 533    | 2,761  | 6,528  | 7,239  | 4,412  | 2,092  | 1,185  | 24,828  | 30     | 24,858  | 1.49 | 0.28 |
| (%)             | (0.0) | (0.1) | (0.2) | (2.1)  | (11.1) | (26.3) | (29.2) | (17.8) | (8.4)  | (4.8)  | (100.0) |        |         |      |      |
| 100～            | 4     | 4     | 41    | 393    | 2,419  | 6,677  | 7,816  | 5,296  | 2,463  | 1,451  | 26,564  | 31     | 26,595  | 1.51 | 0.28 |
| (%)             | (0.0) | (0.0) | (0.2) | (1.5)  | (9.1)  | (25.1) | (29.4) | (19.9) | (9.3)  | (5.5)  | (100.0) |        |         |      |      |
| 110～            | 7     | 7     | 21    | 255    | 1,846  | 5,560  | 7,207  | 4,982  | 2,451  | 1,491  | 23,827  | 27     | 23,854  | 1.54 | 0.28 |
| (%)             | (0.0) | (0.0) | (0.1) | (1.1)  | (7.7)  | (23.3) | (30.2) | (20.9) | (10.3) | (6.3)  | (100.0) |        |         |      |      |
| 120～            | 6     | 4     | 19    | 133    | 1,155  | 3,986  | 5,240  | 3,713  | 1,902  | 1,157  | 17,315  | 23     | 17,338  | 1.55 | 0.28 |
| (%)             | (0.0) | (0.0) | (0.1) | (0.8)  | (6.7)  | (23.0) | (30.3) | (21.4) | (11.0) | (6.7)  | (100.0) |        |         |      |      |
| 130～            | 2     | 2     | 4     | 65     | 561    | 2,208  | 2,944  | 2,054  | 1,145  | 610    | 9,595   | 13     | 9,608   | 1.56 | 0.28 |
| (%)             | (0.0) | (0.0) | (0.0) | (0.7)  | (5.8)  | (23.0) | (30.7) | (21.4) | (11.9) | (6.4)  | (100.0) |        |         |      |      |
| 140～            | 7     | 3     | 7     | 52     | 366    | 1,515  | 1,910  | 1,344  | 735    | 465    | 6,404   | 45     | 6,449   | 1.56 | 0.29 |
| (%)             | (0.1) | (0.0) | (0.1) | (0.8)  | (5.7)  | (23.7) | (29.8) | (21.0) | (11.5) | (7.3)  | (100.0) |        |         |      |      |
| 合計              | 98    | 167   | 773   | 4,501  | 18,320 | 41,639 | 46,124 | 29,627 | 14,185 | 8,358  | 163,792 | 222    | 164,014 | 1.48 | 0.30 |
| (%)             | (0.1) | (0.1) | (0.5) | (2.7)  | (11.2) | (25.4) | (28.2) | (18.1) | (8.7)  | (5.1)  | (100.0) |        |         |      |      |
| 記載なし            | 2     |       | 1     | 3      | 8      | 12     | 12     | 8      | 6      | 8      | 60      | 14,135 | 14,195  | 1.51 | 0.50 |
| (%)             | (3.3) |       | (1.7) | (5.0)  | (13.3) | (20.0) | (20.0) | (13.3) | (10.0) | (13.3) | (100.0) |        |         |      |      |
| 総計              | 100   | 167   | 774   | 4,504  | 18,328 | 41,651 | 46,136 | 29,635 | 14,191 | 8,366  | 163,852 | 14,357 | 178,209 | 1.48 | 0.30 |
| (%)             | (0.1) | (0.1) | (0.5) | (2.7)  | (11.2) | (25.4) | (28.2) | (18.1) | (8.7)  | (5.1)  | (100.0) |        |         |      |      |
| 平均              | 75.19 | 59.01 | 64.08 | 75.74  | 88.39  | 97.25  | 101.20 | 103.24 | 104.80 | 105.18 | 98.71   | 117.96 | 98.74   |      |      |
| 標準偏差            | 39.61 | 35.50 | 29.27 | 28.52  | 26.88  | 25.60  | 24.28  | 23.67  | 24.00  | 25.17  | 25.90   | 49.57  | 25.96   |      |      |

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査