

表 3014 single pool Kt/V(Kt/Vsp) %クレアチニン産生速度(%)別(施設血液透析患者 男性のみ 透析回数週3回 透析歴2年以上)

%クレアチニン 産生速度	0.4未満	0.4～	0.6～	0.8～	1.0～	1.2～	1.4～	1.6～	1.8～	2.0～	合計	記載なし	総計	平均	標準偏差
60未満	33	57	273	962	1,900	2,118	1,286	524	167	95	7,415	9	7,424	1.25	0.29
(%)	(0.4)	(0.8)	(3.7)	(13.0)	(25.6)	(28.6)	(17.3)	(7.1)	(2.3)	(1.3)	(100.0)				
60～	4	10	85	458	1,321	1,834	1,295	542	172	61	5,782	4	5,786	1.32	0.26
(%)	(0.1)	(0.2)	(1.5)	(7.9)	(22.8)	(31.7)	(22.4)	(9.4)	(3.0)	(1.1)	(100.0)				
70～	4	16	67	502	1,823	2,875	2,218	983	293	119	8,900	9	8,909	1.35	0.26
(%)	(0.0)	(0.2)	(0.8)	(5.6)	(20.5)	(32.3)	(24.9)	(11.0)	(3.3)	(1.3)	(100.0)				
80～	5	8	61	506	2,138	4,189	3,494	1,489	457	203	12,550	9	12,559	1.38	0.25
(%)	(0.0)	(0.1)	(0.5)	(4.0)	(17.0)	(33.4)	(27.8)	(11.9)	(3.6)	(1.6)	(100.0)				
90～	10	9	40	461	2,363	5,189	4,822	2,098	689	297	15,978	11	15,989	1.41	0.25
(%)	(0.1)	(0.1)	(0.3)	(2.9)	(14.8)	(32.5)	(30.2)	(13.1)	(4.3)	(1.9)	(100.0)				
100～	3	4	34	345	2,093	5,463	5,276	2,450	770	366	16,804	14	16,818	1.43	0.24
(%)	(0.0)	(0.0)	(0.2)	(2.1)	(12.5)	(32.5)	(31.4)	(14.6)	(4.6)	(2.2)	(100.0)				
110～	6	5	13	219	1,626	4,654	4,993	2,386	804	345	15,051	12	15,063	1.45	0.24
(%)	(0.0)	(0.0)	(0.1)	(1.5)	(10.8)	(30.9)	(33.2)	(15.9)	(5.3)	(2.3)	(100.0)				
120～	3	4	15	112	1,038	3,375	3,699	1,771	552	241	10,810	9	10,819	1.46	0.23
(%)	(0.0)	(0.0)	(0.1)	(1.0)	(9.6)	(31.2)	(34.2)	(16.4)	(5.1)	(2.2)	(100.0)				
130～	2	1	3	58	502	1,906	2,146	1,038	314	124	6,094	5	6,099	1.46	0.23
(%)	(0.0)	(0.0)	(0.0)	(1.0)	(8.2)	(31.3)	(35.2)	(17.0)	(5.2)	(2.0)	(100.0)				
140～	7	3	5	46	312	1,317	1,387	689	236	123	4,125	26	4,151	1.47	0.25
(%)	(0.2)	(0.1)	(0.1)	(1.1)	(7.6)	(31.9)	(33.6)	(16.7)	(5.7)	(3.0)	(100.0)				
合計	77	117	596	3,669	15,116	32,920	30,616	13,970	4,454	1,974	103,509	108	103,617	1.40	0.26
(%)	(0.1)	(0.1)	(0.6)	(3.5)	(14.6)	(31.8)	(29.6)	(13.5)	(4.3)	(1.9)	(100.0)				
記載なし	2			3	2	4	7	5		6	29	8,869	8,898	1.50	0.60
(%)	(6.9)			(10.3)	(6.9)	(13.8)	(24.1)	(17.2)		(20.7)	(100.0)				
総計	79	117	596	3,672	15,118	32,924	30,623	13,975	4,454	1,980	103,538	8,977	112,515	1.40	0.26
(%)	(0.1)	(0.1)	(0.6)	(3.5)	(14.6)	(31.8)	(29.6)	(13.5)	(4.3)	(1.9)	(100.0)				
平均	76.73	63.02	63.92	77.44	90.26	99.18	102.98	104.14	104.37	105.24	98.98	120.11	99.00		
標準偏差	41.03	36.69	29.13	28.19	26.15	24.83	23.53	23.44	23.76	27.03	25.59	55.23	25.64		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査