

表 3017 single pool Kt/V(Kt/Vsp) 透析前CRP濃度(mg/dL)別(施設血液透析患者 透析回数週3回 透析歴2年以上)

透析前CRP濃度	0.4未満	0.4～	0.6～	0.8～	1.0～	1.2～	1.4～	1.6～	1.8～	2.0～	合計	記載なし	総計	平均	標準偏差
0.2未満	30	52	226	1,574	7,355	18,848	22,280	15,179	7,710	4,585	77,839	3,667	81,506	1.51	0.29
(%)	(0.0)	(0.1)	(0.3)	(2.0)	(9.4)	(24.2)	(28.6)	(19.5)	(9.9)	(5.9)	(100.0)				
0.2～	15	34	116	775	3,020	6,873	7,686	4,655	2,061	1,178	26,413	1,427	27,840	1.47	0.29
(%)	(0.1)	(0.1)	(0.4)	(2.9)	(11.4)	(26.0)	(29.1)	(17.6)	(7.8)	(4.5)	(100.0)				
0.5～	8	16	72	425	1,750	3,610	3,735	2,247	979	552	13,394	852	14,246	1.46	0.29
(%)	(0.1)	(0.1)	(0.5)	(3.2)	(13.1)	(27.0)	(27.9)	(16.8)	(7.3)	(4.1)	(100.0)				
1.0～	9	10	80	340	1,165	2,283	2,385	1,385	607	352	8,616	629	9,245	1.44	0.30
(%)	(0.1)	(0.1)	(0.9)	(3.9)	(13.5)	(26.5)	(27.7)	(16.1)	(7.0)	(4.1)	(100.0)				
2.0～	10	7	53	221	769	1,337	1,384	809	347	199	5,136	507	5,643	1.43	0.30
(%)	(0.2)	(0.1)	(1.0)	(4.3)	(15.0)	(26.0)	(26.9)	(15.8)	(6.8)	(3.9)	(100.0)				
4.0～	5	7	30	93	251	473	446	265	130	61	1,761	215	1,976	1.42	0.31
(%)	(0.3)	(0.4)	(1.7)	(5.3)	(14.3)	(26.9)	(25.3)	(15.0)	(7.4)	(3.5)	(100.0)				
6.0～	2	7	16	47	123	205	220	107	56	35	818	131	949	1.41	0.33
(%)	(0.2)	(0.9)	(2.0)	(5.7)	(15.0)	(25.1)	(26.9)	(13.1)	(6.8)	(4.3)	(100.0)				
8.0～	2	1	4	26	88	109	108	62	39	17	456	76	532	1.41	0.33
(%)	(0.4)	(0.2)	(0.9)	(5.7)	(19.3)	(23.9)	(23.7)	(13.6)	(8.6)	(3.7)	(100.0)				
10.0～	3	4	12	39	82	137	147	85	32	16	557	94	651	1.39	0.32
(%)	(0.5)	(0.7)	(2.2)	(7.0)	(14.7)	(24.6)	(26.4)	(15.3)	(5.7)	(2.9)	(100.0)				
15.0～	2	2	4	32	47	106	92	42	20	14	361	88	449	1.38	0.32
(%)	(0.6)	(0.6)	(1.1)	(8.9)	(13.0)	(29.4)	(25.5)	(11.6)	(5.5)	(3.9)	(100.0)				
合計	86	140	613	3,572	14,650	33,981	38,483	24,836	11,981	7,009	135,351	7,686	143,037	1.49	0.30
(%)	(0.1)	(0.1)	(0.5)	(2.6)	(10.8)	(25.1)	(28.4)	(18.3)	(8.9)	(5.2)	(100.0)				
記載なし	14	27	161	932	3,678	7,670	7,653	4,799	2,210	1,357	28,501	6,671	35,172	1.46	0.30
(%)	(0.0)	(0.1)	(0.6)	(3.3)	(12.9)	(26.9)	(26.9)	(16.8)	(7.8)	(4.8)	(100.0)				
総計	100	167	774	4,504	18,328	41,651	46,136	29,635	14,191	8,366	163,852	14,357	178,209	1.48	0.30
(%)	(0.1)	(0.1)	(0.5)	(2.7)	(11.2)	(25.4)	(28.2)	(18.1)	(8.7)	(5.1)	(100.0)				
平均	2.39	1.80	1.45	1.08	0.78	0.64	0.58	0.52	0.49	0.48	0.61	1.24	0.64		
標準偏差	4.99	4.03	2.75	2.57	2.07	1.90	1.78	1.64	1.62	1.89	1.86	3.32	1.97		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査