

表 3024 single pool Kt/V(Kt/Vsp) HDL-C濃度(mg/dL)別(施設血液透析患者 透析回数週3回 透析歴2年以上)

HDL-C濃度	0.4未満	0.4～	0.6～	0.8～	1.0～	1.2～	1.4～	1.6～	1.8～	2.0～	合計	記載なし	総計	平均	標準偏差
20未満	3	3	20	36	85	134	106	43	19	13	462	52	514	1.32	0.33
(%)	(0.6)	(0.6)	(4.3)	(7.8)	(18.4)	(29.0)	(22.9)	(9.3)	(4.1)	(2.8)	(100.0)				
20～	11	22	63	434	1,537	2,949	2,575	1,167	417	185	9,360	573	9,933	1.38	0.27
(%)	(0.1)	(0.2)	(0.7)	(4.6)	(16.4)	(31.5)	(27.5)	(12.5)	(4.5)	(2.0)	(100.0)				
30～	10	30	148	868	3,599	7,879	7,740	4,294	1,688	817	27,073	1,405	28,478	1.44	0.27
(%)	(0.0)	(0.1)	(0.5)	(3.2)	(13.3)	(29.1)	(28.6)	(15.9)	(6.2)	(3.0)	(100.0)				
40～	16	34	115	735	3,160	7,656	8,994	5,596	2,511	1,453	30,270	1,508	31,778	1.49	0.29
(%)	(0.1)	(0.1)	(0.4)	(2.4)	(10.4)	(25.3)	(29.7)	(18.5)	(8.3)	(4.8)	(100.0)				
50～	11	11	73	401	1,962	4,966	6,220	4,501	2,357	1,335	21,837	1,068	22,905	1.53	0.29
(%)	(0.1)	(0.1)	(0.3)	(1.8)	(9.0)	(22.7)	(28.5)	(20.6)	(10.8)	(6.1)	(100.0)				
60～	5	4	35	193	946	2,614	3,628	2,840	1,441	950	12,656	622	13,278	1.55	0.30
(%)	(0.0)	(0.0)	(0.3)	(1.5)	(7.5)	(20.7)	(28.7)	(22.4)	(11.4)	(7.5)	(100.0)				
70～	1	2	17	98	398	1,155	1,709	1,424	820	629	6,253	322	6,575	1.59	0.31
(%)	(0.0)	(0.0)	(0.3)	(1.6)	(6.4)	(18.5)	(27.3)	(22.8)	(13.1)	(10.1)	(100.0)				
80～	1		12	48	219	526	772	674	427	345	3,024	101	3,125	1.60	0.33
(%)	(0.0)		(0.4)	(1.6)	(7.2)	(17.4)	(25.5)	(22.3)	(14.1)	(11.4)	(100.0)				
90～			3	22	77	253	356	293	213	140	1,357	51	1,408	1.60	0.31
(%)			(0.2)	(1.6)	(5.7)	(18.6)	(26.2)	(21.6)	(15.7)	(10.3)	(100.0)				
100～			3	20	72	215	309	253	151	90	1,113	48	1,161	1.58	0.31
(%)			(0.3)	(1.8)	(6.5)	(19.3)	(27.8)	(22.7)	(13.6)	(8.1)	(100.0)				
合計	58	106	489	2,855	12,055	28,347	32,409	21,085	10,044	5,957	113,405	5,750	119,155	1.49	0.29
(%)	(0.1)	(0.1)	(0.4)	(2.5)	(10.6)	(25.0)	(28.6)	(18.6)	(8.9)	(5.3)	(100.0)				
記載なし	42	61	285	1,649	6,273	13,304	13,727	8,550	4,147	2,409	50,447	8,607	59,054	1.47	0.30
(%)	(0.1)	(0.1)	(0.6)	(3.3)	(12.4)	(26.4)	(27.2)	(16.9)	(8.2)	(4.8)	(100.0)				
総計	100	167	774	4,504	18,328	41,651	46,136	29,635	14,191	8,366	163,852	14,357	178,209	1.48	0.30
(%)	(0.1)	(0.1)	(0.5)	(2.7)	(11.2)	(25.4)	(28.2)	(18.1)	(8.7)	(5.1)	(100.0)				
平均	42.69	39.08	43.91	43.38	44.39	46.06	48.35	50.98	53.46	55.50	48.52	47.19	48.46		
標準偏差	14.54	12.18	17.76	15.81	15.26	15.73	16.36	16.74	17.59	17.34	16.62	16.45	16.62		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査