

表 3028 single pool Kt/V(Kt/Vsp) 透析前脈拍(拍/分)別(施設血液透析患者 透析回数週3回 透析歴2年以上)

透析前脈拍	0.4未満	0.4～	0.6～	0.8～	1.0～	1.2～	1.4～	1.6～	1.8～	2.0～	合計	記載なし	総計	平均	標準偏差
40未満			1	4	15	31	29	20	7	1	108	7	115	1.42	0.27
(%)			(0.9)	(3.7)	(13.9)	(28.7)	(26.9)	(18.5)	(6.5)	(0.9)	(100.0)				
40～		1	9	36	147	350	384	270	115	51	1,363	75	1,438	1.48	0.28
(%)		(0.1)	(0.7)	(2.6)	(10.8)	(25.7)	(28.2)	(19.8)	(8.4)	(3.7)	(100.0)				
50～	4	16	42	303	1,232	2,909	3,299	2,062	952	516	11,335	627	11,962	1.48	0.29
(%)	(0.0)	(0.1)	(0.4)	(2.7)	(10.9)	(25.7)	(29.1)	(18.2)	(8.4)	(4.6)	(100.0)				
60～	23	32	155	857	3,672	8,909	10,373	6,772	3,235	1,874	35,902	2,036	37,938	1.50	0.29
(%)	(0.1)	(0.1)	(0.4)	(2.4)	(10.2)	(24.8)	(28.9)	(18.9)	(9.0)	(5.2)	(100.0)				
70～	29	46	194	1,051	4,536	10,658	12,072	8,061	3,944	2,384	42,975	2,526	45,501	1.50	0.30
(%)	(0.1)	(0.1)	(0.5)	(2.4)	(10.6)	(24.8)	(28.1)	(18.8)	(9.2)	(5.5)	(100.0)				
80～	12	20	126	775	3,200	6,861	7,600	4,834	2,348	1,339	27,115	1,549	28,664	1.48	0.30
(%)	(0.0)	(0.1)	(0.5)	(2.9)	(11.8)	(25.3)	(28.0)	(17.8)	(8.7)	(4.9)	(100.0)				
90～	10	20	65	377	1,445	3,197	3,225	1,932	893	499	11,663	668	12,331	1.46	0.29
(%)	(0.1)	(0.2)	(0.6)	(3.2)	(12.4)	(27.4)	(27.7)	(16.6)	(7.7)	(4.3)	(100.0)				
100～	2	7	22	139	553	991	994	576	227	152	3,663	195	3,858	1.44	0.29
(%)	(0.1)	(0.2)	(0.6)	(3.8)	(15.1)	(27.1)	(27.1)	(15.7)	(6.2)	(4.1)	(100.0)				
110～	1		7	34	124	226	197	138	61	36	824	57	881	1.44	0.30
(%)	(0.1)		(0.8)	(4.1)	(15.0)	(27.4)	(23.9)	(16.7)	(7.4)	(4.4)	(100.0)				
120～	1			19	38	105	114	66	26	14	383	22	405	1.45	0.28
(%)	(0.3)			(5.0)	(9.9)	(27.4)	(29.8)	(17.2)	(6.8)	(3.7)	(100.0)				
合計	82	142	621	3,595	14,962	34,237	38,287	24,731	11,808	6,866	135,331	7,762	143,093	1.49	0.29
(%)	(0.1)	(0.1)	(0.5)	(2.7)	(11.1)	(25.3)	(28.3)	(18.3)	(8.7)	(5.1)	(100.0)				
記載なし	18	25	153	909	3,366	7,414	7,849	4,904	2,383	1,500	28,521	6,595	35,116	1.48	0.30
(%)	(0.1)	(0.1)	(0.5)	(3.2)	(11.8)	(26.0)	(27.5)	(17.2)	(8.4)	(5.3)	(100.0)				
総計	100	167	774	4,504	18,328	41,651	46,136	29,635	14,191	8,366	163,852	14,357	178,209	1.48	0.30
(%)	(0.1)	(0.1)	(0.5)	(2.7)	(11.2)	(25.4)	(28.2)	(18.1)	(8.7)	(5.1)	(100.0)				
平均	75.80	75.39	75.76	75.89	75.43	74.81	74.33	74.12	74.08	74.24	74.56	74.63	74.56		
標準偏差	13.60	13.46	13.06	13.69	13.18	13.06	12.71	12.43	12.35	11.96	12.77	12.72	12.77		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査