

表 3060 equilibrated Kt/V(eKt/V) 医療機関別（施設血液透析患者 透析回数週3回 透析歴2年以上）

医療機関	0.4未満	0.4～	0.6～	0.8～	1.0～	1.2～	1.4～	1.6～	1.8～	2.0～	合計	記載なし	総計	平均	標準偏差
国公立大学	4	5	5	22	55	37	21	9	3		161	79	240	1.17	0.31
(%)	(2.5)	(3.1)	(3.1)	(13.7)	(34.2)	(23.0)	(13.0)	(5.6)	(1.9)		(100.0)				
私立大学	1	3	23	94	216	268	152	66	20	11	854	165	1,019	1.27	0.27
(%)	(0.1)	(0.4)	(2.7)	(11.0)	(25.3)	(31.4)	(17.8)	(7.7)	(2.3)	(1.3)	(100.0)				
国立	1	2	3	22	81	111	54	17	4	1	296	35	331	1.27	0.23
(%)	(0.3)	(0.7)	(1.0)	(7.4)	(27.4)	(37.5)	(18.2)	(5.7)	(1.4)	(0.3)	(100.0)				
県市町村立	5	18	163	844	2,340	2,669	1,696	707	232	97	8,771	975	9,746	1.29	0.27
(%)	(0.1)	(0.2)	(1.9)	(9.6)	(26.7)	(30.4)	(19.3)	(8.1)	(2.6)	(1.1)	(100.0)				
社会保険	4	5	14	147	443	599	438	191	84	54	1,979	174	2,153	1.35	0.29
(%)	(0.2)	(0.3)	(0.7)	(7.4)	(22.4)	(30.3)	(22.1)	(9.7)	(4.2)	(2.7)	(100.0)				
厚生連	1	10	71	340	1,164	1,540	982	456	132	59	4,755	341	5,096	1.31	0.26
(%)	(0.0)	(0.2)	(1.5)	(7.2)	(24.5)	(32.4)	(20.7)	(9.6)	(2.8)	(1.2)	(100.0)				
その他公的	3	8	101	467	1,212	1,534	1,088	460	180	90	5,143	440	5,583	1.31	0.28
(%)	(0.1)	(0.2)	(2.0)	(9.1)	(23.6)	(29.8)	(21.2)	(8.9)	(3.5)	(1.7)	(100.0)				
私立総合	2	19	87	335	915	1,045	641	244	57	36	3,381	232	3,613	1.27	0.27
(%)	(0.1)	(0.6)	(2.6)	(9.9)	(27.1)	(30.9)	(19.0)	(7.2)	(1.7)	(1.1)	(100.0)				
私立	56	158	1,102	4,872	12,190	14,460	8,399	3,587	1,155	681	46,660	4,954	51,614	1.28	0.28
(%)	(0.1)	(0.3)	(2.4)	(10.4)	(26.1)	(31.0)	(18.0)	(7.7)	(2.5)	(1.5)	(100.0)				
私立診療所	57	138	1,269	7,897	23,779	29,505	17,852	7,460	2,510	1,459	91,926	6,888	98,814	1.30	0.27
(%)	(0.1)	(0.2)	(1.4)	(8.6)	(25.9)	(32.1)	(19.4)	(8.1)	(2.7)	(1.6)	(100.0)				
総計	134	366	2,838	15,040	42,395	51,768	31,323	13,197	4,377	2,488	163,926	14,283	178,209	1.29	0.27
(%)	(0.1)	(0.2)	(1.7)	(9.2)	(25.9)	(31.6)	(19.1)	(8.1)	(2.7)	(1.5)	(100.0)				

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査