

表 3067 equilibrated Kt/V(eKt/V) %クレアチニン産生速度(%)別(施設血液透析患者 透析回数週3回 透析歴2年以上)

%クレアチニン 産生速度	0.4未満	0.4～	0.6～	0.8～	1.0～	1.2～	1.4～	1.6～	1.8～	2.0～	合計	記載なし	総計	平均	標準偏差
60未満	65	188	1,001	2,794	3,592	2,716	1,335	535	208	105	12,539	11	12,550	1.14	0.30
(%)	(0.5)	(1.5)	(8.0)	(22.3)	(28.6)	(21.7)	(10.6)	(4.3)	(1.7)	(0.8)	(100.0)				
60～	8	44	370	1,577	2,760	2,475	1,234	435	140	76	9,119	6	9,125	1.20	0.27
(%)	(0.1)	(0.5)	(4.1)	(17.3)	(30.3)	(27.1)	(13.5)	(4.8)	(1.5)	(0.8)	(100.0)				
70～	9	44	384	1,969	4,107	4,072	2,157	822	249	133	13,946	8	13,954	1.23	0.26
(%)	(0.1)	(0.3)	(2.8)	(14.1)	(29.4)	(29.2)	(15.5)	(5.9)	(1.8)	(1.0)	(100.0)				
80～	7	26	347	2,157	5,577	6,204	3,402	1,279	446	224	19,669	14	19,683	1.27	0.26
(%)	(0.0)	(0.1)	(1.8)	(11.0)	(28.4)	(31.5)	(17.3)	(6.5)	(2.3)	(1.1)	(100.0)				
90～	12	23	294	2,127	6,662	8,119	4,730	1,917	604	347	24,835	23	24,858	1.29	0.26
(%)	(0.0)	(0.1)	(1.2)	(8.6)	(26.8)	(32.7)	(19.0)	(7.7)	(2.4)	(1.4)	(100.0)				
100～	5	14	204	1,781	6,723	8,784	5,590	2,287	785	399	26,572	23	26,595	1.32	0.26
(%)	(0.0)	(0.1)	(0.8)	(6.7)	(25.3)	(33.1)	(21.0)	(8.6)	(3.0)	(1.5)	(100.0)				
110～	9	15	109	1,288	5,534	8,046	5,250	2,345	772	465	23,833	21	23,854	1.34	0.26
(%)	(0.0)	(0.1)	(0.5)	(5.4)	(23.2)	(33.8)	(22.0)	(9.8)	(3.2)	(2.0)	(100.0)				
120～	6	7	69	728	3,908	5,867	3,949	1,808	603	376	17,321	17	17,338	1.36	0.26
(%)	(0.0)	(0.0)	(0.4)	(4.2)	(22.6)	(33.9)	(22.8)	(10.4)	(3.5)	(2.2)	(100.0)				
130～	3	2	31	369	2,087	3,317	2,200	1,077	316	200	9,602	6	9,608	1.36	0.26
(%)	(0.0)	(0.0)	(0.3)	(3.8)	(21.7)	(34.5)	(22.9)	(11.2)	(3.3)	(2.1)	(100.0)				
140～	8	2	27	244	1,429	2,157	1,466	688	250	155	6,426	23	6,449	1.37	0.27
(%)	(0.1)	(0.0)	(0.4)	(3.8)	(22.2)	(33.6)	(22.8)	(10.7)	(3.9)	(2.4)	(100.0)				
合計	132	365	2,836	15,034	42,379	51,757	31,313	13,193	4,373	2,480	163,862	152	164,014	1.29	0.27
(%)	(0.1)	(0.2)	(1.7)	(9.2)	(25.9)	(31.6)	(19.1)	(8.1)	(2.7)	(1.5)	(100.0)				
記載なし	2	1	2	6	16	11	10	4	4	8	64	14,131	14,195	1.39	0.56
(%)	(3.1)	(1.6)	(3.1)	(9.4)	(25.0)	(17.2)	(15.6)	(6.3)	(6.3)	(12.5)	(100.0)				
総計	134	366	2,838	15,040	42,395	51,768	31,323	13,197	4,377	2,488	163,926	14,283	178,209	1.29	0.27
(%)	(0.1)	(0.2)	(1.7)	(9.2)	(25.9)	(31.6)	(19.1)	(8.1)	(2.7)	(1.5)	(100.0)				
平均	69.60	59.70	70.88	84.38	96.30	101.23	103.52	105.22	105.16	107.66	98.73	111.42	98.74		
標準偏差	40.59	31.24	28.68	27.32	25.73	24.22	23.58	23.85	24.90	27.57	25.94	42.62	25.96		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査