

表 3082 equilibrated Kt/V(eKt/V) 透析前脈拍(拍/分)別(施設血液透析患者 透析回数週3回 透析歴2年以上)

透析前脈拍	0.4未満	0.4～	0.6～	0.8～	1.0～	1.2～	1.4～	1.6～	1.8～	2.0～	合計	記載なし	総計	平均	標準偏差
40未満		1	3	15	35	27	18	8		1	108	7	115	1.22	0.26
(%)		(0.9)	(2.8)	(13.9)	(32.4)	(25.0)	(16.7)	(7.4)		(0.9)	(100.0)				
40～		3	24	137	339	431	288	98	31	12	1,363	75	1,438	1.29	0.26
(%)		(0.2)	(1.8)	(10.1)	(24.9)	(31.6)	(21.1)	(7.2)	(2.3)	(0.9)	(100.0)				
50～	8	31	184	1,056	2,956	3,649	2,153	884	280	137	11,338	624	11,962	1.29	0.26
(%)	(0.1)	(0.3)	(1.6)	(9.3)	(26.1)	(32.2)	(19.0)	(7.8)	(2.5)	(1.2)	(100.0)				
60～	30	77	564	3,080	8,926	11,606	7,118	2,973	1,012	537	35,923	2,015	37,938	1.30	0.27
(%)	(0.1)	(0.2)	(1.6)	(8.6)	(24.8)	(32.3)	(19.8)	(8.3)	(2.8)	(1.5)	(100.0)				
70～	40	90	691	3,658	10,772	13,569	8,518	3,696	1,262	701	42,997	2,504	45,501	1.31	0.27
(%)	(0.1)	(0.2)	(1.6)	(8.5)	(25.1)	(31.6)	(19.8)	(8.6)	(2.9)	(1.6)	(100.0)				
80～	14	41	484	2,547	7,147	8,475	5,156	2,148	697	416	27,125	1,539	28,664	1.29	0.27
(%)	(0.1)	(0.2)	(1.8)	(9.4)	(26.3)	(31.2)	(19.0)	(7.9)	(2.6)	(1.5)	(100.0)				
90～	13	31	227	1,167	3,273	3,679	2,027	821	279	151	11,668	663	12,331	1.27	0.27
(%)	(0.1)	(0.3)	(1.9)	(10.0)	(28.1)	(31.5)	(17.4)	(7.0)	(2.4)	(1.3)	(100.0)				
100～	5	14	73	429	1,067	1,110	630	215	81	39	3,663	195	3,858	1.25	0.27
(%)	(0.1)	(0.4)	(2.0)	(11.7)	(29.1)	(30.3)	(17.2)	(5.9)	(2.2)	(1.1)	(100.0)				
110～	1	2	27	90	236	235	146	58	15	14	824	57	881	1.26	0.27
(%)	(0.1)	(0.2)	(3.3)	(10.9)	(28.6)	(28.5)	(17.7)	(7.0)	(1.8)	(1.7)	(100.0)				
120～	1		12	27	110	126	72	20	13	3	384	21	405	1.27	0.26
(%)	(0.3)		(3.1)	(7.0)	(28.6)	(32.8)	(18.8)	(5.2)	(3.4)	(0.8)	(100.0)				
合計	112	290	2,289	12,206	34,861	42,907	26,126	10,921	3,670	2,011	135,393	7,700	143,093	1.30	0.27
(%)	(0.1)	(0.2)	(1.7)	(9.0)	(25.7)	(31.7)	(19.3)	(8.1)	(2.7)	(1.5)	(100.0)				
記載なし	22	76	549	2,834	7,534	8,861	5,197	2,276	707	477	28,533	6,583	35,116	1.29	0.28
(%)	(0.1)	(0.3)	(1.9)	(9.9)	(26.4)	(31.1)	(18.2)	(8.0)	(2.5)	(1.7)	(100.0)				
総計	134	366	2,838	15,040	42,395	51,768	31,323	13,197	4,377	2,488	163,926	14,283	178,209	1.29	0.27
(%)	(0.1)	(0.2)	(1.7)	(9.2)	(25.9)	(31.6)	(19.1)	(8.1)	(2.7)	(1.5)	(100.0)				
平均	75.39	74.67	75.65	75.05	74.97	74.40	74.20	74.06	74.20	74.62	74.56	74.63	74.56		
標準偏差	13.56	13.83	13.70	13.13	13.11	12.74	12.48	12.17	12.21	11.82	12.77	12.71	12.77		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査