

表 3129 nPCR(g/kg/day) HDL-C濃度(mg/dL)別（施設血液透析患者 透析回数週3回 透析歴2年以上）

HDL-C濃度	0.4未満	0.4～	0.6～	0.8～	1.0～	1.2～	1.4～	1.6～	1.8～	2.0～	合計	記載なし	総計	平均	標準偏差
20未満	19	88	178	137	37	3					462	52	514	0.74	0.19
(%)	(4.1)	(19.0)	(38.5)	(29.7)	(8.0)	(0.6)					(100.0)				
20～	41	749	3,635	3,778	1,021	119	24	4	1	3	9,375	558	9,933	0.81	0.17
(%)	(0.4)	(8.0)	(38.8)	(40.3)	(10.9)	(1.3)	(0.3)	(0.0)	(0.0)	(0.0)	(100.0)				
30～	53	1,603	9,566	11,649	3,654	521	50	5	3	10	27,114	1,364	28,478	0.84	0.17
(%)	(0.2)	(5.9)	(35.3)	(43.0)	(13.5)	(1.9)	(0.2)	(0.0)	(0.0)	(0.0)	(100.0)				
40～	53	1,483	9,597	13,309	4,993	785	72	9	4	7	30,312	1,466	31,778	0.86	0.17
(%)	(0.2)	(4.9)	(31.7)	(43.9)	(16.5)	(2.6)	(0.2)	(0.0)	(0.0)	(0.0)	(100.0)				
50～	30	868	6,351	9,552	4,203	761	85	9	5	1	21,865	1,040	22,905	0.88	0.17
(%)	(0.1)	(4.0)	(29.0)	(43.7)	(19.2)	(3.5)	(0.4)	(0.0)	(0.0)	(0.0)	(100.0)				
60～	21	427	3,212	5,526	2,832	581	56	13	5	2	12,675	603	13,278	0.90	0.18
(%)	(0.2)	(3.4)	(25.3)	(43.6)	(22.3)	(4.6)	(0.4)	(0.1)	(0.0)	(0.0)	(100.0)				
70～	4	202	1,453	2,759	1,493	300	47	4		3	6,265	310	6,575	0.91	0.18
(%)	(0.1)	(3.2)	(23.2)	(44.0)	(23.8)	(4.8)	(0.8)	(0.1)		(0.0)	(100.0)				
80～	4	108	697	1,312	698	179	30	1	1		3,030	95	3,125	0.91	0.19
(%)	(0.1)	(3.6)	(23.0)	(43.3)	(23.0)	(5.9)	(1.0)	(0.0)	(0.0)		(100.0)				
90～	5	63	322	514	351	90	13	3			1,361	47	1,408	0.91	0.20
(%)	(0.4)	(4.6)	(23.7)	(37.8)	(25.8)	(6.6)	(1.0)	(0.2)			(100.0)				
100～	2	62	280	461	247	50	11	2	1		1,116	45	1,161	0.89	0.19
(%)	(0.2)	(5.6)	(25.1)	(41.3)	(22.1)	(4.5)	(1.0)	(0.2)	(0.1)		(100.0)				
合計	232	5,653	35,291	48,997	19,529	3,389	388	50	20	26	113,575	5,580	119,155	0.86	0.17
(%)	(0.2)	(5.0)	(31.1)	(43.1)	(17.2)	(3.0)	(0.3)	(0.0)	(0.0)	(0.0)	(100.0)				
記載なし	137	2,765	15,665	21,514	8,719	1,527	167	29	5	12	50,540	8,514	59,054	0.86	0.18
(%)	(0.3)	(5.5)	(31.0)	(42.6)	(17.3)	(3.0)	(0.3)	(0.1)	(0.0)	(0.0)	(100.0)				
総計	369	8,418	50,956	70,511	28,248	4,916	555	79	25	38	164,115	14,094	178,209	0.86	0.18
(%)	(0.2)	(5.1)	(31.0)	(43.0)	(17.2)	(3.0)	(0.3)	(0.0)	(0.0)	(0.0)	(100.0)				
平均	42.51	44.73	46.25	48.67	52.09	55.06	57.37	58.74	57.60	43.46	48.52	47.09	48.46		
標準偏差	19.47	16.79	15.91	16.35	17.15	17.56	19.94	22.32	23.77	14.98	16.63	16.35	16.62		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査