

表 3154 nPCR(g/kg/day) Non-HDL-C濃度(mg/dL)別 (血液透析濾過患者 透析回数週3回 透析歴2年以上)

| Non-HDL-C濃度 | 0.4未満  | 0.4～   | 0.6～   | 0.8～   | 1.0～   | 1.2～   | 1.4～   | 1.6～   | 1.8～   | 2.0～   | 合計      | 記載なし   | 総計     | 平均   | 標準偏差 |
|-------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|---------|--------|--------|------|------|
| 50未満        | 1      | 34     | 162    | 179    | 59     | 11     | 1      |        |        |        | 447     | 16     | 463    | 0.83 | 0.17 |
| (%)         | (0.2)  | (7.6)  | (36.2) | (40.0) | (13.2) | (2.5)  | (0.2)  |        |        |        | (100.0) |        |        |      |      |
| 50～         | 1      | 109    | 630    | 950    | 336    | 48     | 7      |        |        |        | 2,081   | 54     | 2,135  | 0.86 | 0.17 |
| (%)         | (0.0)  | (5.2)  | (30.3) | (45.7) | (16.1) | (2.3)  | (0.3)  |        |        |        | (100.0) |        |        |      |      |
| 70～         | 8      | 145    | 1,270  | 2,010  | 815    | 141    | 22     | 1      |        |        | 4,412   | 121    | 4,533  | 0.88 | 0.17 |
| (%)         | (0.2)  | (3.3)  | (28.8) | (45.6) | (18.5) | (3.2)  | (0.5)  | (0.0)  |        |        | (100.0) |        |        |      |      |
| 90～         | 9      | 169    | 1,450  | 2,477  | 1,037  | 195    | 15     | 2      |        | 1      | 5,355   | 164    | 5,519  | 0.88 | 0.17 |
| (%)         | (0.2)  | (3.2)  | (27.1) | (46.3) | (19.4) | (3.6)  | (0.3)  | (0.0)  |        | (0.0)  | (100.0) |        |        |      |      |
| 110～        | 2      | 123    | 1,168  | 1,988  | 962    | 165    | 24     | 1      | 1      | 1      | 4,435   | 125    | 4,560  | 0.89 | 0.17 |
| (%)         | (0.0)  | (2.8)  | (26.3) | (44.8) | (21.7) | (3.7)  | (0.5)  | (0.0)  | (0.0)  | (0.0)  | (100.0) |        |        |      |      |
| 130～        | 3      | 58     | 720    | 1,219  | 579    | 105    | 7      | 2      |        |        | 2,693   | 73     | 2,766  | 0.89 | 0.17 |
| (%)         | (0.1)  | (2.2)  | (26.7) | (45.3) | (21.5) | (3.9)  | (0.3)  | (0.1)  |        |        | (100.0) |        |        |      |      |
| 150～        |        | 40     | 333    | 626    | 314    | 54     | 11     | 1      |        | 1      | 1,380   | 33     | 1,413  | 0.90 | 0.18 |
| (%)         |        | (2.9)  | (24.1) | (45.4) | (22.8) | (3.9)  | (0.8)  | (0.1)  |        | (0.1)  | (100.0) |        |        |      |      |
| 170～        | 1      | 23     | 152    | 253    | 131    | 18     | 3      |        |        |        | 581     | 14     | 595    | 0.89 | 0.17 |
| (%)         | (0.2)  | (4.0)  | (26.2) | (43.5) | (22.5) | (3.1)  | (0.5)  |        |        |        | (100.0) |        |        |      |      |
| 190～        | 1      | 10     | 41     | 95     | 56     | 6      | 1      |        |        |        | 210     | 6      | 216    | 0.91 | 0.18 |
| (%)         | (0.5)  | (4.8)  | (19.5) | (45.2) | (26.7) | (2.9)  | (0.5)  |        |        |        | (100.0) |        |        |      |      |
| 210～        |        | 7      | 27     | 49     | 19     | 9      | 1      | 1      |        |        | 113     | 2      | 115    | 0.90 | 0.21 |
| (%)         |        | (6.2)  | (23.9) | (43.4) | (16.8) | (8.0)  | (0.9)  | (0.9)  |        |        | (100.0) |        |        |      |      |
| 合計          | 26     | 718    | 5,953  | 9,846  | 4,308  | 752    | 92     | 8      | 1      | 3      | 21,707  | 608    | 22,315 | 0.88 | 0.17 |
| (%)         | (0.1)  | (3.3)  | (27.4) | (45.4) | (19.8) | (3.5)  | (0.4)  | (0.0)  | (0.0)  | (0.0)  | (100.0) |        |        |      |      |
| 記載なし        | 17     | 412    | 3,120  | 5,034  | 2,223  | 415    | 36     | 5      |        | 3      | 11,265  | 1,391  | 12,656 | 0.88 | 0.17 |
| (%)         | (0.2)  | (3.7)  | (27.7) | (44.7) | (19.7) | (3.7)  | (0.3)  | (0.0)  |        | (0.0)  | (100.0) |        |        |      |      |
| 総計          | 43     | 1,130  | 9,073  | 14,880 | 6,531  | 1,167  | 128    | 13     | 1      | 6      | 32,972  | 1,999  | 34,971 | 0.88 | 0.17 |
| (%)         | (0.1)  | (3.4)  | (27.5) | (45.1) | (19.8) | (3.5)  | (0.4)  | (0.0)  | (0.0)  | (0.0)  | (100.0) |        |        |      |      |
| 平均          | 101.88 | 101.73 | 104.77 | 106.96 | 110.21 | 110.97 | 111.40 | 130.50 | 119.00 | 131.33 | 106.99  | 105.90 | 106.97 |      |      |
| 標準偏差        | 34.77  | 37.21  | 32.93  | 33.02  | 32.99  | 32.88  | 34.73  | 41.89  |        | 24.17  | 33.21   | 32.09  | 33.18  |      |      |

数値下のかっこ内は行方向の合計に対する%です。  
(C)Japanese Society for Dialysis Therapy  
2014年調査