

表 3171 %クレアチニン産生速度(%) PTH値(pg/mL)別(施設血液透析患者 透析回数週3回 透析歴2年以上) PTH測定法:whole-PTH

PTH値	60未満	60～	70～	80～	90～	100～	110～	120～	130～	140～	合計	記載なし	総計	平均	標準偏差
20未満	123	94	110	122	173	172	154	111	60	37	1,156	43	1,199	94.88	27.42
(%)	(10.6)	(8.1)	(9.5)	(10.6)	(15.0)	(14.9)	(13.3)	(9.6)	(5.2)	(3.2)	(100.0)				
20～	124	72	134	178	218	238	204	138	77	55	1,438	54	1,492	97.54	26.90
(%)	(8.6)	(5.0)	(9.3)	(12.4)	(15.2)	(16.6)	(14.2)	(9.6)	(5.4)	(3.8)	(100.0)				
35～	92	59	110	163	210	216	190	128	68	46	1,282	48	1,330	98.51	25.28
(%)	(7.2)	(4.6)	(8.6)	(12.7)	(16.4)	(16.8)	(14.8)	(10.0)	(5.3)	(3.6)	(100.0)				
50～	110	98	166	234	268	339	285	222	117	75	1,914	63	1,977	100.39	25.56
(%)	(5.7)	(5.1)	(8.7)	(12.2)	(14.0)	(17.7)	(14.9)	(11.6)	(6.1)	(3.9)	(100.0)				
75～	125	84	128	204	265	267	265	175	90	75	1,678	58	1,736	99.47	25.13
(%)	(7.4)	(5.0)	(7.6)	(12.2)	(15.8)	(15.9)	(15.8)	(10.4)	(5.4)	(4.5)	(100.0)				
100～	76	77	100	175	192	230	215	153	101	47	1,366	43	1,409	100.56	24.52
(%)	(5.6)	(5.6)	(7.3)	(12.8)	(14.1)	(16.8)	(15.7)	(11.2)	(7.4)	(3.4)	(100.0)				
125～	49	46	66	95	157	147	125	97	58	42	882	33	915	101.10	24.66
(%)	(5.6)	(5.2)	(7.5)	(10.8)	(17.8)	(16.7)	(14.2)	(11.0)	(6.6)	(4.8)	(100.0)				
150～	3	1	4	2	4	4	3	3	1	2	27	1	28	98.86	29.07
(%)	(11.1)	(3.7)	(14.8)	(7.4)	(14.8)	(14.8)	(11.1)	(11.1)	(3.7)	(7.4)	(100.0)				
151～	31	32	48	80	122	149	110	76	47	28	723	24	747	101.87	23.00
(%)	(4.3)	(4.4)	(6.6)	(11.1)	(16.9)	(20.6)	(15.2)	(10.5)	(6.5)	(3.9)	(100.0)				
180～	22	25	30	67	81	106	73	49	39	22	514	14	528	102.29	24.46
(%)	(4.3)	(4.9)	(5.8)	(13.0)	(15.8)	(20.6)	(14.2)	(9.5)	(7.6)	(4.3)	(100.0)				
210～	15	18	28	57	57	52	53	32	22	15	349	17	366	100.14	23.29
(%)	(4.3)	(5.2)	(8.0)	(16.3)	(16.3)	(14.9)	(15.2)	(9.2)	(6.3)	(4.3)	(100.0)				
240～	18	13	28	53	59	85	69	41	18	21	405	14	419	102.18	23.79
(%)	(4.4)	(3.2)	(6.9)	(13.1)	(14.6)	(21.0)	(17.0)	(10.1)	(4.4)	(5.2)	(100.0)				
300～	6	4	17	12	36	22	33	24	10	7	171	6	177	104.22	22.53
(%)	(3.5)	(2.3)	(9.9)	(7.0)	(21.1)	(12.9)	(19.3)	(14.0)	(5.8)	(4.1)	(100.0)				
350～	4	9	4	7	20	17	15	14	4	6	100	5	105	103.51	25.12
(%)	(4.0)	(9.0)	(4.0)	(7.0)	(20.0)	(17.0)	(15.0)	(14.0)	(4.0)	(6.0)	(100.0)				
400～	8	1	12	17	23	11	18	15	10	5	120	4	124	100.96	24.72
(%)	(6.7)	(0.8)	(10.0)	(14.2)	(19.2)	(9.2)	(15.0)	(12.5)	(8.3)	(4.2)	(100.0)				
500～	7	14	14	23	19	20	18	14	9	2	140	12	152	95.95	23.96
(%)	(5.0)	(10.0)	(10.0)	(16.4)	(13.6)	(14.3)	(12.9)	(10.0)	(6.4)	(1.4)	(100.0)				
合計	813	647	999	1,489	1,904	2,075	1,830	1,292	731	485	12,265	439	12,704	99.53	25.34
(%)	(6.6)	(5.3)	(8.1)	(12.1)	(15.5)	(16.9)	(14.9)	(10.5)	(6.0)	(4.0)	(100.0)				
記載なし	42	17	25	23	21	24	13	10	6	1	182	130	312	81.83	28.66
(%)	(23.1)	(9.3)	(13.7)	(12.6)	(11.5)	(13.2)	(7.1)	(5.5)	(3.3)	(0.5)	(100.0)				
総計	855	664	1,024	1,512	1,925	2,099	1,843	1,302	737	486	12,447	569	13,016	99.27	25.48
(%)	(6.9)	(5.3)	(8.2)	(12.1)	(15.5)	(16.9)	(14.8)	(10.5)	(5.9)	(3.9)	(100.0)				
平均	87.41	102.18	101.00	110.81	108.31	105.27	106.90	107.00	110.81	109.84	105.66	117.40	106.06		
標準偏差	95.21	115.82	109.75	138.84	104.59	97.01	100.16	99.95	119.96	116.93	109.04	149.18	110.69		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査