

表 3174 %クレアチニン産生速度(%) HDL-C濃度(mg/dL)別(施設血液透析患者 透析回数週3回 透析歴2年以上)

HDL-C濃度	60未満	60～	70～	80～	90～	100～	110～	120～	130～	140～	合計	記載なし	総計	平均	標準偏差
20未満	140	43	33	52	53	52	32	32	14	10	461	53	514	80.36	32.38
(%)	(30.4)	(9.3)	(7.2)	(11.3)	(11.5)	(11.3)	(6.9)	(6.9)	(3.0)	(2.2)	(100.0)				
20～	948	558	800	1,081	1,345	1,362	1,304	944	578	448	9,368	565	9,933	97.52	28.02
(%)	(10.1)	(6.0)	(8.5)	(11.5)	(14.4)	(14.5)	(13.9)	(10.1)	(6.2)	(4.8)	(100.0)				
30～	2,182	1,500	2,303	3,265	3,949	4,338	3,852	2,852	1,657	1,193	27,091	1,387	28,478	98.84	26.56
(%)	(8.1)	(5.5)	(8.5)	(12.1)	(14.6)	(16.0)	(14.2)	(10.5)	(6.1)	(4.4)	(100.0)				
40～	2,119	1,637	2,595	3,639	4,634	4,956	4,453	3,277	1,783	1,201	30,294	1,484	31,778	99.28	25.65
(%)	(7.0)	(5.4)	(8.6)	(12.0)	(15.3)	(16.4)	(14.7)	(10.8)	(5.9)	(4.0)	(100.0)				
50～	1,406	1,168	1,769	2,586	3,391	3,596	3,370	2,428	1,290	854	21,858	1,047	22,905	99.91	25.09
(%)	(6.4)	(5.3)	(8.1)	(11.8)	(15.5)	(16.5)	(15.4)	(11.1)	(5.9)	(3.9)	(100.0)				
60～	762	634	1,030	1,442	1,969	2,199	2,042	1,373	793	422	12,666	612	13,278	100.19	24.46
(%)	(6.0)	(5.0)	(8.1)	(11.4)	(15.5)	(17.4)	(16.1)	(10.8)	(6.3)	(3.3)	(100.0)				
70～	324	303	517	734	999	1,080	974	715	381	234	6,261	314	6,575	100.86	23.82
(%)	(5.2)	(4.8)	(8.3)	(11.7)	(16.0)	(17.2)	(15.6)	(11.4)	(6.1)	(3.7)	(100.0)				
80～	164	142	244	373	508	504	451	345	193	104	3,028	97	3,125	100.43	24.00
(%)	(5.4)	(4.7)	(8.1)	(12.3)	(16.8)	(16.6)	(14.9)	(11.4)	(6.4)	(3.4)	(100.0)				
90～	89	69	124	170	177	240	219	147	83	43	1,361	47	1,408	99.46	24.74
(%)	(6.5)	(5.1)	(9.1)	(12.5)	(13.0)	(17.6)	(16.1)	(10.8)	(6.1)	(3.2)	(100.0)				
100～	66	56	102	145	174	198	166	123	54	32	1,116	45	1,161	98.81	24.11
(%)	(5.9)	(5.0)	(9.1)	(13.0)	(15.6)	(17.7)	(14.9)	(11.0)	(4.8)	(2.9)	(100.0)				
合計	8,200	6,110	9,517	13,487	17,199	18,525	16,863	12,236	6,826	4,541	113,504	5,651	119,155	99.29	25.74
(%)	(7.2)	(5.4)	(8.4)	(11.9)	(15.2)	(16.3)	(14.9)	(10.8)	(6.0)	(4.0)	(100.0)				
記載なし	4,350	3,015	4,437	6,196	7,659	8,070	6,991	5,102	2,782	1,908	50,510	8,544	59,054	97.51	26.39
(%)	(8.6)	(6.0)	(8.8)	(12.3)	(15.2)	(16.0)	(13.8)	(10.1)	(5.5)	(3.8)	(100.0)				
総計	12,550	9,125	13,954	19,683	24,858	26,595	23,854	17,338	9,608	6,449	164,014	14,195	178,209	98.74	25.96
(%)	(7.7)	(5.6)	(8.5)	(12.0)	(15.2)	(16.2)	(14.5)	(10.6)	(5.9)	(3.9)	(100.0)				
平均	45.72	47.62	48.42	48.56	48.96	49.17	49.19	48.96	48.52	47.00	48.52	47.06	48.46		
標準偏差	16.72	16.50	16.79	16.62	16.56	16.68	16.66	16.64	16.45	15.75	16.63	16.34	16.62		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査