

表 3175 %クレアチニン産生速度(%) Non-HDL-C濃度(mg/dL)別 (施設血液透析患者 透析回数週3回 透析歴2年以上)

Non-HDL-C濃度	60未満	60～	70～	80～	90～	100～	110～	120～	130～	140～	合計	記載なし	総計	平均	標準偏差
50未満	246	176	229	270	305	273	235	175	90	73	2,072	85	2,157	92.84	28.07
(%)	(11.9)	(8.5)	(11.1)	(13.0)	(14.7)	(13.2)	(11.3)	(8.4)	(4.3)	(3.5)	(100.0)				
50～	885	646	957	1,206	1,470	1,512	1,225	873	520	377	9,671	463	10,134	96.21	26.61
(%)	(9.2)	(6.7)	(9.9)	(12.5)	(15.2)	(15.6)	(12.7)	(9.0)	(5.4)	(3.9)	(100.0)				
70～	1,618	1,240	1,934	2,600	3,338	3,470	3,021	2,107	1,135	804	21,267	973	22,240	98.02	25.72
(%)	(7.6)	(5.8)	(9.1)	(12.2)	(15.7)	(16.3)	(14.2)	(9.9)	(5.3)	(3.8)	(100.0)				
90～	1,733	1,269	2,117	3,038	3,757	4,127	3,711	2,747	1,567	944	25,010	1,167	26,177	99.57	25.38
(%)	(6.9)	(5.1)	(8.5)	(12.1)	(15.0)	(16.5)	(14.8)	(11.0)	(6.3)	(3.8)	(100.0)				
110～	1,270	1,016	1,517	2,290	3,008	3,380	3,111	2,295	1,272	811	19,970	1,013	20,983	100.61	25.24
(%)	(6.4)	(5.1)	(7.6)	(11.5)	(15.1)	(16.9)	(15.6)	(11.5)	(6.4)	(4.1)	(100.0)				
130～	761	564	904	1,389	1,806	1,981	1,933	1,437	790	540	12,105	529	12,634	101.18	25.34
(%)	(6.3)	(4.7)	(7.5)	(11.5)	(14.9)	(16.4)	(16.0)	(11.9)	(6.5)	(4.5)	(100.0)				
150～	401	259	433	678	861	986	970	702	437	292	6,019	290	6,309	101.62	25.81
(%)	(6.7)	(4.3)	(7.2)	(11.3)	(14.3)	(16.4)	(16.1)	(11.7)	(7.3)	(4.9)	(100.0)				
170～	206	125	201	290	360	422	432	316	159	106	2,617	138	2,755	100.10	26.66
(%)	(7.9)	(4.8)	(7.7)	(11.1)	(13.8)	(16.1)	(16.5)	(12.1)	(6.1)	(4.1)	(100.0)				
190～	89	56	86	100	126	158	151	113	57	42	978	46	1,024	99.06	26.95
(%)	(9.1)	(5.7)	(8.8)	(10.2)	(12.9)	(16.2)	(15.4)	(11.6)	(5.8)	(4.3)	(100.0)				
210～	57	40	57	67	84	69	70	66	27	23	560	29	589	95.81	28.10
(%)	(10.2)	(7.1)	(10.2)	(12.0)	(15.0)	(12.3)	(12.5)	(11.8)	(4.8)	(4.1)	(100.0)				
合計	7,266	5,391	8,435	11,928	15,115	16,378	14,859	10,831	6,054	4,012	100,269	4,733	105,002	99.29	25.76
(%)	(7.2)	(5.4)	(8.4)	(11.9)	(15.1)	(16.3)	(14.8)	(10.8)	(6.0)	(4.0)	(100.0)				
記載なし	5,284	3,734	5,519	7,755	9,743	10,217	8,995	6,507	3,554	2,437	63,745	9,462	73,207	97.88	26.25
(%)	(8.3)	(5.9)	(8.7)	(12.2)	(15.3)	(16.0)	(14.1)	(10.2)	(5.6)	(3.8)	(100.0)				
総計	12,550	9,125	13,954	19,683	24,858	26,595	23,854	17,338	9,608	6,449	164,014	14,195	178,209	98.74	25.96
(%)	(7.7)	(5.6)	(8.5)	(12.0)	(15.2)	(16.2)	(14.5)	(10.6)	(5.9)	(3.9)	(100.0)				
平均	103.68	102.77	103.47	105.06	105.64	106.57	108.39	108.96	108.71	108.39	106.31	107.03	106.34		
標準偏差	35.77	34.17	33.88	32.93	32.63	32.33	32.56	32.75	32.25	33.81	33.13	33.42	33.15		

数値下のかっこ内は行方向の合計に対する%です。
(C)Japanese Society for Dialysis Therapy
2014年調査