

表 3176 %クレアチニン産生速度(%) 透析前収縮期血圧(mmHg)別 (施設血液透析患者 透析回数週3回 透析歴2年以上)

透析前収縮期血圧	60未満	60～	70～	80～	90～	100～	110～	120～	130～	140～	合計	記載なし	総計	平均	標準偏差
60未満	4	4	2	2	2	2	4		2		22	4	26	85.72	28.18
(%)	(18.2)	(18.2)	(9.1)	(9.1)	(9.1)	(9.1)	(18.2)		(9.1)		(100.0)				
60～	46	22	25	29	36	20	15	10	3	4	210	23	233	82.32	27.55
(%)	(21.9)	(10.5)	(11.9)	(13.8)	(17.1)	(9.5)	(7.1)	(4.8)	(1.4)	(1.9)	(100.0)				
80～	257	165	195	227	235	209	197	161	75	55	1,776	147	1,923	90.64	29.41
(%)	(14.5)	(9.3)	(11.0)	(12.8)	(13.2)	(11.8)	(11.1)	(9.1)	(4.2)	(3.1)	(100.0)				
100～	1,135	647	827	1,112	1,261	1,284	1,244	919	513	364	9,306	737	10,043	94.97	28.93
(%)	(12.2)	(7.0)	(8.9)	(11.9)	(13.6)	(13.8)	(13.4)	(9.9)	(5.5)	(3.9)	(100.0)				
120～	2,534	1,647	2,491	3,467	4,331	4,594	4,283	3,331	1,928	1,322	29,928	1,822	31,750	98.87	27.09
(%)	(8.5)	(5.5)	(8.3)	(11.6)	(14.5)	(15.4)	(14.3)	(11.1)	(6.4)	(4.4)	(100.0)				
140～	3,301	2,475	3,801	5,492	6,985	7,824	7,233	5,348	2,956	1,997	47,412	2,486	49,898	100.01	25.68
(%)	(7.0)	(5.2)	(8.0)	(11.6)	(14.7)	(16.5)	(15.3)	(11.3)	(6.2)	(4.2)	(100.0)				
160～	2,319	1,841	2,962	4,185	5,623	5,957	5,318	3,691	1,985	1,361	35,242	1,700	36,942	99.49	24.99
(%)	(6.6)	(5.2)	(8.4)	(11.9)	(16.0)	(16.9)	(15.1)	(10.5)	(5.6)	(3.9)	(100.0)				
180～	906	739	1,309	1,822	2,290	2,297	1,873	1,228	643	415	13,522	696	14,218	97.53	24.22
(%)	(6.7)	(5.5)	(9.7)	(13.5)	(16.9)	(17.0)	(13.9)	(9.1)	(4.8)	(3.1)	(100.0)				
200～	220	211	294	482	611	651	442	285	128	82	3,406	197	3,603	96.73	23.15
(%)	(6.5)	(6.2)	(8.6)	(14.2)	(17.9)	(19.1)	(13.0)	(8.4)	(3.8)	(2.4)	(100.0)				
220～	42	52	72	103	115	106	92	57	26	16	681	42	723	95.80	23.75
(%)	(6.2)	(7.6)	(10.6)	(15.1)	(16.9)	(15.6)	(13.5)	(8.4)	(3.8)	(2.3)	(100.0)				
合計	10,764	7,803	11,978	16,921	21,489	22,944	20,701	15,030	8,259	5,616	141,505	7,854	149,359	98.83	25.95
(%)	(7.6)	(5.5)	(8.5)	(12.0)	(15.2)	(16.2)	(14.6)	(10.6)	(5.8)	(4.0)	(100.0)				
記載なし	1,786	1,322	1,976	2,762	3,369	3,651	3,153	2,308	1,349	833	22,509	6,341	28,850	98.20	25.99
(%)	(7.9)	(5.9)	(8.8)	(12.3)	(15.0)	(16.2)	(14.0)	(10.3)	(6.0)	(3.7)	(100.0)				
総計	12,550	9,125	13,954	19,683	24,858	26,595	23,854	17,338	9,608	6,449	164,014	14,195	178,209	98.74	25.96
(%)	(7.7)	(5.6)	(8.5)	(12.0)	(15.2)	(16.2)	(14.5)	(10.6)	(5.9)	(3.9)	(100.0)				
平均	147.61	150.75	152.34	152.90	153.64	153.56	152.33	151.27	150.58	150.11	152.05	149.17	151.90		
標準偏差	25.76	25.83	25.03	24.88	24.20	23.57	23.04	22.72	22.20	22.23	24.02	25.53	24.11		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査