

表 3177 %クレアチニン産生速度(%) 透析前拡張期血圧(mmHg)別(施設血液透析患者 透析回数週3回 透析歴2年以上)

透析前拡張 期血圧	60未満	60～	70～	80～	90～	100～	110～	120～	130～	140～	合計	記載なし	総計	平均	標準偏差
20未満	7	1	5	7	7	10	6	5	2	1	51	4	55	93.26	26.61
(%)	(13.7)	(2.0)	(9.8)	(13.7)	(13.7)	(19.6)	(11.8)	(9.8)	(3.9)	(2.0)	(100.0)				
20～	80	37	68	63	62	58	49	34	15	7	473	51	524	87.28	28.05
(%)	(16.9)	(7.8)	(14.4)	(13.3)	(13.1)	(12.3)	(10.4)	(7.2)	(3.2)	(1.5)	(100.0)				
40～	1,389	907	1,206	1,534	1,711	1,609	1,460	946	521	400	11,683	872	12,555	93.08	27.82
(%)	(11.9)	(7.8)	(10.3)	(13.1)	(14.6)	(13.8)	(12.5)	(8.1)	(4.5)	(3.4)	(100.0)				
60～	5,401	3,815	5,737	7,965	9,819	10,228	9,134	6,765	3,753	2,612	65,229	3,712	68,941	98.02	26.43
(%)	(8.3)	(5.8)	(8.8)	(12.2)	(15.1)	(15.7)	(14.0)	(10.4)	(5.8)	(4.0)	(100.0)				
80～	2,214	1,718	2,715	4,005	5,232	5,942	5,370	3,912	2,233	1,462	34,803	1,827	36,630	100.63	25.13
(%)	(6.4)	(4.9)	(7.8)	(11.5)	(15.0)	(17.1)	(15.4)	(11.2)	(6.4)	(4.2)	(100.0)				
90～	1,086	882	1,465	2,063	2,953	3,239	3,081	2,230	1,211	755	18,965	898	19,863	101.32	24.70
(%)	(5.7)	(4.7)	(7.7)	(10.9)	(15.6)	(17.1)	(16.2)	(11.8)	(6.4)	(4.0)	(100.0)				
100～	503	394	692	1,147	1,520	1,690	1,473	1,049	473	350	9,291	440	9,731	100.75	23.93
(%)	(5.4)	(4.2)	(7.4)	(12.3)	(16.4)	(18.2)	(15.9)	(11.3)	(5.1)	(3.8)	(100.0)				
120～	31	19	43	78	111	106	76	54	30	12	560	34	594	99.00	23.13
(%)	(5.5)	(3.4)	(7.7)	(13.9)	(19.8)	(18.9)	(13.6)	(9.6)	(5.4)	(2.1)	(100.0)				
140～	3	4	7	7	6	4	5	1	3		40	3	43	90.66	21.88
(%)	(7.5)	(10.0)	(17.5)	(17.5)	(15.0)	(10.0)	(12.5)	(2.5)	(7.5)		(100.0)				
合計	10,714	7,777	11,938	16,869	21,421	22,886	20,654	14,996	8,241	5,599	141,095	7,841	148,936	98.84	25.95
(%)	(7.6)	(5.5)	(8.5)	(12.0)	(15.2)	(16.2)	(14.6)	(10.6)	(5.8)	(4.0)	(100.0)				
記載なし	1,836	1,348	2,016	2,814	3,437	3,709	3,200	2,342	1,367	850	22,919	6,354	29,273	98.11	26.03
(%)	(8.0)	(5.9)	(8.8)	(12.3)	(15.0)	(16.2)	(14.0)	(10.2)	(6.0)	(3.7)	(100.0)				
総計	12,550	9,125	13,954	19,683	24,858	26,595	23,854	17,338	9,608	6,449	164,014	14,195	178,209	98.74	25.96
(%)	(7.7)	(5.6)	(8.5)	(12.0)	(15.2)	(16.2)	(14.5)	(10.6)	(5.9)	(3.9)	(100.0)				
平均	74.45	75.54	76.46	77.27	78.22	78.83	78.86	79.01	78.68	78.13	77.82	76.09	77.73		
標準偏差	14.84	14.57	14.74	14.75	14.58	14.31	14.17	13.97	13.62	13.61	14.44	14.95	14.47		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査