

表 3191 %クレアチニン産生速度(%) PTH値(pg/mL)別(血液透析濾過患者 透析回数週3回 透析歴2年以上) PTH測定法:intact-PTH

PTH値	60未満	60～	70～	80～	90～	100～	110～	120～	130～	140～	合計	記載なし	総計	平均	標準偏差
20未満	111	70	112	190	206	238	217	152	78	37	1,411	60	1,471	98.21	25.46
(%)	(7.9)	(5.0)	(7.9)	(13.5)	(14.6)	(16.9)	(15.4)	(10.8)	(5.5)	(2.6)	(100.0)				
20～	120	93	154	234	289	302	258	192	118	76	1,836	71	1,907	99.78	25.14
(%)	(6.5)	(5.1)	(8.4)	(12.7)	(15.7)	(16.4)	(14.1)	(10.5)	(6.4)	(4.1)	(100.0)				
40～	143	98	182	262	320	350	292	204	128	75	2,054	81	2,135	99.15	25.11
(%)	(7.0)	(4.8)	(8.9)	(12.8)	(15.6)	(17.0)	(14.2)	(9.9)	(6.2)	(3.7)	(100.0)				
60～	127	106	173	240	323	389	367	220	129	80	2,154	76	2,230	100.59	24.77
(%)	(5.9)	(4.9)	(8.0)	(11.1)	(15.0)	(18.1)	(17.0)	(10.2)	(6.0)	(3.7)	(100.0)				
80～	154	124	180	303	375	395	392	276	143	97	2,439	72	2,511	100.54	24.73
(%)	(6.3)	(5.1)	(7.4)	(12.4)	(15.4)	(16.2)	(16.1)	(11.3)	(5.9)	(4.0)	(100.0)				
100～	126	95	194	284	364	402	400	268	149	94	2,376	83	2,459	101.42	24.22
(%)	(5.3)	(4.0)	(8.2)	(12.0)	(15.3)	(16.9)	(16.8)	(11.3)	(6.3)	(4.0)	(100.0)				
120～	107	98	172	253	342	369	353	263	156	98	2,211	70	2,281	102.24	24.30
(%)	(4.8)	(4.4)	(7.8)	(11.4)	(15.5)	(16.7)	(16.0)	(11.9)	(7.1)	(4.4)	(100.0)				
140～	81	82	135	245	281	358	356	231	145	54	1,968	67	2,035	102.44	22.72
(%)	(4.1)	(4.2)	(6.9)	(12.4)	(14.3)	(18.2)	(18.1)	(11.7)	(7.4)	(2.7)	(100.0)				
160～	68	69	128	223	275	357	294	220	107	87	1,828	64	1,892	103.25	22.91
(%)	(3.7)	(3.8)	(7.0)	(12.2)	(15.0)	(19.5)	(16.1)	(12.0)	(5.9)	(4.8)	(100.0)				
180～	159	139	306	456	619	795	718	547	282	202	4,223	157	4,380	104.22	22.99
(%)	(3.8)	(3.3)	(7.2)	(10.8)	(14.7)	(18.8)	(17.0)	(13.0)	(6.7)	(4.8)	(100.0)				
240～	3	2	2	3	17	9	13	8	7	4	68	2	70	106.78	22.72
(%)	(4.4)	(2.9)	(2.9)	(4.4)	(25.0)	(13.2)	(19.1)	(11.8)	(10.3)	(5.9)	(100.0)				
241～	77	105	160	250	377	422	443	335	199	116	2,484	91	2,575	105.11	22.68
(%)	(3.1)	(4.2)	(6.4)	(10.1)	(15.2)	(17.0)	(17.8)	(13.5)	(8.0)	(4.7)	(100.0)				
300～	44	52	87	140	244	264	232	201	109	56	1,429	60	1,489	104.82	21.85
(%)	(3.1)	(3.6)	(6.1)	(9.8)	(17.1)	(18.5)	(16.2)	(14.1)	(7.6)	(3.9)	(100.0)				
360～	37	35	65	90	147	184	143	113	53	28	895	30	925	102.80	23.39
(%)	(4.1)	(3.9)	(7.3)	(10.1)	(16.4)	(20.6)	(16.0)	(12.6)	(5.9)	(3.1)	(100.0)				
420～	19	24	34	56	79	90	101	58	25	21	507	17	524	103.01	22.38
(%)	(3.7)	(4.7)	(6.7)	(11.0)	(15.6)	(17.8)	(19.9)	(11.4)	(4.9)	(4.1)	(100.0)				
480～	7	4	5	10	19	23	31	18	5	2	124	1	125	103.46	21.81
(%)	(5.6)	(3.2)	(4.0)	(8.1)	(15.3)	(18.5)	(25.0)	(14.5)	(4.0)	(1.6)	(100.0)				
500～	4	7	18	22	26	29	33	31	15	11	196	8	204	106.23	24.00
(%)	(2.0)	(3.6)	(9.2)	(11.2)	(13.3)	(14.8)	(16.8)	(15.8)	(7.7)	(5.6)	(100.0)				
540～	10	8	21	27	32	34	40	28	14	9	223	9	232	102.25	23.50
(%)	(4.5)	(3.6)	(9.4)	(12.1)	(14.3)	(15.2)	(17.9)	(12.6)	(6.3)	(4.0)	(100.0)				
600～	9	10	24	61	58	66	70	48	25	8	379	12	391	103.26	20.77
(%)	(2.4)	(2.6)	(6.3)	(16.1)	(15.3)	(17.4)	(18.5)	(12.7)	(6.6)	(2.1)	(100.0)				
800～	11	17	31	41	59	61	44	29	18	7	318	16	334	98.98	22.00
(%)	(3.5)	(5.3)	(9.7)	(12.9)	(18.6)	(19.2)	(13.8)	(9.1)	(5.7)	(2.2)	(100.0)				
合計	1,417	1,238	2,183	3,390	4,452	5,137	4,797	3,442	1,905	1,162	29,123	1,047	30,170	102.13	23.84
(%)	(4.9)	(4.3)	(7.5)	(11.6)	(15.3)	(17.6)	(16.5)	(11.8)	(6.5)	(4.0)	(100.0)				
記載なし	46	28	29	47	68	61	59	46	26	9	419	157	576	96.34	26.30
(%)	(11.0)	(6.7)	(6.9)	(11.2)	(16.2)	(14.6)	(14.1)	(11.0)	(6.2)	(2.1)	(100.0)				
総計	1,463	1,266	2,212	3,437	4,520	5,198	4,856	3,488	1,931	1,171	29,542	1,204	30,746	102.05	23.89
(%)	(5.0)	(4.3)	(7.5)	(11.6)	(15.3)	(17.6)	(16.4)	(11.8)	(6.5)	(4.0)	(100.0)				
平均	145.62	170.90	176.34	174.32	182.03	182.61	181.92	186.64	179.90	175.17	178.68	182.07	178.80		
標準偏差	149.76	203.87	205.71	171.86	180.93	178.65	156.78	169.33	152.59	136.35	172.82	196.83	173.71		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy
2014年調査