

表 3236 透析前アルブミン濃度(g/dL) 透析前ヘモグロビン濃度(g/dL)別 (透析患者全体)

透析前ヘモグロビン 濃度	1.5未満	1.5～	2.0～	2.5～	3.0～	3.5～	4.0～	4.5～	5.0～	合計	記載なし	総計	平均	標準偏差
5未満	1	3	17	28	60	135	53	3		300	3	303	3.50	0.56
(%)	(0.3)	(1.0)	(5.7)	(9.3)	(20.0)	(45.0)	(17.7)	(1.0)		(100.0)				
5～	4	20	32	58	101	161	45	3		424	5	429	3.28	0.66
(%)	(0.9)	(4.7)	(7.5)	(13.7)	(23.8)	(38.0)	(10.6)	(0.7)		(100.0)				
6～	16	68	182	229	336	240	47	2	2	1,122	38	1,160	2.98	0.67
(%)	(1.4)	(6.1)	(16.2)	(20.4)	(29.9)	(21.4)	(4.2)	(0.2)	(0.2)	(100.0)				
7～	32	153	432	980	1,407	1,062	227	9	9	4,311	124	4,435	3.10	0.61
(%)	(0.7)	(3.5)	(10.0)	(22.7)	(32.6)	(24.6)	(5.3)	(0.2)	(0.2)	(100.0)				
8～	42	246	829	2,258	4,629	5,000	1,136	61	9	14,210	344	14,554	3.29	0.55
(%)	(0.3)	(1.7)	(5.8)	(15.9)	(32.6)	(35.2)	(8.0)	(0.4)	(0.1)	(100.0)				
9～	40	224	1,069	3,798	13,306	20,386	5,894	321	37	45,075	914	45,989	3.49	0.47
(%)	(0.1)	(0.5)	(2.4)	(8.4)	(29.5)	(45.2)	(13.1)	(0.7)	(0.1)	(100.0)				
10～	21	148	805	4,231	22,213	47,457	16,731	860	60	92,526	1,386	93,912	3.62	0.40
(%)	(0.0)	(0.2)	(0.9)	(4.6)	(24.0)	(51.3)	(18.1)	(0.9)	(0.1)	(100.0)				
11～	19	78	416	2,534	16,188	40,044	16,918	966	53	77,216	957	78,173	3.68	0.39
(%)	(0.0)	(0.1)	(0.5)	(3.3)	(21.0)	(51.9)	(21.9)	(1.3)	(0.1)	(100.0)				
12～	4	28	166	845	5,445	14,796	6,632	489	27	28,432	422	28,854	3.70	0.39
(%)	(0.0)	(0.1)	(0.6)	(3.0)	(19.2)	(52.0)	(23.3)	(1.7)	(0.1)	(100.0)				
13～	1	5	36	236	1,350	3,670	1,747	136	4	7,185	123	7,308	3.71	0.39
(%)	(0.0)	(0.1)	(0.5)	(3.3)	(18.8)	(51.1)	(24.3)	(1.9)	(0.1)	(100.0)				
14～	1	5	20	87	495	1,264	697	47	1	2,617	56	2,673	3.71	0.41
(%)	(0.0)	(0.2)	(0.8)	(3.3)	(18.9)	(48.3)	(26.6)	(1.8)	(0.0)	(100.0)				
合計	181	978	4,004	15,284	65,530	134,215	50,127	2,897	202	273,418	4,372	277,790	3.60	0.44
(%)	(0.1)	(0.4)	(1.5)	(5.6)	(24.0)	(49.1)	(18.3)	(1.1)	(0.1)	(100.0)				
記載なし	4	11	57	152	578	1,020	381	17	1	2,221	30,097	32,318	3.54	0.48
(%)	(0.2)	(0.5)	(2.6)	(6.8)	(26.0)	(45.9)	(17.2)	(0.8)	(0.0)	(100.0)				
総計	185	989	4,061	15,436	66,108	135,235	50,508	2,914	203	275,639	34,469	310,108	3.60	0.44
(%)	(0.1)	(0.4)	(1.5)	(5.6)	(24.0)	(49.1)	(18.3)	(1.1)	(0.1)	(100.0)				
平均	8.94	9.01	9.43	9.97	10.51	10.82	11.03	11.16	10.62	10.71	10.51	10.71		
標準偏差	1.69	1.62	1.59	1.47	1.29	1.19	1.17	1.21	1.37	1.28	1.42	1.28		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査