

表 3249 透析前アルブミン濃度(g/dL) 透析前CRP濃度(mg/dL)別（施設血液透析患者 透析回数週3回）

透析前CRP濃度	1.5未満	1.5～	2.0～	2.5～	3.0～	3.5～	4.0～	4.5～	5.0～	合計	記載なし	総計	平均	標準偏差
0.2未満	17	51	277	2,432	19,298	55,997	24,989	1,542	73	104,676	853	105,529	3.71	0.37
(%)	(0.0)	(0.0)	(0.3)	(2.3)	(18.4)	(53.5)	(23.9)	(1.5)	(0.1)	(100.0)				
0.2～	8	49	316	1,927	9,923	17,487	5,137	208	23	35,078	300	35,378	3.57	0.40
(%)	(0.0)	(0.1)	(0.9)	(5.5)	(28.3)	(49.9)	(14.6)	(0.6)	(0.1)	(100.0)				
0.5～	10	60	345	1,607	5,933	8,088	1,835	71	8	17,957	190	18,147	3.46	0.44
(%)	(0.1)	(0.3)	(1.9)	(8.9)	(33.0)	(45.0)	(10.2)	(0.4)	(0.0)	(100.0)				
1.0～	22	103	473	1,672	4,300	4,215	833	37	3	11,658	114	11,772	3.33	0.49
(%)	(0.2)	(0.9)	(4.1)	(14.3)	(36.9)	(36.2)	(7.1)	(0.3)	(0.0)	(100.0)				
2.0～	21	125	558	1,389	2,730	2,016	327	12	7	7,185	69	7,254	3.19	0.53
(%)	(0.3)	(1.7)	(7.8)	(19.3)	(38.0)	(28.1)	(4.6)	(0.2)	(0.1)	(100.0)				
4.0～	15	92	267	615	874	557	110	9	4	2,543	39	2,582	3.06	0.59
(%)	(0.6)	(3.6)	(10.5)	(24.2)	(34.4)	(21.9)	(4.3)	(0.4)	(0.2)	(100.0)				
6.0～	7	61	197	337	376	229	41	3	2	1,253	29	1,282	2.95	0.61
(%)	(0.6)	(4.9)	(15.7)	(26.9)	(30.0)	(18.3)	(3.3)	(0.2)	(0.2)	(100.0)				
8.0～	6	50	110	162	193	130	25		1	677	17	694	2.92	0.65
(%)	(0.9)	(7.4)	(16.2)	(23.9)	(28.5)	(19.2)	(3.7)		(0.1)	(100.0)				
10.0～	9	64	124	208	230	146	34	2	2	819	23	842	2.93	0.67
(%)	(1.1)	(7.8)	(15.1)	(25.4)	(28.1)	(17.8)	(4.2)	(0.2)	(0.2)	(100.0)				
15.0～	13	40	115	133	147	82	16			546	14	560	2.82	0.66
(%)	(2.4)	(7.3)	(21.1)	(24.4)	(26.9)	(15.0)	(2.9)			(100.0)				
合計	128	695	2,782	10,482	44,004	88,947	33,347	1,884	123	182,392	1,648	184,040	3.59	0.45
(%)	(0.1)	(0.4)	(1.5)	(5.7)	(24.1)	(48.8)	(18.3)	(1.0)	(0.1)	(100.0)				
記載なし	18	76	397	1,668	8,078	18,188	7,159	478	49	36,111	8,820	44,931	3.64	0.43
(%)	(0.0)	(0.2)	(1.1)	(4.6)	(22.4)	(50.4)	(19.8)	(1.3)	(0.1)	(100.0)				
総計	146	771	3,179	12,150	52,082	107,135	40,506	2,362	172	218,503	10,468	228,971	3.60	0.44
(%)	(0.1)	(0.4)	(1.5)	(5.6)	(23.8)	(49.0)	(18.5)	(1.1)	(0.1)	(100.0)				
平均	5.49	5.07	3.72	1.96	0.84	0.40	0.25	0.20	0.89	0.64	1.14	0.64		
標準偏差	7.46	5.56	5.35	3.47	2.01	1.29	1.00	0.69	2.13	1.91	4.00	1.94		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査