

表 3254 透析前アルブミン濃度(g/dL) 透析前ヘモグロビン濃度(g/dL)別（施設血液透析患者 透析回数週3回）

透析前ヘモグロビン 濃度	1.5未満	1.5～	2.0～	2.5～	3.0～	3.5～	4.0～	4.5～	5.0～	合計	記載なし	総計	平均	標準偏差
5未満	1	3	15	18	56	118	44	3		258	3	261	3.50	0.56
(%)	(0.4)	(1.2)	(5.8)	(7.0)	(21.7)	(45.7)	(17.1)	(1.2)		(100.0)				
5～	3	16	27	47	84	141	39	1		358	4	362	3.29	0.65
(%)	(0.8)	(4.5)	(7.5)	(13.1)	(23.5)	(39.4)	(10.9)	(0.3)		(100.0)				
6～	12	54	139	192	287	183	42		2	911	31	942	2.98	0.66
(%)	(1.3)	(5.9)	(15.3)	(21.1)	(31.5)	(20.1)	(4.6)		(0.2)	(100.0)				
7～	27	124	347	799	1,113	874	180	7	9	3,480	98	3,578	3.10	0.61
(%)	(0.8)	(3.6)	(10.0)	(23.0)	(32.0)	(25.1)	(5.2)	(0.2)	(0.3)	(100.0)				
8～	34	200	668	1,801	3,757	4,011	912	50	8	11,441	285	11,726	3.29	0.55
(%)	(0.3)	(1.7)	(5.8)	(15.7)	(32.8)	(35.1)	(8.0)	(0.4)	(0.1)	(100.0)				
9～	31	175	861	3,067	10,641	16,403	4,795	256	31	36,260	778	37,038	3.50	0.47
(%)	(0.1)	(0.5)	(2.4)	(8.5)	(29.3)	(45.2)	(13.2)	(0.7)	(0.1)	(100.0)				
10～	14	106	619	3,306	17,714	37,962	13,518	703	46	73,988	1,229	75,217	3.62	0.40
(%)	(0.0)	(0.1)	(0.8)	(4.5)	(23.9)	(51.3)	(18.3)	(1.0)	(0.1)	(100.0)				
11～	17	60	308	1,970	12,472	31,479	13,521	788	48	60,663	816	61,479	3.68	0.39
(%)	(0.0)	(0.1)	(0.5)	(3.2)	(20.6)	(51.9)	(22.3)	(1.3)	(0.1)	(100.0)				
12～	3	19	117	608	4,115	11,465	5,272	394	24	22,017	353	22,370	3.71	0.39
(%)	(0.0)	(0.1)	(0.5)	(2.8)	(18.7)	(52.1)	(23.9)	(1.8)	(0.1)	(100.0)				
13～		3	21	171	1,003	2,758	1,351	117	4	5,428	109	5,537	3.71	0.39
(%)		(0.1)	(0.4)	(3.2)	(18.5)	(50.8)	(24.9)	(2.2)	(0.1)	(100.0)				
14～	1	3	15	59	371	898	513	29		1,889	44	1,933	3.70	0.41
(%)	(0.1)	(0.2)	(0.8)	(3.1)	(19.6)	(47.5)	(27.2)	(1.5)		(100.0)				
合計	143	763	3,137	12,038	51,613	106,292	40,187	2,348	172	216,693	3,750	220,443	3.60	0.44
(%)	(0.1)	(0.4)	(1.4)	(5.6)	(23.8)	(49.1)	(18.5)	(1.1)	(0.1)	(100.0)				
記載なし	3	8	42	112	469	843	319	14		1,810	6,718	8,528	3.56	0.47
(%)	(0.2)	(0.4)	(2.3)	(6.2)	(25.9)	(46.6)	(17.6)	(0.8)		(100.0)				
総計	146	771	3,179	12,150	52,082	107,135	40,506	2,362	172	218,503	10,468	228,971	3.60	0.44
(%)	(0.1)	(0.4)	(1.5)	(5.6)	(23.8)	(49.0)	(18.5)	(1.1)	(0.1)	(100.0)				
平均	8.91	8.94	9.38	9.93	10.49	10.80	11.01	11.15	10.59	10.69	10.52	10.69		
標準偏差	1.69	1.58	1.57	1.45	1.29	1.19	1.16	1.18	1.40	1.28	1.39	1.28		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査