

表 3257 透析前アルブミン濃度(g/dL) Non-HDL-C濃度(mg/dL)別 (施設血液透析患者 透析回数週3回)

Non-HDL-C濃度	1.5未満	1.5～	2.0～	2.5～	3.0～	3.5～	4.0～	4.5～	5.0～	合計	記載なし	総計	平均	標準偏差
50未満	17	48	105	292	709	1,129	365	33	2	2,700	16	2,716	3.43	0.57
(%)	(0.6)	(1.8)	(3.9)	(10.8)	(26.3)	(41.8)	(13.5)	(1.2)	(0.1)	(100.0)				
50～	10	84	303	1,022	3,436	5,809	2,012	118	17	12,811	95	12,906	3.52	0.49
(%)	(0.1)	(0.7)	(2.4)	(8.0)	(26.8)	(45.3)	(15.7)	(0.9)	(0.1)	(100.0)				
70～	18	102	432	1,739	7,331	13,564	4,826	264	21	28,297	235	28,532	3.57	0.44
(%)	(0.1)	(0.4)	(1.5)	(6.1)	(25.9)	(47.9)	(17.1)	(0.9)	(0.1)	(100.0)				
90～	10	79	329	1,644	7,950	16,689	6,236	358	16	33,311	268	33,579	3.62	0.42
(%)	(0.0)	(0.2)	(1.0)	(4.9)	(23.9)	(50.1)	(18.7)	(1.1)	(0.0)	(100.0)				
110～	13	42	243	1,122	5,965	13,355	5,441	291	27	26,499	180	26,679	3.64	0.41
(%)	(0.0)	(0.2)	(0.9)	(4.2)	(22.5)	(50.4)	(20.5)	(1.1)	(0.1)	(100.0)				
130～	3	29	115	620	3,365	8,297	3,352	207	15	16,003	130	16,133	3.66	0.40
(%)	(0.0)	(0.2)	(0.7)	(3.9)	(21.0)	(51.8)	(20.9)	(1.3)	(0.1)	(100.0)				
150～	1	11	54	280	1,542	4,132	1,846	100	11	7,977	66	8,043	3.68	0.40
(%)	(0.0)	(0.1)	(0.7)	(3.5)	(19.3)	(51.8)	(23.1)	(1.3)	(0.1)	(100.0)				
170～	2	2	25	115	689	1,811	826	54	4	3,528	39	3,567	3.69	0.40
(%)	(0.1)	(0.1)	(0.7)	(3.3)	(19.5)	(51.3)	(23.4)	(1.5)	(0.1)	(100.0)				
190～	3	2	18	68	262	632	314	32		1,331	7	1,338	3.66	0.45
(%)	(0.2)	(0.2)	(1.4)	(5.1)	(19.7)	(47.5)	(23.6)	(2.4)		(100.0)				
210～	4	5	20	45	191	388	160	13		826	6	832	3.58	0.51
(%)	(0.5)	(0.6)	(2.4)	(5.4)	(23.1)	(47.0)	(19.4)	(1.6)		(100.0)				
合計	81	404	1,644	6,947	31,440	65,806	25,378	1,470	113	133,283	1,042	134,325	3.61	0.43
(%)	(0.1)	(0.3)	(1.2)	(5.2)	(23.6)	(49.4)	(19.0)	(1.1)	(0.1)	(100.0)				
記載なし	65	367	1,535	5,203	20,642	41,329	15,128	892	59	85,220	9,426	94,646	3.58	0.46
(%)	(0.1)	(0.4)	(1.8)	(6.1)	(24.2)	(48.5)	(17.8)	(1.0)	(0.1)	(100.0)				
総計	146	771	3,179	12,150	52,082	107,135	40,506	2,362	172	218,503	10,468	228,971	3.60	0.44
(%)	(0.1)	(0.4)	(1.5)	(5.6)	(23.8)	(49.0)	(18.5)	(1.1)	(0.1)	(100.0)				
平均	94.78	88.12	94.84	98.38	103.44	107.59	110.17	110.80	107.58	106.43	106.82	106.43		
標準偏差	54.67	38.09	37.32	33.92	32.65	32.93	33.41	36.28	33.99	33.32	33.02	33.32		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査