

表 3269 透析前アルブミン濃度(g/dL) 透析前リン濃度(mg/dL)別 (血液透析濾過患者 透析回数週3回)

透析前リン濃度	1.5未満	1.5～	2.0～	2.5～	3.0～	3.5～	4.0～	4.5～	5.0～	合計	記載なし	総計	平均	標準偏差
3未満	5	21	59	145	364	411	107	6		1,118	15	1,133	3.33	0.55
(%)	(0.4)	(1.9)	(5.3)	(13.0)	(32.6)	(36.8)	(9.6)	(0.5)		(100.0)				
3.0～	3	4	31	129	466	711	203	9	1	1,557	17	1,574	3.50	0.45
(%)	(0.2)	(0.3)	(2.0)	(8.3)	(29.9)	(45.7)	(13.0)	(0.6)	(0.1)	(100.0)				
3.5～	1	6	37	165	789	1,406	396	17	1	2,818	31	2,849	3.55	0.42
(%)	(0.0)	(0.2)	(1.3)	(5.9)	(28.0)	(49.9)	(14.1)	(0.6)	(0.0)	(100.0)				
4.0～		5	39	203	1,137	2,355	755	32	1	4,527	38	4,565	3.61	0.39
(%)		(0.1)	(0.9)	(4.5)	(25.1)	(52.0)	(16.7)	(0.7)	(0.0)	(100.0)				
4.5～		7	36	198	1,368	3,047	968	40	3	5,667	45	5,712	3.63	0.38
(%)		(0.1)	(0.6)	(3.5)	(24.1)	(53.8)	(17.1)	(0.7)	(0.1)	(100.0)				
5.0～		6	28	184	1,324	3,326	1,165	49	5	6,087	47	6,134	3.65	0.37
(%)		(0.1)	(0.5)	(3.0)	(21.8)	(54.6)	(19.1)	(0.8)	(0.1)	(100.0)				
5.5～	1	4	16	124	1,106	2,890	1,065	41	2	5,249	50	5,299	3.67	0.36
(%)	(0.0)	(0.1)	(0.3)	(2.4)	(21.1)	(55.1)	(20.3)	(0.8)	(0.0)	(100.0)				
6.0～			8	19	211	495	204	5		942	8	950	3.67	0.36
(%)			(0.8)	(2.0)	(22.4)	(52.5)	(21.7)	(0.5)		(100.0)				
6.1～		2	11	80	635	1,768	687	30		3,213	31	3,244	3.69	0.36
(%)		(0.1)	(0.3)	(2.5)	(19.8)	(55.0)	(21.4)	(0.9)		(100.0)				
6.5～		2	5	61	539	1,569	571	32	3	2,782	24	2,806	3.69	0.35
(%)		(0.1)	(0.2)	(2.2)	(19.4)	(56.4)	(20.5)	(1.2)	(0.1)	(100.0)				
7.0～		1	4	27	339	992	378	20	2	1,763	12	1,775	3.71	0.34
(%)		(0.1)	(0.2)	(1.5)	(19.2)	(56.3)	(21.4)	(1.1)	(0.1)	(100.0)				
7.5～			1	23	222	598	231	12		1,087	17	1,104	3.69	0.35
(%)			(0.1)	(2.1)	(20.4)	(55.0)	(21.3)	(1.1)		(100.0)				
8.0～		2	4	10	107	367	150	6		646	5	651	3.71	0.36
(%)		(0.3)	(0.6)	(1.5)	(16.6)	(56.8)	(23.2)	(0.9)		(100.0)				
8.5～			2	7	69	229	103	9		419	4	423	3.73	0.35
(%)			(0.5)	(1.7)	(16.5)	(54.7)	(24.6)	(2.1)		(100.0)				
9.0～		1	3	11	114	374	164	8		675	7	682	3.73	0.35
(%)		(0.1)	(0.4)	(1.6)	(16.9)	(55.4)	(24.3)	(1.2)		(100.0)				
合計	10	61	284	1,386	8,790	20,538	7,147	316	18	38,550	351	38,901	3.64	0.39
(%)	(0.0)	(0.2)	(0.7)	(3.6)	(22.8)	(53.3)	(18.5)	(0.8)	(0.0)	(100.0)				
記載なし		1	10	6	17	47	11	1		93	952	1,045	3.43	0.57
(%)		(1.1)	(10.8)	(6.5)	(18.3)	(50.5)	(11.8)	(1.1)		(100.0)				
総計	10	62	294	1,392	8,807	20,585	7,158	317	18	38,643	1,303	39,946	3.64	0.39
(%)	(0.0)	(0.2)	(0.8)	(3.6)	(22.8)	(53.3)	(18.5)	(0.8)	(0.0)	(100.0)				
平均	2.87	3.87	4.25	4.65	5.15	5.43	5.58	5.66	5.37	5.36	5.33	5.36		
標準偏差	1.31	2.14	1.57	1.44	1.41	1.39	1.41	1.49	1.13	1.42	1.50	1.43		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査