

表 3301 透析前CRP濃度(mg/dL) 年齢(歳)別 (透析患者全体)

年齢	0.2未満	0.2～	0.5～	1.0～	2.0～	4.0～	6.0～	8.0～	10.0～	15.0～	合計	記載なし	総計	平均	標準偏差
15歳未満	45	8	6		3						62	55	117	0.26	0.52
(%)	(72.6)	(12.9)	(9.7)		(4.8)						(100.0)				
15歳～	531	113	52	29	13	6	2	1	5	5	757	280	1,037	0.51	1.99
(%)	(70.1)	(14.9)	(6.9)	(3.8)	(1.7)	(0.8)	(0.3)	(0.1)	(0.7)	(0.7)	(100.0)				
30歳～	7,274	1,725	845	518	243	78	30	25	32	16	10,786	3,599	14,385	0.42	1.33
(%)	(67.4)	(16.0)	(7.8)	(4.8)	(2.3)	(0.7)	(0.3)	(0.2)	(0.3)	(0.1)	(100.0)				
45歳～	27,342	7,599	3,456	2,017	1,148	373	185	115	130	70	42,435	14,133	56,568	0.47	1.58
(%)	(64.4)	(17.9)	(8.1)	(4.8)	(2.7)	(0.9)	(0.4)	(0.3)	(0.3)	(0.2)	(100.0)				
60歳～	62,989	20,445	10,113	6,548	3,902	1,471	676	392	450	320	107,306	34,672	141,978	0.62	1.91
(%)	(58.7)	(19.1)	(9.4)	(6.1)	(3.6)	(1.4)	(0.6)	(0.4)	(0.4)	(0.3)	(100.0)				
75歳～	35,363	14,073	7,849	5,293	3,481	1,220	636	311	402	265	68,893	22,104	90,997	0.78	2.16
(%)	(51.3)	(20.4)	(11.4)	(7.7)	(5.1)	(1.8)	(0.9)	(0.5)	(0.6)	(0.4)	(100.0)				
90歳～	1,764	843	435	342	214	96	47	26	15	17	3,799	1,206	5,005	0.88	2.19
(%)	(46.4)	(22.2)	(11.5)	(9.0)	(5.6)	(2.5)	(1.2)	(0.7)	(0.4)	(0.4)	(100.0)				
合計	135,308	44,806	22,756	14,747	9,004	3,244	1,576	870	1,034	693	234,038	76,049	310,087	0.63	1.92
(%)	(57.8)	(19.1)	(9.7)	(6.3)	(3.8)	(1.4)	(0.7)	(0.4)	(0.4)	(0.3)	(100.0)				
不明	1	1	1	1	1						5	16	21	1.15	1.45
(%)	(20.0)	(20.0)	(20.0)	(20.0)	(20.0)						(100.0)				
記載なし															
(%)															
総計	135,309	44,807	22,757	14,748	9,005	3,244	1,576	870	1,034	693	234,043	76,065	310,108	0.63	1.92
(%)	(57.8)	(19.1)	(9.7)	(6.3)	(3.8)	(1.4)	(0.7)	(0.4)	(0.4)	(0.3)	(100.0)				
平均	66.41	68.40	69.19	69.89	70.73	70.90	71.35	70.49	70.02	70.86	67.59	67.39	67.54		
標準偏差	12.56	12.20	12.14	12.05	11.71	11.54	11.55	11.73	12.01	11.52	12.45	12.63	12.49		

数値下のかっこ内は行方向の合計に対する%です。
(C)Japanese Society for Dialysis Therapy
2014年調査