

表 3304 透析前CRP濃度(mg/dL) 医療機関別（透析患者全体）

医療機関	0.2未満	0.2～	0.5～	1.0～	2.0～	4.0～	6.0～	8.0～	10.0～	15.0～	合計	記載なし	総計	平均	標準偏差
国公立大学	467	148	83	66	67	35	26	16	14	16	938	319	1,257	1.57	3.82
(%)	(49.8)	(15.8)	(8.8)	(7.0)	(7.1)	(3.7)	(2.8)	(1.7)	(1.5)	(1.7)	(100.0)				
私立大学	1,201	424	209	175	138	50	44	22	37	32	2,332	1,185	3,517	1.23	3.21
(%)	(51.5)	(18.2)	(9.0)	(7.5)	(5.9)	(2.1)	(1.9)	(0.9)	(1.6)	(1.4)	(100.0)				
国立	271	99	55	51	36	15	10	1	3	3	544	325	869	0.94	2.11
(%)	(49.8)	(18.2)	(10.1)	(9.4)	(6.6)	(2.8)	(1.8)	(0.2)	(0.6)	(0.6)	(100.0)				
県市町村立	7,550	2,574	1,268	837	559	218	119	58	71	51	13,305	5,880	19,185	0.70	2.10
(%)	(56.7)	(19.3)	(9.5)	(6.3)	(4.2)	(1.6)	(0.9)	(0.4)	(0.5)	(0.4)	(100.0)				
社会保険	1,644	615	278	230	116	54	30	13	17	14	3,011	861	3,872	0.73	2.02
(%)	(54.6)	(20.4)	(9.2)	(7.6)	(3.9)	(1.8)	(1.0)	(0.4)	(0.6)	(0.5)	(100.0)				
厚生連	4,216	1,373	706	461	266	99	51	31	47	26	7,276	1,988	9,264	0.68	2.23
(%)	(57.9)	(18.9)	(9.7)	(6.3)	(3.7)	(1.4)	(0.7)	(0.4)	(0.6)	(0.4)	(100.0)				
その他公的	4,195	1,332	753	512	340	123	74	35	53	36	7,453	3,536	10,989	0.77	2.20
(%)	(56.3)	(17.9)	(10.1)	(6.9)	(4.6)	(1.7)	(1.0)	(0.5)	(0.7)	(0.5)	(100.0)				
私立総合	3,279	1,083	529	378	263	110	43	25	34	26	5,770	1,784	7,554	0.74	2.24
(%)	(56.8)	(18.8)	(9.2)	(6.6)	(4.6)	(1.9)	(0.7)	(0.4)	(0.6)	(0.5)	(100.0)				
私立	36,651	13,171	7,026	4,862	3,169	1,209	592	352	372	223	67,627	21,015	88,642	0.73	1.98
(%)	(54.2)	(19.5)	(10.4)	(7.2)	(4.7)	(1.8)	(0.9)	(0.5)	(0.6)	(0.3)	(100.0)				
私立診療所	75,835	23,988	11,850	7,176	4,051	1,331	587	317	386	266	125,787	39,172	164,959	0.53	1.74
(%)	(60.3)	(19.1)	(9.4)	(5.7)	(3.2)	(1.1)	(0.5)	(0.3)	(0.3)	(0.2)	(100.0)				
総計	135,309	44,807	22,757	14,748	9,005	3,244	1,576	870	1,034	693	234,043	76,065	310,108	0.63	1.92
(%)	(57.8)	(19.1)	(9.7)	(6.3)	(3.8)	(1.4)	(0.7)	(0.4)	(0.4)	(0.3)	(100.0)				

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査