

表 3305 透析前CRP濃度(mg/dL) 週透析回数(回/週)別 (透析患者全体)

週透析回数	0.2未満	0.2～	0.5～	1.0～	2.0～	4.0～	6.0～	8.0～	10.0～	15.0～	合計	記載なし	総計	平均	標準偏差
1回	855	276	147	74	55	28	12	6	9	3	1,465	375	1,840	0.64	1.66
(%)	(58.4)	(18.8)	(10.0)	(5.1)	(3.8)	(1.9)	(0.8)	(0.4)	(0.6)	(0.2)	(100.0)				
2回	2,806	907	449	316	212	85	39	34	20	23	4,891	1,301	6,192	0.74	2.40
(%)	(57.4)	(18.5)	(9.2)	(6.5)	(4.3)	(1.7)	(0.8)	(0.7)	(0.4)	(0.5)	(100.0)				
3回	127,056	42,176	21,459	13,877	8,430	3,006	1,462	793	960	645	219,864	50,775	270,639	0.63	1.91
(%)	(57.8)	(19.2)	(9.8)	(6.3)	(3.8)	(1.4)	(0.7)	(0.4)	(0.4)	(0.3)	(100.0)				
4回	415	152	85	75	34	11	6	3	3	7	791	203	994	0.81	2.35
(%)	(52.5)	(19.2)	(10.7)	(9.5)	(4.3)	(1.4)	(0.8)	(0.4)	(0.4)	(0.9)	(100.0)				
5回	38	9	7	2	1	1			2		60	29	89	0.79	2.43
(%)	(63.3)	(15.0)	(11.7)	(3.3)	(1.7)	(1.7)			(3.3)		(100.0)				
6回	33	15	7	3	2				1	1	62	19	81	1.08	4.68
(%)	(53.2)	(24.2)	(11.3)	(4.8)	(3.2)				(1.6)	(1.6)	(100.0)				
7回	14	5		1	2						22	8	30	0.53	1.05
(%)	(63.6)	(22.7)		(4.5)	(9.1)						(100.0)				
合計	131,217	43,540	22,154	14,348	8,736	3,131	1,519	836	995	679	227,155	52,710	279,865	0.63	1.93
(%)	(57.8)	(19.2)	(9.8)	(6.3)	(3.8)	(1.4)	(0.7)	(0.4)	(0.4)	(0.3)	(100.0)				
記載なし	4,092	1,267	603	400	269	113	57	34	39	14	6,888	23,355	30,243	0.64	1.75
(%)	(59.4)	(18.4)	(8.8)	(5.8)	(3.9)	(1.6)	(0.8)	(0.5)	(0.6)	(0.2)	(100.0)				
総計	135,309	44,807	22,757	14,748	9,005	3,244	1,576	870	1,034	693	234,043	76,065	310,108	0.63	1.92
(%)	(57.8)	(19.1)	(9.7)	(6.3)	(3.8)	(1.4)	(0.7)	(0.4)	(0.4)	(0.3)	(100.0)				
平均	2.97	2.97	2.97	2.97	2.97	2.96	2.96	2.95	2.97	2.97	2.97	2.97	2.97		
標準偏差	0.23	0.23	0.23	0.23	0.24	0.26	0.24	0.27	0.28	0.27	0.23	0.25	0.24		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査