

表 3307 透析前CRP濃度(mg/dL) 透析前リン濃度(mg/dL)別 (透析患者全体)

透析前リン濃度	0.2未満	0.2～	0.5～	1.0～	2.0～	4.0～	6.0～	8.0～	10.0～	15.0～	合計	記載なし	総計	平均	標準偏差
3未満	3,480	1,740	1,153	1,008	835	368	207	121	121	89	9,122	1,764	10,886	1.43	3.09
(%)	(38.1)	(19.1)	(12.6)	(11.1)	(9.2)	(4.0)	(2.3)	(1.3)	(1.3)	(1.0)	(100.0)				
3.0～	5,741	2,210	1,238	913	655	247	135	61	84	51	11,335	2,247	13,582	0.87	2.21
(%)	(50.6)	(19.5)	(10.9)	(8.1)	(5.8)	(2.2)	(1.2)	(0.5)	(0.7)	(0.4)	(100.0)				
3.5～	10,924	3,735	2,034	1,502	968	368	160	98	123	80	19,992	3,690	23,682	0.76	2.14
(%)	(54.6)	(18.7)	(10.2)	(7.5)	(4.8)	(1.8)	(0.8)	(0.5)	(0.6)	(0.4)	(100.0)				
4.0～	17,323	5,520	2,783	1,902	1,144	427	195	94	133	89	29,610	5,672	35,282	0.63	1.93
(%)	(58.5)	(18.6)	(9.4)	(6.4)	(3.9)	(1.4)	(0.7)	(0.3)	(0.4)	(0.3)	(100.0)				
4.5～	21,446	6,509	3,215	2,008	1,198	401	203	91	140	96	35,307	6,752	42,059	0.56	1.70
(%)	(60.7)	(18.4)	(9.1)	(5.7)	(3.4)	(1.1)	(0.6)	(0.3)	(0.4)	(0.3)	(100.0)				
5.0～	22,010	6,630	3,235	1,902	1,098	369	169	102	114	61	35,690	7,028	42,718	0.51	1.53
(%)	(61.7)	(18.6)	(9.1)	(5.3)	(3.1)	(1.0)	(0.5)	(0.3)	(0.3)	(0.2)	(100.0)				
5.5～	18,801	5,909	2,743	1,669	929	318	138	84	95	46	30,732	5,973	36,705	0.51	1.64
(%)	(61.2)	(19.2)	(8.9)	(5.4)	(3.0)	(1.0)	(0.4)	(0.3)	(0.3)	(0.1)	(100.0)				
6.0～	3,208	956	516	282	149	37	22	13	15	11	5,209	1,052	6,261	0.50	1.95
(%)	(61.6)	(18.4)	(9.9)	(5.4)	(2.9)	(0.7)	(0.4)	(0.2)	(0.3)	(0.2)	(100.0)				
6.1～	10,577	3,413	1,613	965	552	180	82	53	59	34	17,528	3,581	21,109	0.53	1.82
(%)	(60.3)	(19.5)	(9.2)	(5.5)	(3.1)	(1.0)	(0.5)	(0.3)	(0.3)	(0.2)	(100.0)				
6.5～	8,986	3,042	1,429	874	442	151	66	45	37	37	15,109	3,169	18,278	0.52	1.63
(%)	(59.5)	(20.1)	(9.5)	(5.8)	(2.9)	(1.0)	(0.4)	(0.3)	(0.2)	(0.2)	(100.0)				
7.0～	5,269	1,930	1,014	589	311	97	53	28	24	22	9,337	1,940	11,277	0.58	2.08
(%)	(56.4)	(20.7)	(10.9)	(6.3)	(3.3)	(1.0)	(0.6)	(0.3)	(0.3)	(0.2)	(100.0)				
7.5～	3,071	1,204	639	358	190	72	29	17	20	13	5,613	1,245	6,858	0.60	1.91
(%)	(54.7)	(21.5)	(11.4)	(6.4)	(3.4)	(1.3)	(0.5)	(0.3)	(0.4)	(0.2)	(100.0)				
8.0～	1,760	703	400	223	139	31	16	6	9	14	3,301	752	4,053	0.62	1.76
(%)	(53.3)	(21.3)	(12.1)	(6.8)	(4.2)	(0.9)	(0.5)	(0.2)	(0.3)	(0.4)	(100.0)				
8.5～	1,056	462	238	166	93	32	12	10	4	7	2,080	492	2,572	0.68	1.72
(%)	(50.8)	(22.2)	(11.4)	(8.0)	(4.5)	(1.5)	(0.6)	(0.5)	(0.2)	(0.3)	(100.0)				
9.0～	1,501	745	431	295	185	79	31	14	17	8	3,306	771	4,077	0.81	1.79
(%)	(45.4)	(22.5)	(13.0)	(8.9)	(5.6)	(2.4)	(0.9)	(0.4)	(0.5)	(0.2)	(100.0)				
合計	135,153	44,708	22,681	14,656	8,888	3,177	1,518	837	995	658	233,271	46,128	279,399	0.62	1.88
(%)	(57.9)	(19.2)	(9.7)	(6.3)	(3.8)	(1.4)	(0.7)	(0.4)	(0.4)	(0.3)	(100.0)				
記載なし	156	99	76	92	117	67	58	33	39	35	772	29,937	30,709	3.79	6.13
(%)	(20.2)	(12.8)	(9.8)	(11.9)	(15.2)	(8.7)	(7.5)	(4.3)	(5.1)	(4.5)	(100.0)				
総計	135,309	44,807	22,757	14,748	9,005	3,244	1,576	870	1,034	693	234,043	76,065	310,108	0.63	1.92
(%)	(57.8)	(19.1)	(9.7)	(6.3)	(3.8)	(1.4)	(0.7)	(0.4)	(0.4)	(0.3)	(100.0)				
平均	5.24	5.25	5.20	5.08	4.93	4.82	4.72	4.76	4.69	4.70	5.20	5.26	5.21		
標準偏差	1.32	1.45	1.53	1.61	1.65	1.71	1.72	1.78	1.63	1.69	1.42	1.45	1.43		

数値下のカッコ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査