

表 3312 透析前CRP濃度(mg/dL) HDL-C濃度(mg/dL)別(透析患者全体)

HDL-C濃度	0.2未満	0.2～	0.5～	1.0～	2.0～	4.0～	6.0～	8.0～	10.0～	15.0～	合計	記載なし	総計	平均	標準偏差
20未満	156	116	88	91	103	48	34	26	32	26	720	76	796	3.01	4.68
(%)	(21.7)	(16.1)	(12.2)	(12.6)	(14.3)	(6.7)	(4.7)	(3.6)	(4.4)	(3.6)	(100.0)				
20～	5,196	3,247	2,051	1,436	916	361	190	94	124	105	13,720	1,903	15,623	1.11	2.73
(%)	(37.9)	(23.7)	(14.9)	(10.5)	(6.7)	(2.6)	(1.4)	(0.7)	(0.9)	(0.8)	(100.0)				
30～	19,842	9,003	4,893	3,167	1,901	634	298	174	195	120	40,227	5,620	45,847	0.73	2.02
(%)	(49.3)	(22.4)	(12.2)	(7.9)	(4.7)	(1.6)	(0.7)	(0.4)	(0.5)	(0.3)	(100.0)				
40～	25,917	9,121	4,392	2,736	1,608	544	256	131	142	86	44,933	6,419	51,352	0.56	1.57
(%)	(57.7)	(20.3)	(9.8)	(6.1)	(3.6)	(1.2)	(0.6)	(0.3)	(0.3)	(0.2)	(100.0)				
50～	21,369	5,671	2,638	1,580	909	300	146	67	104	39	32,823	4,738	37,561	0.45	1.36
(%)	(65.1)	(17.3)	(8.0)	(4.8)	(2.8)	(0.9)	(0.4)	(0.2)	(0.3)	(0.1)	(100.0)				
60～	13,709	3,030	1,294	806	405	154	64	26	33	24	19,545	2,691	22,236	0.37	1.26
(%)	(70.1)	(15.5)	(6.6)	(4.1)	(2.1)	(0.8)	(0.3)	(0.1)	(0.2)	(0.1)	(100.0)				
70～	7,073	1,329	572	321	188	72	36	19	15	10	9,635	1,357	10,992	0.35	1.48
(%)	(73.4)	(13.8)	(5.9)	(3.3)	(2.0)	(0.7)	(0.4)	(0.2)	(0.2)	(0.1)	(100.0)				
80～	3,430	606	259	128	91	38	8	7	7	4	4,578	651	5,229	0.32	1.12
(%)	(74.9)	(13.2)	(5.7)	(2.8)	(2.0)	(0.8)	(0.2)	(0.2)	(0.2)	(0.1)	(100.0)				
90～	1,587	245	121	59	30	10	3	5	2	2	2,064	267	2,331	0.29	1.03
(%)	(76.9)	(11.9)	(5.9)	(2.9)	(1.5)	(0.5)	(0.1)	(0.2)	(0.1)	(0.1)	(100.0)				
100～	1,238	283	120	75	44	15	10	6	6	5	1,802	199	2,001	0.49	1.82
(%)	(68.7)	(15.7)	(6.7)	(4.2)	(2.4)	(0.8)	(0.6)	(0.3)	(0.3)	(0.3)	(100.0)				
合計	99,517	32,651	16,428	10,399	6,195	2,176	1,045	555	660	421	170,047	23,921	193,968	0.59	1.77
(%)	(58.5)	(19.2)	(9.7)	(6.1)	(3.6)	(1.3)	(0.6)	(0.3)	(0.4)	(0.2)	(100.0)				
記載なし	35,792	12,156	6,329	4,349	2,810	1,068	531	315	374	272	63,996	52,144	116,140	0.74	2.28
(%)	(55.9)	(19.0)	(9.9)	(6.8)	(4.4)	(1.7)	(0.8)	(0.5)	(0.6)	(0.4)	(100.0)				
総計	135,309	44,807	22,757	14,748	9,005	3,244	1,576	870	1,034	693	234,043	76,065	310,108	0.63	1.92
(%)	(57.8)	(19.1)	(9.7)	(6.3)	(3.8)	(1.4)	(0.7)	(0.4)	(0.4)	(0.3)	(100.0)				
平均	51.51	46.21	44.63	43.70	42.95	42.83	41.78	41.72	40.91	38.99	48.77	48.63	48.75		
標準偏差	16.95	15.68	15.54	15.38	15.57	16.28	15.99	17.68	15.98	16.93	16.77	16.27	16.71		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査