

表 3313 透析前CRP濃度(mg/dL) Non-HDL-C濃度(mg/dL)別(透析患者全体)

Non-HDL-C濃度	0.2未満	0.2～	0.5～	1.0～	2.0～	4.0～	6.0～	8.0～	10.0～	15.0～	合計	記載なし	総計	平均	標準偏差
50未満	1,699	520	306	221	157	52	31	23	28	14	3,051	359	3,410	0.83	2.14
(%)	(55.7)	(17.0)	(10.0)	(7.2)	(5.1)	(1.7)	(1.0)	(0.8)	(0.9)	(0.5)	(100.0)				
50～	8,228	2,575	1,412	944	683	250	110	68	68	62	14,400	1,701	16,101	0.72	2.26
(%)	(57.1)	(17.9)	(9.8)	(6.6)	(4.7)	(1.7)	(0.8)	(0.5)	(0.5)	(0.4)	(100.0)				
70～	18,858	5,783	2,871	1,917	1,247	471	237	114	161	92	31,751	3,818	35,569	0.64	1.84
(%)	(59.4)	(18.2)	(9.0)	(6.0)	(3.9)	(1.5)	(0.7)	(0.4)	(0.5)	(0.3)	(100.0)				
90～	22,564	7,107	3,484	2,251	1,317	470	243	132	133	79	37,780	4,598	42,378	0.56	1.65
(%)	(59.7)	(18.8)	(9.2)	(6.0)	(3.5)	(1.2)	(0.6)	(0.3)	(0.4)	(0.2)	(100.0)				
110～	17,990	5,938	2,903	1,719	1,018	332	140	85	101	56	30,282	3,921	34,203	0.54	1.58
(%)	(59.4)	(19.6)	(9.6)	(5.7)	(3.4)	(1.1)	(0.5)	(0.3)	(0.3)	(0.2)	(100.0)				
130～	10,979	3,710	1,865	1,125	577	181	88	27	47	33	18,632	2,331	20,963	0.51	1.56
(%)	(58.9)	(19.9)	(10.0)	(6.0)	(3.1)	(1.0)	(0.5)	(0.1)	(0.3)	(0.2)	(100.0)				
150～	5,322	1,925	1,049	550	313	102	49	24	27	16	9,377	1,213	10,590	0.55	1.76
(%)	(56.8)	(20.5)	(11.2)	(5.9)	(3.3)	(1.1)	(0.5)	(0.3)	(0.3)	(0.2)	(100.0)				
170～	2,206	973	471	298	134	50	19	6	16	5	4,178	544	4,722	0.56	1.39
(%)	(52.8)	(23.3)	(11.3)	(7.1)	(3.2)	(1.2)	(0.5)	(0.1)	(0.4)	(0.1)	(100.0)				
190～	838	388	171	105	54	18	5	5	10	1	1,595	214	1,809	0.57	1.40
(%)	(52.5)	(24.3)	(10.7)	(6.6)	(3.4)	(1.1)	(0.3)	(0.3)	(0.6)	(0.1)	(100.0)				
210～	480	236	147	84	36	14	8	7	1	2	1,015	109	1,124	0.67	1.67
(%)	(47.3)	(23.3)	(14.5)	(8.3)	(3.5)	(1.4)	(0.8)	(0.7)	(0.1)	(0.2)	(100.0)				
合計	89,164	29,155	14,679	9,214	5,536	1,940	930	491	592	360	152,061	18,808	170,869	0.59	1.74
(%)	(58.6)	(19.2)	(9.7)	(6.1)	(3.6)	(1.3)	(0.6)	(0.3)	(0.4)	(0.2)	(100.0)				
記載なし	46,145	15,652	8,078	5,534	3,469	1,304	646	379	442	333	81,982	57,257	139,239	0.72	2.21
(%)	(56.3)	(19.1)	(9.9)	(6.8)	(4.2)	(1.6)	(0.8)	(0.5)	(0.5)	(0.4)	(100.0)				
総計	135,309	44,807	22,757	14,748	9,005	3,244	1,576	870	1,034	693	234,043	76,065	310,108	0.63	1.92
(%)	(57.8)	(19.1)	(9.7)	(6.3)	(3.8)	(1.4)	(0.7)	(0.4)	(0.4)	(0.3)	(100.0)				
平均	106.53	109.12	108.84	106.88	103.37	102.18	100.77	98.88	100.14	96.86	106.99	107.80	107.08		
標準偏差	32.76	34.39	35.40	35.15	34.27	34.31	33.88	36.24	34.51	32.74	33.63	33.43	33.61		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査