

表 3318 透析前CRP濃度(mg/dL) 年齢(歳)別 (施設血液透析患者 透析回数週3回)

年齢	0.2未満	0.2～	0.5～	1.0～	2.0～	4.0～	6.0～	8.0～	10.0～	15.0～	合計	記載なし	総計	平均	標準偏差
15歳未満	5	2	1								8	4	12	0.22	0.24
(%)	(62.5)	(25.0)	(12.5)								(100.0)				
15歳～	369	78	30	19	8	4	1	1	4	4	518	139	657	0.54	2.15
(%)	(71.2)	(15.1)	(5.8)	(3.7)	(1.5)	(0.8)	(0.2)	(0.2)	(0.8)	(0.8)	(100.0)				
30歳～	5,244	1,237	600	388	176	56	23	20	25	12	7,781	2,021	9,802	0.43	1.35
(%)	(67.4)	(15.9)	(7.7)	(5.0)	(2.3)	(0.7)	(0.3)	(0.3)	(0.3)	(0.2)	(100.0)				
45歳～	20,127	5,692	2,603	1,515	869	276	149	85	92	54	31,462	8,123	39,585	0.48	1.63
(%)	(64.0)	(18.1)	(8.3)	(4.8)	(2.8)	(0.9)	(0.5)	(0.3)	(0.3)	(0.2)	(100.0)				
60歳～	48,997	15,970	8,007	5,163	3,108	1,149	534	304	370	250	83,852	20,526	104,378	0.62	1.91
(%)	(58.4)	(19.0)	(9.5)	(6.2)	(3.7)	(1.4)	(0.6)	(0.4)	(0.4)	(0.3)	(100.0)				
75歳～	29,327	11,679	6,532	4,401	2,913	1,016	533	260	338	226	57,225	13,407	70,632	0.78	2.17
(%)	(51.2)	(20.4)	(11.4)	(7.7)	(5.1)	(1.8)	(0.9)	(0.5)	(0.6)	(0.4)	(100.0)				
90歳～	1,459	719	373	285	179	81	42	24	13	14	3,189	700	3,889	0.89	2.18
(%)	(45.8)	(22.5)	(11.7)	(8.9)	(5.6)	(2.5)	(1.3)	(0.8)	(0.4)	(0.4)	(100.0)				
合計	105,528	35,377	18,146	11,771	7,253	2,582	1,282	694	842	560	184,035	44,920	228,955	0.64	1.94
(%)	(57.3)	(19.2)	(9.9)	(6.4)	(3.9)	(1.4)	(0.7)	(0.4)	(0.5)	(0.3)	(100.0)				
不明	1	1	1	1	1						5	11	16	1.15	1.45
(%)	(20.0)	(20.0)	(20.0)	(20.0)	(20.0)						(100.0)				
記載なし															
(%)															
総計	105,529	35,378	18,147	11,772	7,254	2,582	1,282	694	842	560	184,040	44,931	228,971	0.64	1.94
(%)	(57.3)	(19.2)	(9.9)	(6.4)	(3.9)	(1.4)	(0.7)	(0.4)	(0.5)	(0.3)	(100.0)				
平均	67.02	68.96	69.75	70.36	71.17	71.44	71.74	71.03	70.55	71.21	68.18	67.70	68.08		
標準偏差	12.43	12.08	11.91	11.93	11.49	11.38	11.51	11.70	11.76	11.48	12.30	12.38	12.32		

数値下のかっこ内は行方向の合計に対する%です。
(C)Japanese Society for Dialysis Therapy
2014年調査