

表 3330 透析前CRP濃度(mg/dL) Non-HDL-C濃度(mg/dL)別（施設血液透析患者 透析回数週3回）

Non-HDL-C濃度	0.2未満	0.2～	0.5～	1.0～	2.0～	4.0～	6.0～	8.0～	10.0～	15.0～	合計	記載なし	総計	平均	標準偏差
50未満	1,318	427	239	179	127	40	20	20	26	13	2,409	307	2,716	0.86	2.26
(%)	(54.7)	(17.7)	(9.9)	(7.4)	(5.3)	(1.7)	(0.8)	(0.8)	(1.1)	(0.5)	(100.0)				
50～	6,536	2,070	1,149	759	548	200	90	59	58	53	11,522	1,384	12,906	0.74	2.36
(%)	(56.7)	(18.0)	(10.0)	(6.6)	(4.8)	(1.7)	(0.8)	(0.5)	(0.5)	(0.5)	(100.0)				
70～	15,020	4,660	2,305	1,546	1,041	369	192	90	135	81	25,439	3,093	28,532	0.65	1.88
(%)	(59.0)	(18.3)	(9.1)	(6.1)	(4.1)	(1.5)	(0.8)	(0.4)	(0.5)	(0.3)	(100.0)				
90～	17,680	5,677	2,771	1,822	1,091	374	201	111	105	57	29,889	3,690	33,579	0.57	1.63
(%)	(59.2)	(19.0)	(9.3)	(6.1)	(3.7)	(1.3)	(0.7)	(0.4)	(0.4)	(0.2)	(100.0)				
110～	13,883	4,637	2,332	1,366	785	278	110	69	83	42	23,585	3,094	26,679	0.55	1.62
(%)	(58.9)	(19.7)	(9.9)	(5.8)	(3.3)	(1.2)	(0.5)	(0.3)	(0.4)	(0.2)	(100.0)				
130～	8,313	2,877	1,453	894	454	138	71	19	39	31	14,289	1,844	16,133	0.53	1.68
(%)	(58.2)	(20.1)	(10.2)	(6.3)	(3.2)	(1.0)	(0.5)	(0.1)	(0.3)	(0.2)	(100.0)				
150～	3,980	1,473	809	405	236	80	43	21	23	13	7,083	960	8,043	0.57	1.90
(%)	(56.2)	(20.8)	(11.4)	(5.7)	(3.3)	(1.1)	(0.6)	(0.3)	(0.3)	(0.2)	(100.0)				
170～	1,623	761	356	228	102	37	17	4	12	4	3,144	423	3,567	0.57	1.44
(%)	(51.6)	(24.2)	(11.3)	(7.3)	(3.2)	(1.2)	(0.5)	(0.1)	(0.4)	(0.1)	(100.0)				
190～	601	304	128	76	39	15	3	5	8		1,179	159	1,338	0.57	1.39
(%)	(51.0)	(25.8)	(10.9)	(6.4)	(3.3)	(1.3)	(0.3)	(0.4)	(0.7)		(100.0)				
210～	357	168	108	67	26	10	7	5	1	2	751	81	832	0.71	1.81
(%)	(47.5)	(22.4)	(14.4)	(8.9)	(3.5)	(1.3)	(0.9)	(0.7)	(0.1)	(0.3)	(100.0)				
合計	69,311	23,054	11,650	7,342	4,449	1,541	754	403	490	296	119,290	15,035	134,325	0.60	1.80
(%)	(58.1)	(19.3)	(9.8)	(6.2)	(3.7)	(1.3)	(0.6)	(0.3)	(0.4)	(0.2)	(100.0)				
記載なし	36,218	12,324	6,497	4,430	2,805	1,041	528	291	352	264	64,750	29,896	94,646	0.72	2.18
(%)	(55.9)	(19.0)	(10.0)	(6.8)	(4.3)	(1.6)	(0.8)	(0.4)	(0.5)	(0.4)	(100.0)				
総計	105,529	35,378	18,147	11,772	7,254	2,582	1,282	694	842	560	184,040	44,931	228,971	0.64	1.94
(%)	(57.3)	(19.2)	(9.9)	(6.4)	(3.9)	(1.4)	(0.7)	(0.4)	(0.5)	(0.3)	(100.0)				
平均	105.85	108.49	108.21	106.28	102.46	102.09	101.29	98.18	99.32	95.98	106.33	107.23	106.43		
標準偏差	32.45	34.18	34.94	34.73	33.61	34.00	33.69	35.10	34.87	33.39	33.32	33.27	33.32		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査