

表 3333 透析前CRP濃度(mg/dL) 透析前脈拍(拍/分)別(施設血液透析患者 透析回数週3回)

透析前脈拍	0.2未満	0.2～	0.5～	1.0～	2.0～	4.0～	6.0～	8.0～	10.0～	15.0～	合計	記載なし	総計	平均	標準偏差
40未満	69	29	12	10	10	3	1		1		135	20	155	0.75	1.68
(%)	(51.1)	(21.5)	(8.9)	(7.4)	(7.4)	(2.2)	(0.7)		(0.7)		(100.0)				
40～	946	291	150	92	61	22	9	3	7	5	1,586	343	1,929	0.62	2.21
(%)	(59.6)	(18.3)	(9.5)	(5.8)	(3.8)	(1.4)	(0.6)	(0.2)	(0.4)	(0.3)	(100.0)				
50～	8,270	2,391	1,156	673	436	115	57	42	32	21	13,193	2,580	15,773	0.49	1.41
(%)	(62.7)	(18.1)	(8.8)	(5.1)	(3.3)	(0.9)	(0.4)	(0.3)	(0.2)	(0.2)	(100.0)				
60～	25,005	7,641	3,657	2,246	1,298	435	198	93	122	77	40,772	7,969	48,741	0.51	1.62
(%)	(61.3)	(18.7)	(9.0)	(5.5)	(3.2)	(1.1)	(0.5)	(0.2)	(0.3)	(0.2)	(100.0)				
70～	28,473	9,408	4,675	3,045	1,716	630	291	154	190	117	48,699	9,485	58,184	0.59	1.72
(%)	(58.5)	(19.3)	(9.6)	(6.3)	(3.5)	(1.3)	(0.6)	(0.3)	(0.4)	(0.2)	(100.0)				
80～	17,065	6,085	3,274	2,170	1,376	461	264	151	165	94	31,105	5,618	36,723	0.70	1.94
(%)	(54.9)	(19.6)	(10.5)	(7.0)	(4.4)	(1.5)	(0.8)	(0.5)	(0.5)	(0.3)	(100.0)				
90～	6,757	2,847	1,494	1,032	695	274	149	72	106	61	13,487	2,431	15,918	0.85	2.34
(%)	(50.1)	(21.1)	(11.1)	(7.7)	(5.2)	(2.0)	(1.1)	(0.5)	(0.8)	(0.5)	(100.0)				
100～	1,940	855	514	374	266	97	58	29	37	38	4,208	696	4,904	1.06	2.78
(%)	(46.1)	(20.3)	(12.2)	(8.9)	(6.3)	(2.3)	(1.4)	(0.7)	(0.9)	(0.9)	(100.0)				
110～	405	211	136	99	68	25	18	9	11	12	994	163	1,157	1.28	3.15
(%)	(40.7)	(21.2)	(13.7)	(10.0)	(6.8)	(2.5)	(1.8)	(0.9)	(1.1)	(1.2)	(100.0)				
120～	193	89	53	38	35	19	8	4	3	2	444	54	498	1.13	2.38
(%)	(43.5)	(20.0)	(11.9)	(8.6)	(7.9)	(4.3)	(1.8)	(0.9)	(0.7)	(0.5)	(100.0)				
合計	89,123	29,847	15,121	9,779	5,961	2,081	1,053	557	674	427	154,623	29,359	183,982	0.62	1.84
(%)	(57.6)	(19.3)	(9.8)	(6.3)	(3.9)	(1.3)	(0.7)	(0.4)	(0.4)	(0.3)	(100.0)				
記載なし	16,406	5,531	3,026	1,993	1,293	501	229	137	168	133	29,417	15,572	44,989	0.75	2.40
(%)	(55.8)	(18.8)	(10.3)	(6.8)	(4.4)	(1.7)	(0.8)	(0.5)	(0.6)	(0.5)	(100.0)				
総計	105,529	35,378	18,147	11,772	7,254	2,582	1,282	694	842	560	184,040	44,931	228,971	0.64	1.94
(%)	(57.3)	(19.2)	(9.9)	(6.4)	(3.9)	(1.4)	(0.7)	(0.4)	(0.5)	(0.3)	(100.0)				
平均	73.67	75.06	75.73	76.34	77.10	77.94	79.00	78.82	79.26	80.20	74.60	73.98	74.50		
標準偏差	12.40	12.96	13.32	13.30	14.16	14.12	14.29	14.05	14.45	15.07	12.85	12.48	12.80		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査