

表 3336 透析前CRP濃度(mg/dL) 透析歴(年)別 (血液透析濾過患者 透析回数週3回)

| 透析歴  | 0.2未満  | 0.2～   | 0.5～   | 1.0～   | 2.0～  | 4.0～  | 6.0～  | 8.0～  | 10.0～ | 15.0～ | 合計      | 記載なし  | 総計     | 平均   | 標準偏差 |
|------|--------|--------|--------|--------|-------|-------|-------|-------|-------|-------|---------|-------|--------|------|------|
| 2年未満 | 2,618  | 747    | 402    | 237    | 127   | 52    | 21    | 9     | 17    | 9     | 4,239   | 725   | 4,964  | 0.55 | 1.90 |
| (%)  | (61.8) | (17.6) | (9.5)  | (5.6)  | (3.0) | (1.2) | (0.5) | (0.2) | (0.4) | (0.2) | (100.0) |       |        |      |      |
| 2年～  | 4,496  | 1,443  | 705    | 425    | 260   | 78    | 38    | 19    | 17    | 20    | 7,501   | 1,114 | 8,615  | 0.54 | 1.61 |
| (%)  | (59.9) | (19.2) | (9.4)  | (5.7)  | (3.5) | (1.0) | (0.5) | (0.3) | (0.2) | (0.3) | (100.0) |       |        |      |      |
| 5年～  | 5,216  | 1,622  | 831    | 549    | 308   | 111   | 45    | 21    | 26    | 17    | 8,746   | 1,370 | 10,116 | 0.55 | 1.49 |
| (%)  | (59.6) | (18.5) | (9.5)  | (6.3)  | (3.5) | (1.3) | (0.5) | (0.2) | (0.3) | (0.2) | (100.0) |       |        |      |      |
| 10年～ | 3,232  | 1,020  | 485    | 298    | 171   | 54    | 25    | 22    | 12    | 12    | 5,331   | 863   | 6,194  | 0.54 | 1.77 |
| (%)  | (60.6) | (19.1) | (9.1)  | (5.6)  | (3.2) | (1.0) | (0.5) | (0.4) | (0.2) | (0.2) | (100.0) |       |        |      |      |
| 15年～ | 2,049  | 659    | 286    | 185    | 89    | 44    | 19    | 11    | 14    | 13    | 3,369   | 555   | 3,924  | 0.59 | 2.32 |
| (%)  | (60.8) | (19.6) | (8.5)  | (5.5)  | (2.6) | (1.3) | (0.6) | (0.3) | (0.4) | (0.4) | (100.0) |       |        |      |      |
| 20年～ | 1,402  | 399    | 194    | 119    | 61    | 25    | 9     | 1     | 7     | 5     | 2,222   | 415   | 2,637  | 0.48 | 1.50 |
| (%)  | (63.1) | (18.0) | (8.7)  | (5.4)  | (2.7) | (1.1) | (0.4) | (0.0) | (0.3) | (0.2) | (100.0) |       |        |      |      |
| 25年～ | 857    | 268    | 113    | 68     | 51    | 18    | 7     | 4     | 4     | 1     | 1,391   | 260   | 1,651  | 0.51 | 1.42 |
| (%)  | (61.6) | (19.3) | (8.1)  | (4.9)  | (3.7) | (1.3) | (0.5) | (0.3) | (0.3) | (0.1) | (100.0) |       |        |      |      |
| 30年～ | 535    | 189    | 79     | 61     | 37    | 16    | 6     | 5     | 4     | 3     | 935     | 188   | 1,123  | 0.65 | 1.78 |
| (%)  | (57.2) | (20.2) | (8.4)  | (6.5)  | (4.0) | (1.7) | (0.6) | (0.5) | (0.4) | (0.3) | (100.0) |       |        |      |      |
| 35年～ | 247    | 103    | 64     | 46     | 25    | 8     | 1     | 1     | 5     | 4     | 504     | 83    | 587    | 0.95 | 3.45 |
| (%)  | (49.0) | (20.4) | (12.7) | (9.1)  | (5.0) | (1.6) | (0.2) | (0.2) | (1.0) | (0.8) | (100.0) |       |        |      |      |
| 40年～ | 47     | 27     | 13     | 15     | 5     | 1     |       | 1     | 2     |       | 111     | 13    | 124    | 0.84 | 1.85 |
| (%)  | (42.3) | (24.3) | (11.7) | (13.5) | (4.5) | (0.9) |       | (0.9) | (1.8) |       | (100.0) |       |        |      |      |
| 合計   | 20,699 | 6,477  | 3,172  | 2,003  | 1,134 | 407   | 171   | 94    | 108   | 84    | 34,349  | 5,586 | 39,935 | 0.55 | 1.76 |
| (%)  | (60.3) | (18.9) | (9.2)  | (5.8)  | (3.3) | (1.2) | (0.5) | (0.3) | (0.3) | (0.2) | (100.0) |       |        |      |      |
| 不明   | 5      |        | 1      |        |       |       |       |       |       |       | 6       | 5     | 11     | 0.13 | 0.20 |
| (%)  | (83.3) |        | (16.7) |        |       |       |       |       |       |       | (100.0) |       |        |      |      |
| 記載なし |        |        |        |        |       |       |       |       |       |       |         |       |        |      |      |
| (%)  |        |        |        |        |       |       |       |       |       |       |         |       |        |      |      |
| 総計   | 20,704 | 6,477  | 3,173  | 2,003  | 1,134 | 407   | 171   | 94    | 108   | 84    | 34,355  | 5,591 | 39,946 | 0.55 | 1.76 |
| (%)  | (60.3) | (18.9) | (9.2)  | (5.8)  | (3.3) | (1.2) | (0.5) | (0.3) | (0.3) | (0.2) | (100.0) |       |        |      |      |
| 平均   | 9.87   | 10.15  | 9.80   | 10.22  | 10.12 | 10.49 | 9.63  | 10.76 | 11.56 | 10.92 | 9.96    | 10.40 | 10.02  |      |      |
| 標準偏差 | 8.68   | 8.96   | 8.90   | 9.27   | 9.26  | 9.33  | 8.41  | 9.12  | 10.74 | 9.81  | 8.83    | 9.10  | 8.87   |      |      |

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査