

表 3341 透析前CRP濃度(mg/dL) 透析前リン濃度(mg/dL)別(血液透析濾過患者 透析回数週3回)

透析前リン濃度	0.2未満	0.2～	0.5～	1.0～	2.0～	4.0～	6.0～	8.0～	10.0～	15.0～	合計	記載なし	総計	平均	標準偏差
3未満	445	174	123	98	68	38	17	9	13	9	994	139	1,133	1.29	3.28
(%)	(44.8)	(17.5)	(12.4)	(9.9)	(6.8)	(3.8)	(1.7)	(0.9)	(1.3)	(0.9)	(100.0)				
3.0～	769	257	149	101	64	26	10	3	5	2	1,386	188	1,574	0.64	1.64
(%)	(55.5)	(18.5)	(10.8)	(7.3)	(4.6)	(1.9)	(0.7)	(0.2)	(0.4)	(0.1)	(100.0)				
3.5～	1,479	437	221	166	112	41	19	15	17	9	2,516	333	2,849	0.70	1.90
(%)	(58.8)	(17.4)	(8.8)	(6.6)	(4.5)	(1.6)	(0.8)	(0.6)	(0.7)	(0.4)	(100.0)				
4.0～	2,444	701	337	247	149	53	15	19	9	13	3,987	578	4,565	0.58	1.90
(%)	(61.3)	(17.6)	(8.5)	(6.2)	(3.7)	(1.3)	(0.4)	(0.5)	(0.2)	(0.3)	(100.0)				
4.5～	3,119	915	452	262	165	51	29	10	21	17	5,041	671	5,712	0.56	1.80
(%)	(61.9)	(18.2)	(9.0)	(5.2)	(3.3)	(1.0)	(0.6)	(0.2)	(0.4)	(0.3)	(100.0)				
5.0～	3,414	1,025	443	266	155	45	15	10	12	9	5,394	740	6,134	0.44	1.25
(%)	(63.3)	(19.0)	(8.2)	(4.9)	(2.9)	(0.8)	(0.3)	(0.2)	(0.2)	(0.2)	(100.0)				
5.5～	2,937	909	411	232	111	33	23	8	10	4	4,678	621	5,299	0.45	1.76
(%)	(62.8)	(19.4)	(8.8)	(5.0)	(2.4)	(0.7)	(0.5)	(0.2)	(0.2)	(0.1)	(100.0)				
6.0～	504	167	87	49	18	4	2	2	2	1	836	114	950	0.47	1.98
(%)	(60.3)	(20.0)	(10.4)	(5.9)	(2.2)	(0.5)	(0.2)	(0.2)	(0.2)	(0.1)	(100.0)				
6.1～	1,761	539	236	161	82	30	6	6	8	5	2,834	410	3,244	0.50	1.73
(%)	(62.1)	(19.0)	(8.3)	(5.7)	(2.9)	(1.1)	(0.2)	(0.2)	(0.3)	(0.2)	(100.0)				
6.5～	1,532	477	218	131	72	33	9	3	4	7	2,486	320	2,806	0.50	1.67
(%)	(61.6)	(19.2)	(8.8)	(5.3)	(2.9)	(1.3)	(0.4)	(0.1)	(0.2)	(0.3)	(100.0)				
7.0～	911	320	169	119	36	16	9	3	3		1,586	189	1,775	0.48	1.08
(%)	(57.4)	(20.2)	(10.7)	(7.5)	(2.3)	(1.0)	(0.6)	(0.2)	(0.2)		(100.0)				
7.5～	557	200	115	68	28	11	4	1			984	120	1,104	0.46	0.90
(%)	(56.6)	(20.3)	(11.7)	(6.9)	(2.8)	(1.1)	(0.4)	(0.1)			(100.0)				
8.0～	309	129	88	28	26	5	3	1	1	2	592	59	651	0.58	1.58
(%)	(52.2)	(21.8)	(14.9)	(4.7)	(4.4)	(0.8)	(0.5)	(0.2)	(0.2)	(0.3)	(100.0)				
8.5～	191	78	42	24	15	9	1	2	1		363	60	423	0.64	1.35
(%)	(52.6)	(21.5)	(11.6)	(6.6)	(4.1)	(2.5)	(0.3)	(0.6)	(0.3)		(100.0)				
9.0～	285	131	72	47	29	11	5		2	1	583	99	682	0.67	1.58
(%)	(48.9)	(22.5)	(12.3)	(8.1)	(5.0)	(1.9)	(0.9)		(0.3)	(0.2)	(100.0)				
合計	20,657	6,459	3,163	1,999	1,130	406	167	92	108	79	34,260	4,641	38,901	0.55	1.73
(%)	(60.3)	(18.9)	(9.2)	(5.8)	(3.3)	(1.2)	(0.5)	(0.3)	(0.3)	(0.2)	(100.0)				
記載なし	47	18	10	4	4	1	4	2		5	95	950	1,045	2.21	6.01
(%)	(49.5)	(18.9)	(10.5)	(4.2)	(4.2)	(1.1)	(4.2)	(2.1)		(5.3)	(100.0)				
総計	20,704	6,477	3,173	2,003	1,134	407	171	94	108	84	34,355	5,591	39,946	0.55	1.76
(%)	(60.3)	(18.9)	(9.2)	(5.8)	(3.3)	(1.2)	(0.5)	(0.3)	(0.3)	(0.2)	(100.0)				
平均	5.36	5.43	5.42	5.31	5.16	5.09	5.01	4.73	4.72	4.72	5.36	5.35	5.36		
標準偏差	1.35	1.44	1.55	1.58	1.64	1.75	1.78	1.43	1.62	1.46	1.42	1.46	1.43		

数値下のかつこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査