

表 3344 透析前CRP濃度(mg/dL) 透析前ヘモグロビン濃度(g/dL)別 (血液透析濾過患者 透析回数週3回)

透析前ヘモグロビン濃度	0.2未満	0.2～	0.5～	1.0～	2.0～	4.0～	6.0～	8.0～	10.0～	15.0～	合計	記載なし	総計	平均	標準偏差
5未満	14	3		3							20	6	26	0.30	0.50
(%)	(70.0)	(15.0)		(15.0)							(100.0)				
5～	16	6	1	3	1	2					29	2	31	0.72	1.43
(%)	(55.2)	(20.7)	(3.4)	(10.3)	(3.4)	(6.9)					(100.0)				
6～	33	14	12	8	16	5	1	2	2		93	21	114	1.51	2.30
(%)	(35.5)	(15.1)	(12.9)	(8.6)	(17.2)	(5.4)	(1.1)	(2.2)	(2.2)		(100.0)				
7～	134	66	49	58	40	23	11	9	7	2	399	46	445	1.62	2.65
(%)	(33.6)	(16.5)	(12.3)	(14.5)	(10.0)	(5.8)	(2.8)	(2.3)	(1.8)	(0.5)	(100.0)				
8～	638	259	184	152	98	42	25	13	15	11	1,437	200	1,637	1.15	2.56
(%)	(44.4)	(18.0)	(12.8)	(10.6)	(6.8)	(2.9)	(1.7)	(0.9)	(1.0)	(0.8)	(100.0)				
9～	2,780	986	531	375	263	79	34	29	25	25	5,127	723	5,850	0.75	2.03
(%)	(54.2)	(19.2)	(10.4)	(7.3)	(5.1)	(1.5)	(0.7)	(0.6)	(0.5)	(0.5)	(100.0)				
10～	7,083	2,083	1,021	629	346	136	42	23	25	19	11,407	1,540	12,947	0.50	1.72
(%)	(62.1)	(18.3)	(9.0)	(5.5)	(3.0)	(1.2)	(0.4)	(0.2)	(0.2)	(0.2)	(100.0)				
11～	6,542	1,950	851	489	217	78	34	14	20	18	10,213	1,364	11,577	0.43	1.51
(%)	(64.1)	(19.1)	(8.3)	(4.8)	(2.1)	(0.8)	(0.3)	(0.1)	(0.2)	(0.2)	(100.0)				
12～	2,475	746	349	194	87	24	10	1	3	6	3,895	487	4,382	0.40	1.26
(%)	(63.5)	(19.2)	(9.0)	(5.0)	(2.2)	(0.6)	(0.3)	(0.0)	(0.1)	(0.2)	(100.0)				
13～	602	215	106	53	33	9	8	1	4		1,031	154	1,185	0.49	1.20
(%)	(58.4)	(20.9)	(10.3)	(5.1)	(3.2)	(0.9)	(0.8)	(0.1)	(0.4)		(100.0)				
14～	257	105	46	24	16	7	3		2	1	461	62	523	0.55	1.39
(%)	(55.7)	(22.8)	(10.0)	(5.2)	(3.5)	(1.5)	(0.7)		(0.4)	(0.2)	(100.0)				
合計	20,574	6,433	3,150	1,988	1,117	405	168	92	103	82	34,112	4,605	38,717	0.55	1.72
(%)	(60.3)	(18.9)	(9.2)	(5.8)	(3.3)	(1.2)	(0.5)	(0.3)	(0.3)	(0.2)	(100.0)				
記載なし	130	44	23	15	17	2	3	2	5	2	243	986	1,229	1.30	4.76
(%)	(53.5)	(18.1)	(9.5)	(6.2)	(7.0)	(0.8)	(1.2)	(0.8)	(2.1)	(0.8)	(100.0)				
総計	20,704	6,477	3,173	2,003	1,134	407	171	94	108	84	34,355	5,591	39,946	0.55	1.76
(%)	(60.3)	(18.9)	(9.2)	(5.8)	(3.3)	(1.2)	(0.5)	(0.3)	(0.3)	(0.2)	(100.0)				
平均	10.92	10.88	10.76	10.58	10.38	10.26	10.26	9.68	10.10	10.21	10.84	10.82	10.84		
標準偏差	1.19	1.27	1.34	1.40	1.46	1.51	1.64	1.30	1.53	1.30	1.26	1.27	1.26		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査