

表 3346 透析前CRP濃度(mg/dL) HDL-C濃度(mg/dL)別(血液透析濾過患者 透析回数週3回)

HDL-C濃度	0.2未満	0.2～	0.5～	1.0～	2.0～	4.0～	6.0～	8.0～	10.0～	15.0～	合計	記載なし	総計	平均	標準偏差
20未満	23	8	12	10	8	5	2	1	2	5	76	5	81	3.15	6.42
(%)	(30.3)	(10.5)	(15.8)	(13.2)	(10.5)	(6.6)	(2.6)	(1.3)	(2.6)	(6.6)	(100.0)				
20～	612	416	255	181	107	37	14	11	13	7	1,653	221	1,874	0.98	2.23
(%)	(37.0)	(25.2)	(15.4)	(10.9)	(6.5)	(2.2)	(0.8)	(0.7)	(0.8)	(0.4)	(100.0)				
30～	2,709	1,236	705	445	250	72	42	19	21	12	5,511	620	6,131	0.69	1.73
(%)	(49.2)	(22.4)	(12.8)	(8.1)	(4.5)	(1.3)	(0.8)	(0.3)	(0.4)	(0.2)	(100.0)				
40～	3,802	1,344	643	408	232	77	27	16	18	17	6,584	776	7,360	0.55	1.63
(%)	(57.7)	(20.4)	(9.8)	(6.2)	(3.5)	(1.2)	(0.4)	(0.2)	(0.3)	(0.3)	(100.0)				
50～	3,544	907	414	249	128	52	25	10	11	8	5,348	623	5,971	0.43	1.34
(%)	(66.3)	(17.0)	(7.7)	(4.7)	(2.4)	(1.0)	(0.5)	(0.2)	(0.2)	(0.1)	(100.0)				
60～	2,496	531	225	114	61	25	8	5	4	2	3,471	386	3,857	0.32	0.92
(%)	(71.9)	(15.3)	(6.5)	(3.3)	(1.8)	(0.7)	(0.2)	(0.1)	(0.1)	(0.1)	(100.0)				
70～	1,384	234	103	52	33	13	3	3	1	1	1,827	196	2,023	0.29	0.96
(%)	(75.8)	(12.8)	(5.6)	(2.8)	(1.8)	(0.7)	(0.2)	(0.2)	(0.1)	(0.1)	(100.0)				
80～	691	116	48	20	14	9	1		1	1	901	112	1,013	0.31	1.44
(%)	(76.7)	(12.9)	(5.3)	(2.2)	(1.6)	(1.0)	(0.1)		(0.1)	(0.1)	(100.0)				
90～	304	50	13	16	2	4	1	1			391	40	431	0.26	0.77
(%)	(77.7)	(12.8)	(3.3)	(4.1)	(0.5)	(1.0)	(0.3)	(0.3)			(100.0)				
100～	259	49	14	11	3	2	1	1			340	43	383	0.26	0.81
(%)	(76.2)	(14.4)	(4.1)	(3.2)	(0.9)	(0.6)	(0.3)	(0.3)			(100.0)				
合計	15,824	4,891	2,432	1,506	838	296	124	67	71	53	26,102	3,022	29,124	0.52	1.56
(%)	(60.6)	(18.7)	(9.3)	(5.8)	(3.2)	(1.1)	(0.5)	(0.3)	(0.3)	(0.2)	(100.0)				
記載なし	4,880	1,586	741	497	296	111	47	27	37	31	8,253	2,569	10,822	0.64	2.28
(%)	(59.1)	(19.2)	(9.0)	(6.0)	(3.6)	(1.3)	(0.6)	(0.3)	(0.4)	(0.4)	(100.0)				
総計	20,704	6,477	3,173	2,003	1,134	407	171	94	108	84	34,355	5,591	39,946	0.55	1.76
(%)	(60.3)	(18.9)	(9.2)	(5.8)	(3.3)	(1.2)	(0.5)	(0.3)	(0.3)	(0.2)	(100.0)				
平均	53.86	47.85	45.54	44.64	43.93	46.27	43.94	44.48	41.01	40.79	50.89	50.54	50.85		
標準偏差	17.36	16.14	15.17	15.36	15.15	16.71	15.10	20.79	14.31	15.00	17.17	17.29	17.18		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査