

表 3350 透析前CRP濃度(mg/dL) 透析前脈拍(拍/分)別（血液透析濾過患者 透析回数週3回）

透析前脈拍	0.2未満	0.2～	0.5～	1.0～	2.0～	4.0～	6.0～	8.0～	10.0～	15.0～	合計	記載なし	総計	平均	標準偏差
40未満	10	4		1							15	2	17	0.26	0.40
(%)	(66.7)	(26.7)		(6.7)							(100.0)				
40～	157	49	19	11	9	4	1	1	1		252	43	295	0.50	1.24
(%)	(62.3)	(19.4)	(7.5)	(4.4)	(3.6)	(1.6)	(0.4)	(0.4)	(0.4)		(100.0)				
50～	1,506	425	192	99	54	24	7	4	5	5	2,321	311	2,632	0.44	1.42
(%)	(64.9)	(18.3)	(8.3)	(4.3)	(2.3)	(1.0)	(0.3)	(0.2)	(0.2)	(0.2)	(100.0)				
60～	4,825	1,291	639	378	198	53	33	14	10	7	7,448	1,042	8,490	0.42	1.21
(%)	(64.8)	(17.3)	(8.6)	(5.1)	(2.7)	(0.7)	(0.4)	(0.2)	(0.1)	(0.1)	(100.0)				
70～	5,796	1,723	763	518	301	101	32	26	25	13	9,298	1,247	10,545	0.49	1.40
(%)	(62.3)	(18.5)	(8.2)	(5.6)	(3.2)	(1.1)	(0.3)	(0.3)	(0.3)	(0.1)	(100.0)				
80～	3,606	1,228	609	414	208	85	36	14	17	14	6,231	832	7,063	0.56	1.57
(%)	(57.9)	(19.7)	(9.8)	(6.6)	(3.3)	(1.4)	(0.6)	(0.2)	(0.3)	(0.2)	(100.0)				
90～	1,560	566	343	210	124	57	22	10	14	11	2,917	376	3,293	0.71	1.87
(%)	(53.5)	(19.4)	(11.8)	(7.2)	(4.3)	(2.0)	(0.8)	(0.3)	(0.5)	(0.4)	(100.0)				
100～	430	184	121	78	47	15	5	10	4	5	899	143	1,042	0.84	2.14
(%)	(47.8)	(20.5)	(13.5)	(8.7)	(5.2)	(1.7)	(0.6)	(1.1)	(0.4)	(0.6)	(100.0)				
110～	103	54	26	26	12	7	7	1	2	2	240	21	261	1.14	2.66
(%)	(42.9)	(22.5)	(10.8)	(10.8)	(5.0)	(2.9)	(2.9)	(0.4)	(0.8)	(0.8)	(100.0)				
120～	48	20	15	2	6	1	2	1		2	97	9	106	1.34	4.75
(%)	(49.5)	(20.6)	(15.5)	(2.1)	(6.2)	(1.0)	(2.1)	(1.0)		(2.1)	(100.0)				
合計	18,041	5,544	2,727	1,737	959	347	145	81	78	59	29,718	4,026	33,744	0.52	1.51
(%)	(60.7)	(18.7)	(9.2)	(5.8)	(3.2)	(1.2)	(0.5)	(0.3)	(0.3)	(0.2)	(100.0)				
記載なし	2,663	933	446	266	175	60	26	13	30	25	4,637	1,565	6,202	0.73	2.87
(%)	(57.4)	(20.1)	(9.6)	(5.7)	(3.8)	(1.3)	(0.6)	(0.3)	(0.6)	(0.5)	(100.0)				
総計	20,704	6,477	3,173	2,003	1,134	407	171	94	108	84	34,355	5,591	39,946	0.55	1.76
(%)	(60.3)	(18.9)	(9.2)	(5.8)	(3.3)	(1.2)	(0.5)	(0.3)	(0.3)	(0.2)	(100.0)				
平均	74.52	76.05	77.10	77.72	77.92	79.10	80.37	80.44	80.26	83.59	75.47	75.10	75.43		
標準偏差	12.45	13.21	13.79	13.05	13.74	14.03	16.09	15.04	14.63	18.02	12.94	12.89	12.93		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査